



**CDL**  
SUGARING  
EQUIPMENT

**2024**  
CATALOGUE





## Upcoming Events at CDL Save the date!



**IN CANADA |  
Bellechasse,  
Quebec**

**OPEN HOUSE**  
Friday May 17 and  
Saturday May 18, 2024

**IN VERMONT |  
St. Albans**

**OPEN HOUSE**  
Friday April 26 and  
Saturday April 27, 2024

Take advantage of our  
**PROMOTIONS!**

Come see our  
**NEW PRODUCTS!**  
Do not miss this event!

Festive atmosphere  
guaranteed!



**CDL**  
SUGARING  
EQUIPMENT



CDL's Co-owners from left to right:

**Marc-André Chabot,**  
Vice president or R&D

**Vallier Chabot,**  
General manager of CDL

**Martin Chabot,**  
General manager of CDL USA and head of  
international business development – CDL Sap Division

Dear customers,

The entire CDL team is proud to present its 2024 products catalog, where you will find our latest innovations in terms of equipment and technologies, without forgetting our distinctive products that have made CDL renowned.

Particularly for this edition, the transfer towards renewable energies, energy savings, automation and remote management, as well as the diversification of maple production leave their mark throughout the pages and products; since they are the major trends in our industry for the coming years. We must take advantage of the chance we have to produce new natural sweetening agents (syrup, high brix concentrate and maple nectar), which have the potential to be fully aligned with sustainable development.

CDL has a full range of equipment and new technologies ready to support you in this shift that is profitable for all maple syrup businesses, small or large. Collectively, we benefit from our industry produce less pollution while we continue to improve the efficiency, productivity of our maple groves and the quality of the maple syrup produced.

The coming years will force us to be sensitive to the recycling of plastic materials used in our industry. We also have the challenge to reduce installation costs. Certainly, CDL is already taking action to meet these objectives as quickly as possible.

In closing, we would like to reiterate our customer promise. CDL wishes to remain a leader in the maple syrup industry and offer to our customers a range of innovative products and comprehensive services, with a focus on quality and compliance with delivery times, and at the right price. At CDL, our commitment is to offer you the best customer experience in the region all year round, and especially when you need it most: during sugaring season.

The CDL team wishes you a productive 2024 sugaring season that will exceed your expectations. The industry needs it.

Enjoy the reading!

## TABLE OF CONTENTS

<b>4</b>	<b>FOREST</b>
<b>23</b>	<b>TOOLS, SS AND PVC HARDWARE</b>
<b>42</b>	<b>CDL INTELLIGENCE</b>
<b>51</b>	<b>PUMPING STATION AND TANKS</b>
<b>68</b>	<b>SUGARBUSH</b>
<b>112</b>	<b>PROCESSING, PACKAGING AND MARKETING</b>
<b>127</b>	<b>STORE CONTACTS AND SALES TEAM</b>

# Signature SPOUTS

## MINIMUM RESTRICTION

The 45° angle facilitates sap flow and prevents residues or unwanted bacterias from accumulating.

## PERFECT SEAL

Resin conforms to the shape of the tap hole and adheres to the bark.

## SPOUT LENGTH SUITS ALL BARK THICKNESSES.

Thin wall maximizes sap flow while minimizing tree damage.



## THE PERFECT CHOICE FOR YOUR SUGARBUSH

### Signature SPOUTS



**1/4"**



**5/16"**

			
	Clear	Blue	Smoke
<b>1/4"</b>	66045044	66045344	66045144
<b>5/16"</b>	66045064	66045063	66045069

### Signature SPOUTS WITH BARBS



**1/4"**



**5/16"**

			
	Clear	Blue	Smoke
<b>1/4"</b>	66045424WB	66045524WB	66045624WB
<b>5/16"</b>	66045264WB	66045263WB	66045269WB

We recommend the use of the 1/4" drill bit for tapping with 1/4" Signature spouts and the 5/16" drill bit for tapping with 5/16" Signature spouts.

# SMART<sup>2.0</sup> Spouts

## 17/64" SPOUTS




**THE 15° ANGLE  
GIVES A GOOD  
CLEARANCE  
BETWEEN  
THE DROP  
AND THE  
TREE**



Smoke  
66015016



Clear  
66015017



Blue  
66015019

- > 15° ANGLE
- > 1<sup>ST</sup> MAXFLOW BARB FOR ABSOLUTE LEAKPROOF
- > THE 15° ANGLE ENSURES CLEARANCE BETWEEN THE DROP AND THE TREE, WHILE FACILITATING HAMMERING
- > THICKER WALL TO REDUCE DISTORSION

We recommend the use of the 17/64" drill bit for tapping.

### ANTIBACTERIAL SPOUT

5/16" spout Zap-Bac Antibacterial  
66090094

Contains silver nanoparticles, approved by FDA. On request only.  
Also available in 3/16" on request only.



 ONLY AVAILABLE  
IN THE USA



# MAXFlow+



## LONG LASTING 5/16" SPOUTS



The opening at the tip of the spout lets the sap flow into the spout more easily, optimizing your yield of your drawoff.



The 15° angle gives a good clearance between the drop and the tree



Blue  
66015518



White  
66015517



Black  
66015516

# MAXFlow MAXFLOW SPOUTS WITH BARBS



Blue  
66090518



White  
66090517



Black  
66090516

**5/16"**


**17/64"**

66090513

66090515

66090514

Note : we recommend the use of a 19/64" drill bit for Maxflow 5/16" tapping.



## WHITE SPOUTS, 7% BETTER PERFORMANCE



### ACCORDING TO A STUDY FROM THE ACER CENTER

When comparing sap yield, the white Maxflow spout gave a **SAP VOLUME 7% HIGHER** than the black Maxflow spout.

### CONCLUSION OF THE STUDY

In the studied sugarbush, white spouts gave a higher volume of sap compared to the black spouts.

This increase, recorded in the last part of the season, would be related to the color of the spout and its thermal absorption properties.



## BETTER GRIP ON TUBING!



The line of **5/16" Maxflow fittings** was specifically designed and developed for maple producers wanting to operate **over 25 in-hg (high vacuum)**. These fittings enable a perfect seal with a vacuum level beyond 25 in-hg and offers the following advantages:

- > No parting lines on the first barb.
- > Precision moulding.
- > Eliminates micro-leaks caused by molding lines.
- > Better grip on the tubing.

### T MAXFLOW



Compatible with all 5/16" spouts and caps 66030517 and 66030519

5/16" health T  
660300099



For use with 66030515 and 660630514

5/16" T with pin  
66301099



5/16" multi-function T  
660300096



Compatible with all Maxflow, Maxflow + spouts and universal reducers 66030518

**IDEAL TO SANITIZE WITH ISOPROPYL ALCOHOL**

5/16" T with sanitizing cap  
66302099



Compatible with all Signature, Smart 2.0 spouts and 1/2" reducers 66030512

5/16" Maxflow with multi stage pin  
66304099



T 5/16" universal cap  
66306099

### MAXFLOW END OF LINE TEES



Compatible with all 5/16" spouts and caps 66030517 and 66030519

5/16" end of line health T  
66306357



For use with 66030515 and 660630514

5/16" end of line T with pin  
66305099



5/16" multifunction end T  
66306358



Compatible with all Maxflow, Maxflow + spouts and universal reducers 66030518

**IDEAL TO SANITIZE WITH ISOPROPYL ALCOHOL**

5/16" end of line T with sanitizing cap  
66304357



Compatible with all Signature, Smart 2.0 spouts and 1/2" reducers 66030512

5/16" multi stage Maxflow end line T  
66305357



T 5/16" end of line universal cap  
66307357

# MAXFlow

## MAXFLOW END OF LINE ADAPTORS

- 

End of line adaptor  
Universal cap  
**MAXFlow**  **NEW** 66268099
- 

5/16" end of line adaptor  
**MAXFlow** 66265099
- 

End of line adaptor with cap  
**MAXFlow** 66266099
- 

Maxflow multifunctional  
end of line adaptor  
**MAXFlow** 66267099

## END OF LINE ADAPTORS

- 

5/16" black Y 66014099
- 

5/16" sliding adaptor ETMAT316C
- 

5/16" sliding hook ETMAT316CH
- 

5/16" end of line hook 66279099

## SAP LADDER FITTINGS

- 

5/16" 6-way star 66180  
1/2" MIPT
- 

5/16" 3-way star 66183  
1/2" MIPT

# THE SOLUTION TO PREVENT MICRO-LEAKS

## 5/16" MAXFLOW CONNECTORS

- 

5/16" flat hook connector  
**MAXFlow** 66303099

## 5/16" CONNECTORS

- 

Quick connector 6601209902
- 

Connector with loops 6601109902

## DIVERS

- 

5/16" Rubber plug 6603509905
- 

Health spout pin 66012099
- 

End-line ring ERA1400
- 

Double forks 1/2" 66031099
- 

Double forks 3/4" 66032099
- 

Double forks 1" 66033099
- 

INS X INS X INS  
3/4" 66074099
- 

INS X INS X INS  
1" 66075099
- 

1" x 1" x 3/4" 66066099
- 

1-1/4" x 1-1/4" x 1" 66034098

## REDUCERS AND ADAPTORS

VOLUME PRICING. OTHER COLORS AVAILABLE.  
ON ORDER ONLY, MINIMUM QUANTITIES REQUIRED CALL US!



7/16" to 1/4" thin wall clear reducer 66090714M



7/16" to 5/16" thin wall clear reducer 66090054M  
We recommend the use of a 5/16" drill bit for tapping.



5/16" black spout adaptor 66090099A  
We recommend the use of a 19/64" drill bit for tapping.



5/16" natural spout adaptor 66090099N  
We recommend the use of a 19/64" drill bit for tapping.



5/16" clear adaptor with thin wall 66090099M  
We recommend the use of a 5/16" drill bit for tapping.



5/16" to 1/4" thin wall clear reducer 66090014M



5/16" Zap Bac antibacterial adaptor 66090094A  
**ZAP BAC**®



ONLY AVAILABLE IN THE USA

## MAXSEAL MULTI-FITTINGS / FIXED HEAD



3/4" 66096096  
1" 66097096  
1-1/4" 66098096  
Maxseal single gasket 66091C

Hole diameter: 31/64".  
Screw kit #66099099 not included.

## MULTI-FITTINGS / FIXED HEAD



3/4" 66096099  
1" 66097099

Hole diameter: 5/16".  
Screw kit not included.

## MULTI-FITTINGS / PLUG

IDEAL TO REPAIR HOLES IN MAINLINES OR PLUG HOLES WHEN YOU CHANGE THE LOCATION OF A MULTI-FITTING.



3/4" 66094034  
1" 66094091

Screw kit not included.



Screw kit 66099099

## MULTI-FITTINGS / SWIVEL HEAD



1-1/2" 66064099

Hole diameter: 5/16"



**CDL REDUCERS AND SPOUT ADAPTORS ALLOW YOU TO REUSE AND EXTEND THE LIFE OF YOUR LONG LASTING SPOUTS WHILE MAXIMIZING EFFICIENCY.**





## SANITIZING CAPS - PERFECT FOR SPOUT SANITIZATION



Clear cap tip insertion 66030515



1/4" Clear cap tip insertion 66030514



Clear sanitizing universal cap CDL200

\*Pieces sold separately. Customer assembly required.



Light green 5/16" end cap insert  
This cap fits on 5/16" health Ts and allows you to hang 5/16" Signature or 5/16" or 17/64" Maxflow spouts to sanitize with isopropyl alcohol. 66030517



Clear blue 1/4" end cap insert  
This cap fits on 5/16" health Ts and allows you to plug 1/4" Signature, Smart 2.0 or 17/64" Maxflow spouts. 66030519



### Universal Reducer Maxflow Cap

Fits all health "T", "T" caps or end of line adapters offered by CDL and even those from the competition!

The Universal Reducer MaxFlow Cap allows the insertion of our 5/16" or 1/4" Signature spout. It can also fit any of the spouts from the CDL product line, whether it is 5/16", 1/4" or 17/64".

This product was designed with a malleable material to have very good retention and be tight under high vacuum.


It gives the opportunity to customers using permanent spouts to make the transition to the Signature spout without changing the entire drop.

SCAN TO SEE THE VIDEO  
bit.ly/cdlvideos



66030518

THIS CAP FITS ON 5/16" HEALTH Ts



NEW

### 1/4" REDUCER FOR 5/16" T CAP

TRANSFORMS YOUR HEALTH T AND MAKES IT COMPATIBLE WITH ALL TYPES OF SPOUTS.

Inserts onto a T cap (short) or an end of line adapter cap.

Designed with a malleable material to have very good retention and be waterproof at high vacuum. Allows customers who have short T caps to insert a 1/4" Signature, 17/64" Smart 2.0 or 17/64" Maxflow spout without changing the entire drop.

66030512

### BUCKET SPOUTS

	5/16" bucket spout   Blue	660552
	7/16" white bucket spout	66055000A1
	7/16" bucket spout Stainless steel	660555
	7/16" Spout without hook Aluminum	660557
	5/16" Spout without hook Aluminum	660555

### BUCKETS

	2-gallon grey plastic bucket	663054
	2-gallon green plastic bucket	663052
	3-gallon green plastic bucket	663051
	2-gallon blue plastic bucket	663050
	3-gallon blue plastic bucket	663053

### COVERS AND ACCESSORIES

	Galvanized cover for 2-gallon bucket	66660
	Green plastic cover for 2-gallon bucket	663058
	Blue plastic cover for 2-gallon bucket	663059
	Green plastic cover for 3-gallon bucket	663057
	Blue plastic cover for 3-gallon bucket	663055
	Wire for galvanized cover (25/Pkg)	LIDWIR
	Galvanized bag holder	69BUCKET0102
	Blue sap bag	663032

### TAPPING STARTER KIT - 15 TAPS



- Includes:**
- 1 short tapping bit 5/16"
  - 15 bucket spouts 5/16"
  - 15 plastic buckets (2 gallon)
  - 15 galvanized bucket covers
  - 1 CDL aluminum tapping hammer
  - 1 aluminum spout remover (15")
- 6600800

# 3/16" SEMI-RIGID

## CDL GRAVITY TUBING

Ideal for sugarbushes **without electricity** and maple producers who do not want to use a mechanical system for vacuum.

SCAN TO SEE THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



	LENGTH	PRODUCT CODE	WARRANTY
Blue	500'	431610021	8 year
	1 000'	431608221	8 year
Green	500'	431608025	8 year
	1 000'	431608225	8 year





### 3/16" FITTINGS



3/16" clear spout

*Signature*

66045316

We recommend the use of a 5/16" drill bit for tapping



3/16" white spout with barbs

**MAXFlow**

66090316

We recommend the use of a 19/64" drill bit for tapping

### 3/16" PLIERS



3/16" compact insertion tool with 4WR vise-grip and lateral knife

6623157



Mini 3/16" installation pliers with adjustable automatic pressure and cutter

6623156



Mini 3/16" installation pliers with adjustment screw

66515



3/16" end of line hook

66279357



3/16" flat hook connector

66303357



5/16"- 3/16" flat hook connector

66303356

### 3/16" SPINSEAL FITTINGS



3/16" BLUE SpinSeal Fitting

66091041



3/16" BLACK SpinSeal Fitting

66091049



9/64" CDL drill bit for 3/16" SpinSeal Fittings

66964



3/16"- 3/16"- 5/16" health T drop line

66030355



3/16" health T

66030357

### MAXSEAL MULTI-FITTINGS / FIXED HEAD




3/16" health T end of line

66030358



5-16"- 5/16"- 3/16" health T drop line

66030356



Maxseal single gasket

66091C

Screw kit not included




Screw Kit

66099099

# SpinSeal™

TECHNOLOGY

CDL EXCLUSIVE



THE ONLY CONNECTOR THAT PROVIDES A PERFECT SEAL FOR THE ENTIRE LIFE OF THE MAINLINE



1

COMPLETED IN LESS THAN 2 MINUTES

Using the SpinSeal welder, fittings installation on your mainlines has never been faster.

2

AN ECO-FRIENDLY PRODUCT

The SpinSeal fitting makes mainline recycling easy.

3

100% SEALED

CDL's SpinSeal fusion process provides a 100% welded mainline system.

See pages 18-19 for SPINSEAL™ mainline

# CDL EXCLUSIVE

Save from \$1.80 to \$3.45 (CAD) per lateral line compared to all other systems in the industry.

## THE SPINSEAL TECHNOLOGY

# THE CDL WAY TO SAVE TIME AND MONEY.

Based on an average of 250 fusions per day, your SpinSeal™ System will pay for itself in just two weeks.



**MADE FOR:**

- > Repair hole(s), caused by animals on CDL HD, Spinseal, Fusion or Rapitube tubing;
- > Plug old 5/16" multi-fitting holes and allow conversion to Spinseal system on CDL HD, Spinseal, Fusion or Rapitube Pipe;
- > Plug Spinseal holes that are not used anymore.

### DEWALT A SURE VALUE!

SpinSeal welder  
Includes: 1 battery, 1 charger and carrying case. 730100



SpinSeal tool 1" mainline insert. Can be used with a compact fitting tool. Facilitates the installation of the 5/16" tubing on your spinseal fitting. 730115



<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
5/16" BLUE SpinSeal Fitting	5/16" BLACK SpinSeal Fitting	5/16" GREEN SpinSeal Fitting	5/16" GREY SpinSeal Plug
66091061	66091069	66091065	66091059

5/16" SpinSeal drilling template with drill bit 730101

7/32" CDL drill bit for 5/16" SpinSeal Fittings 66732

**Warning:** SpinSeal technology was developed for use on pipe manufactured and distributed by CDL. The use of these technology on pipes manufactured and distributed by other companies can be very risky and won't be covered by the warranty.

**BEST PRICE/QUALITY RATIO IN THE INDUSTRY!**

**FLEX**

- > FLEX
- > Flexible at all temperatures
- > Resists falling trees
- > The best translucency
- > Excellent elastic memory
- > Maximum leakproofness

**VISION**

- > FLEX / SEMI-RIGID
- > Ideal for straight and long laterals
- > Good translucency
- > Good elastic memory
- > Keep its properties over the years

**BLUE**

**DARK BLUE**

	RIGIDITY	CODE	WARRANTY
5/16" CDL Flex	Flex	451610001	10 year
5/16" CDL Flex	Flex	451615001*	15 year
5/16" CDL Vision	Flex / Semi-rigid	451610021	10 year
5/16" CDL 50	Semi-rigid	451610031*	10 year
5/16" CDL MAX	Semi-rigid / Rigid	451605011	

\* Special order only.

	RIGIDITY	CODE	WARRANTY
5/16" CDL Flex	Flex	451610007*	10 year
5/16" CDL Flex	Flex	451615007	15 year
5/16" CDL Vision	Flex / Semi-rigid	451610027*	10 year
5/16" CDL Vision	Flex / Semi-rigid	451615027*	15 year

\* Special order only.



**NOT IN STOCK IN THE USA**  
UPON REQUEST ONLY

# PRECUT DROPS

## MAX

- > SEMI-RIGID / RIGID
- > Less curvature and better hold in low density sugarbushes
- > Ideal for installations where the distance between maple trees is very large
- > The least expensive of the 5/16 CDL tubing line
- > Interesting quality vs price ratio

## 50

- > SEMI-RIGID
- > A good compromise of flexibility and rigidity between the VISION and the MAX

- > 10 year warranty
- > Completely clear for an optimal visibility.
- > Unique plastic recipe with UV stabilizers
- > Packaged in bundles of 100 units.

36" 6600100036

40" 6600100040

Other colours and lengths available upon request.

## GREEN

## SHADOW GREY

	RIGIDITY	CODE	WARRANTY
5/16" CDL Flex	Flex	451610005	10 year
5/16" CDL Flex	Flex	451615005	15 year
5/16" CDL Vision	Flex / Semi-rigid	451610025	10 year
5/16" CDL MAX	Flex / Semi-rigid	451605015	

	RIGIDITY	CODE	WARRANTY
5/16" CDL Flex	Flex	451610006*	10 year
5/16" CDL Flex	Flex	451615006	15 year

\* Special order only.



NOT IN STOCK IN THE USA  
UPON REQUEST ONLY



## SpinSeal

- > 100 PSI
- > Thicker and more flexible
- > Remains flexible even in cold weather

## HD (HIGH DENSITY)

- > 100 PSI
- > Superior quality high density resin
- > More rigid than the low density | Light tubing

Products manufactured by  **CDL**  
Choose CDL's quality!

**10-YEAR WARRANTY!**



**BLACK**



**GREY**

\* Special order only.



**BLUE**



**GREEN**

	SpinSeal	HD	SpinSeal	HD	SpinSeal	HD	SpinSeal	HD	
<b>3/4"</b>	500'	403410069S	403410069	-	-	403410061S	403410061	-	403410065*
	1 000'	-	403410269*	-	-	-	403410261	-	403410265*
	2 500' spool	403410169S*	403410169*	-	-	403410161S*	403410161*	-	403410165*
<b>1"</b>	500'	410010069S	410010069	-	-	410010061S	410010061	410010065S	410010065
	1 000'	410010269S	410010269	-	-	410010261S	410010261	410010265S	410010265
	2 000' spool	410010769S	410010769	410010732S*	-	410010761S	410010761	410010765S	410010765
<b>1 1/2"</b>	500'	411410069S	411410069	-	-	411410061S	411410061	-	411410065
	1 000'	-	411410269*	-	-	-	411410261*	-	411410265*
	1 000' spool	411410169S	-	-	-	411410161S	-	-	-
<b>1 1/2"</b>	500'	411210069S	411210069	-	-	411210061S	411210061	-	411210065
	900' spool	411210169S	-	-	-	411210161S	-	-	-

\* Special order only.

### Our commitment

When producing CDL tubing and mainline, we do supervised quality checks to guarantee you the best product on the market.



#### TUBING FOR SIDE TYING

**1/2"** 500'  
Black  
401210049

# CDL PRE-LASHED MAINLINE

Factory pre-lashed with superior stainless steel wire. Save time with a 1-step installation!

Aluminum alloy main wire

Stainless steel support wire

SCAN TO SEE THE VIDEO


[bit.ly/cdlvideos](https://bit.ly/cdlvideos)




Products manufactured by  **CDL**

Choose CDL's quality!

**10-YEAR WARRANTY!**



**BLACK**




**GREY**

\* Special order only.



**BLUE**



**GREEN**

		BLACK		GREY		BLUE		GREEN	
		SpinSeal	HD	SpinSeal	HD	SpinSeal	HD	SpinSeal	HD
<b>3/4"</b>	2 500' spool (PRE-LASHED)	403410169SL*	403410169L*	-	-	403410161SL*	403410161L*	-	403410165L*
<b>1"</b>	2 000' spool (PRE-LASHED)	410010769SL	410010769L	410010732SL*	-	410010761SL	410010761L	410010765SL	410010765L
<b>1 1/4"</b>	1 000' spool (PRE-LASHED)	411410169SL	-	-	-	411410161SL	-	-	-
<b>1 1/2"</b>	900' spool (PRE-LASHED)	411210169SL	-	-	-	411210161SL	-	-	-

\* Special order only.

## ADVANTAGES OF THE PRE-LASHED AND SPINSEAL COMBO

- > The Professional's choice
- > Potential savings of \$0.75 (CAD) per tap, in labor and material
- > Best value for the money of any mainline systems in the industry
- > Resistant and very reliable system over time
- > The most durable system that requires the least maintenance over time
- > Try it and adopt it!



## THE CDL EXPERIENCE:

### OPTIMAL forest installation!

Take advantage of the best practices in the industry and ask your experts to give you advices how to install mainlines and tubing.

**It's our customer promise!**



TITAN SPOOL

## AERIAL/IN-GROUND HDPE TUBING

**FUSION** mainline is suitable for all installation methods.

- PVC Insertion fittings / Clamps
- Stainless steel Insertion fittings / Clamps
- Electrofusion fittings
- End to end fusion


**145 PSI**

THE REFERENCE FOR YEARS IN THE MAPLE INDUSTRY IN TERMS OF UNDERGROUND PIPE BURIAL

	LENGTH	BLACK	BLUE	GREEN
1"	500'	670020990500	670022720500	-
1"	1 500' spool	670020991500	670022721500	-
1-1/4"	500'	670030990500	670032720500	-
1-1/2"	500'	661222920500	661222720500	-
1-1/2"	2 500' spool	661222922500	661222722500	-
2"	500'	66230292	66230272	66230375*
2"	2 500' spool	662302922500	662302722500	662303752500*
3"	50' rod	66334292	66334272	-
3"	500'	663340990500	663342720500	-
4"	50' rod	663440990050*	663432720050*	-

\* Special order only.

THE SPINSEAL TECHNOLOGY CAN BE USED WITH FUSION AND RAPITUBE MAINLINES.



### BURIED



### END TO END FUSION



### END TO END FUSION ADVANTAGES

- > The least expensive
- > Very resistant and durable
- > Ideal for buried pipe systems
- > Does not require any fittings

## WIRELESS MAINLINE TUBING

### RAPITUBE V2™

#### TRANSLUSCENT BLUE

3/4"	500'	6600727250RT
1"	500'	6600827250RT
1"	3 000' spool	6600827227RT

#### RAPI-FIX TENSION STRAPPING

Black	200'	66300099
-------	------	----------



**FLEXIBLE  
QUICKER TO INSTALL  
100 PSI**

SCAN TO SEE THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



Fusion and RapiTUBE mainlines are manufactured exclusively for



[cdlinc.ca](http://cdlinc.ca) | [cdlusa.com](http://cdlusa.com)





# ELECTROFUSION

## HIGH TECHNOLOGY FITTINGS

### ELECTRO SADDLES



1-1/4" x 1"	66130125X100
1-1/2" x 1"	66130115X100
1-1/2" x 1-1/2"	66130115X150
2" x 1"	6613012X100
2" x 1-1/4"	6613012X12500
2" x 1-1/2"	6613012X150
3" x 1"	6613013X100
3" x 1-1/4"	6613013X12500
3" x 1-1/2"	6613013X1500
3" x 2"	6613013X200

### ELECTRO COUPLINGS



1"	661303100
1-1/4"	66130312500
1-1/2"	6613031500
2"	661303200
3"	661303300
4"	661303400

### ELECTRO T



1" x 1" x 1"	6613041X1X100
1½" x 1½" x 1½"	661301150
2" x 2" x 2"	661301200

## A LEAK FREE SOLUTION.

### FUSION SYSTEM FOR AERIAL OR BURIED TUBING

- > Ultra quick installation of connectors.
- > Installation of connectors without cutting the tubing.

### ELECTRO REDUCERS



2" x 1-1/2"	6613022X1500
3" x 2"	6613023X200

## PURCHASE OR LEASE

Ask your CDL sales representative about purchasing or leasing a welder.



For rent	10601LOC
Purchase	10502

# CDL EXPERTISE: WE CAN MANAGE YOUR MAPLE SYRUP PROJECTS FROM A TO Z.

**DID YOU KNOW THAT  
CDL'S TEAM IS HERE TO MEET  
ALL OF YOUR NEEDS?**

**HERE IS THE LIST OF SERVICES  
WE OFFER. ASK YOUR STORE  
OR YOUR CDL REPRESENTATIVE!**



## > **Project evaluation**

Have your project fully assessed by our experts, who have access to a large inventory in real time. Whether you are beginners or experienced, you will be accompanied by our experts according to your needs.

## > **Maple syrup and technical advice**

Take advantage of the advice of our experts to calculate the pipe sizing and discharge calculation.

## > **GPS mapping**

Optimize the strategic positioning and planning of your equipment using GPS technology.

## > **Installation of mainlines and tubing**

Take advantage of the industry's best practices and ask our experts to install your mainlines and tubing in your forest.

## > **Equipment rental**

Rent an Electrofusion welder or a SpinSeal welder for your one-time installation needs. Verify with your CDL branch to find out if other equipment is available for rental in your region.

## > **Assembly of drop lines**

Make your life easier with our drop line assembly service! Available in every CDL store.

## > **Implementation of the CDL Intelligence**

Get advice from our experts on our Maple Sugaring Management System. Our team will assess your needs and guide you step by step on its installation in your sugarbush.

## > **Turnkey installation of equipment**

When making your purchase, ask our experts to deliver and do a complete installation of your CDL equipment directly to your sugarhouse.

## > **Repair at the sugarhouse**

Start maintaining your equipment before the start of the sugar season! Our team will come to your sugarhouse to repair your electrical, welding, plumbing, start-up and burner adjustment problems, for any brands.

## > **Modification of equipment**

Request custom adjustments if you have specific needs.

## > **24/7 assistance during the sugaring season**

During the sugaring season, our team is available 24 hours a day, 7 days a week to respond to your emergencies.



# CHOOSE THE CDL PRE-LASHED MAINLINE

Factory pre-lashed with superior stainless steel wire.

Save time with a 1-step installation!



## WIRE TIES

5" | 1 000/pkg for 3/4" tubing

6" | 1 000/pkg for 1" tubing

7" | 1 000/pkg for 1 1/2" tubing

8" | 1 000/pkg for 1 1/2" tubing

10" | 1 000/pkg for 2" tubing

12" | 2 500/pkg

14" | 2 500/pkg for 3" tubing

18" | 1 000/pkg for 3" tubing

### REGULAR (18 GA)

660851

660861

660871

660881

660811

66400112

66096

-

### HEAVY DUTY (16 GA)

66085116

66086116

66087116

66088116

660810116

6640011216

6609616

66423

## TENSION GRIP



### OPEN

3/4" 663093 1" 663092

### REGULAR

3/4" 663098 1" 663099

1-1/4" 663097 1-1/2" 663096

2" 663095 3" 663089

## WIRE AND ACCESSORIES

### GALVANIZED



#9	50 lb	66040
#12	50 lb	66049
#14	50 lb	66051

### HAUTE TENSION

#12,5	50 lb	ETBR012.5HT
.134 high carbone	50 lb	66054
.134 high carbone	100 lb	660541
Hydro aluminum #10	± 1 500 lb/stool	660301
Hydro aluminum #12	± 1 200 lb/stool	660302

### LASHING WIRE



Stainless steel 1 200' 660660



Medium gripple 10-14 GA 665503

Large gripple 7,5-10 GA 665505

Jumbo gripple 10-12,5 GA 665511



Repair wire #9 (orange) 662000

Repair wire #10 (black) 662001

Repair wire 3/16" 662003

Repair wire for 1/4" cable 662004



Steel cable 1/8" 60042

Steel cable 3/16" 60045

Steel cable 1/4" 60043



3/8" hook tensioning screw 667073



Galvanised steel ratchet ETMRAT01



Rachet handle for wire ETMRAT02

Screw eye bolt 1/2" x 5-1/4" x 1" zinc 664160



12,5 GA wire link WL12LINK



### PRUNO TOOLS FOR TUBING



Repair pliers with automatic tension and tubing stretcher 6623160



Mini 3/16" installation pliers with adjustable automatic pressure and cutter 6623156



Mini 3/16" installation pliers with adjustment screw 66515



5/16" installation pliers with adjustment screw 6623158



Repair pliers with adjustment screw with knife and tubing stretcher 66501



Deluxe double automatic tubing tool with cutter and tubing stretcher 662153

### PRUNO WIRE GRIPPER



Spring loaded wire gripper 667068

### PRUNO TOOLS FOR SPOUTS AND TUBING



Designed to easily install the 5/16" on SpinSeals or any other straight fittings 6623161



Blade for 5/16" tubing remover pliers 66500



5/16" compact insertion tool with lateral knife and tubing stretcher 66559



5/16" compact insertion tool with lateral knife 66558



Blade for compact insertion tool 665579



5/16" compact insertion tool with 4WR vise-grip and lateral knife 66557



5/16" tubing butt remover without blade 664954



3/16" compact insertion tool with 4WR vise-grip and lateral knife 6623157



5/16" compact insertion tool 30° to 115° with cutter  
Ideal to install Signature spouts and every other CDL spouts 664958



5/16" compact insertion tool 30° to 115°  
Ideal to install signature spouts and every other CDL spouts 664959

### PRUNO SUPPORT HOOKS



Kit with 2 aluminum hooks for mainline level 66902

\*Level not included

### PRUNO PUNCH

	5/16" mainline punch	66185
	3/16" mainline punch	661851
	5/16" drill bit and handle	66185P
	3/16" drill bit and handle	661851P
	3/16" only drill bit	664979*


\* Product available in limited quantity.

### PRUNO FLOW STOPPER TOOL

	Flow stopper tool with adjustment screw	66499
--	---	-------

### PRUNO TUBING WINDER

- Swivel hook
- Lightweight, adjustable and foldable (for shipping and storage)



<b>A</b>	Horizontal for 3/16" and 5/16" tubing	660411
<b>B</b>	Vertical for 3/16" and 5/16" tubing	660410
<b>C</b>	Wire winder	66041

### PRUNO MAINLINE DOUBLE FORK PLIERS

	1" and 3/4"	662191
	1-1/2" and 1"	66219
	1-1/4" and 1"	662194
	1-1/2" and 1-1/4"	662195
	2" and 1-1/2"	662192
	3"	662193
	3/4" to 2" Kit	662196



## THE FIRST CHOICE OF WOODSMEN!



 MARKING WILL LAST **1-2 YEARS**

#### FEATURES

- > ENVIRONMENTALLY FRIENDLY
- > Marking will last 1-2 years depending on supports and application conditions
- > Temperature range : -15 °C à 50 °C
- > Excellent adherence
- > High covering power



Orange Fluor Marker	661174
Yellow Standard Marker	661172
Red Standard Marker	661177
Blue Standard Marker	661179

### WIRE TOOLS



CDL wire bender  
650 kg 667079



Permanent wire gripper  
for path crossing 667066



Crimping tool 665701



High tension wire cutter  
Cuts high carbon wire easily 73069



"Contractor" pliers for gripple  
installation 665504



Light clamp for gripple 665522




Manual wire twister 66090



Automatic wire twister 66091

### TOOLS FOR PRE-LASHED MAINLINES INSTALLATION



Pre-lashed mainline  
retention hook 660604



Wire puller for  
pre-lashed mainline 660605

### TOOLS FOR TUBING



30" Drop line cutter 668086

36" Drop line cutter 668089

40" Drop line cutter 668088



5/16" Drop line pliers 66496

3/16" Drop line pliers 66497



Pliers 5/16" aluminium  
foam sleeves 68049

### REELS

Galvanized  
mainline reel  
on wheels 660416

Toolbox (optional) 660417

Wire reel (optional) 660418





**PREMIUM QUALITY  
4-SEASON TAPE**



- High Quality durable marking tape with great durability
- Designed to withstand the 4 seasons: sun, rain, wind and cold
- Specialized for sugaring and forestry industries
- Fluorescent color increases visibility in the forest:

Orange	661015
Pink	661016
Yellow	661018
Blue	661017



Sighting hand level 666566



The Forestry Pro II laser rangefinder/hypsometer  
Accurate distance measurer with improved capability and accuracy. Faster response time. New function to store up to 250 results. Compact ergonomics and ease of use.  
6606420

**PLIERS FOR SPOUTS AND TUBING**



3/16" Compact insertion pliers  
Icebreaking jaws 73067



Compact insertion pliers  
Icebreaking jaws 73062



Aluminium binder 30" 68044



3/4" to 1-1/2" tubing cutters 63001



5/16" nut driver 660911

**An even larger selection!**  
Many other models in store to answer all your needs and budget, check it out!



3/16" tension hooks 669103



5/16" tension hooks 669104



Repair pliers for 3/16" tubing ETPTR0316C



FISKAR pliers 63FISK

*Makes forest repairs much easier by keeping the 5/16" (or 3/16") line handy when cutting.*

## CDL DRILL BITS - HIGH PERFORMANCE



- > High precision sharpening
- > Developed to maximize cutting accuracy in frozen and semi-frozen wood
- > No cutting burr
- > Developed for maximum performance in sugar maple and red maple trees

17/64" drill bit	66252
19/64" drill bit	66259
1/4" drill bit	662414
5/16" drill bit	662516
<hr/>	
19/64" long drill bit <small>Ideal for Precision Tapper</small>	662542
1/4" long drill bit <small>Ideal for Precision Tapper</small>	662415
5/16" long drill bit <small>Ideal for Precision Tapper</small>	662540

## HIGH RESISTANT CDL TITAN (TITANIUM)



- > 1.5 to 2 times more durable than a standard tapping bit
- > Increased corrosion resistance

19/64" bit	662590*
5/16" bit	662517*

\* Available in limited quantity.

## BOLDUC DRILL BITS



15/64" Bolduc drill bit	662535C
1/4" Bolduc drill bit	662537C
17/64" Bolduc drill bit	662539C
9/32" Bolduc drill bit	662536C
19/64" Bolduc drill bit	662544C
5/16" Bolduc drill bit	662543C



15/64" Bolduc long drill bit	662535
1/4" Bolduc long drill bit	662537
17/64" Bolduc long drill bit	662539
9/32" Bolduc long drill bit	662536
19/64" Bolduc long drill bit	662544
5/16" Bolduc long drill bit	662543
7/16" Bolduc long drill bit	662534

**CDL'S DRILL BITS ARE SOLD IN A PROTECTIVE CASE TO ENSURE A PERFECT EDGE!**

## DRILL BIT



7/16" drill bit 66257

## WORK APRONS



A Work apron	66932
B CDL work apron	66934

## TAPPING ACCESSORIES



CDL tapping hammer Aluminum handle 73064



2 face tapping hammer Aluminum handle 68041



Tapping hammer with blade Aluminum handle 68042



12" wooden tapping hammer 729254045



1 L bottle + vaporizer 663440

1 L bottle 66344

Spray trigger head 663441

# ENVIRONMENTAL HANDLING FEE (EHF) ON MAPLE SYRUP PLASTICS IN QUEBEC

## November 2023

In Quebec, a company who markets agricultural plastic products, including maple syrup plastics, is responsible for the entire life cycle of its product, from manufacture to end-of-life recovery. This is known as Extended Producer Responsibility (REP).

In the current context, "producers" refers to maple syrup plastic manufacturers, who have joined forces to create the Association des manufacturiers de l'industrie de l'érable (AMIE) in 2023.

It was the ministère de l'Environnement, de la Lutte aux Changements Climatiques, de la Faune et des Parcs (MELCCFP) which introduced the Regulation respecting the recovery and valuation of products by enterprises (RRVPE) and mandated Recyc-Québec to ensure the proper management of this program.

This is a **regulatory obligation** for maple syrup plastic manufacturers, to set up a complete system for recovering these plastics.

Such a system entails significant costs related to the collection, sorting, transportation and processing of recyclable materials.

## RECOVERY PROGRAM

The manufacturer of these plastics must have a program in place for the recovery, recycling program for these products, or be a member of an organization recognized by Recyc-Québec which implements the program on its behalf.

AgriRECUP (Clean Farms in English Canada) has been designated by Recyc-Québec as the Recognized Management Organization (RMO) and is implementing the agricultural plastics recovery system in Quebec.

## ENVIRONMENTAL HANDLING FEE (EHF)

**EHF is neither a tax nor a refundable deposit.** It can be compared to the EHF applied to vehicle tires.

The EHF for each product covered by the regulations are based on the actual cost of recovering the materials contained in the product. All EHF are paid to the RMO to manage the system (collection, transport, recycling, recovery, R&D and program administration).

\* For the years 2023 and 2024, the EHF has been set at \$0.35/kg of plastic purchased. The EHF is defined according to the quantities of plastic collected per reference year and the actual costs of the program. The year 2022 is the first reference year for the maple syrup plastics recovery system.

## FINAL NOTES

- ✓ The amount of the EHF is subject to Quebec sales taxes.
- ✓ The final price of your purchase includes an EHF calculated on the basis of \$0.35/kg of plastic purchased.
- ✓ This fee is neither a tax nor a deposit, and is 100% dedicated to end-of-life management of this type of product and regulatory requirements.

Generally, the RMO, in conjunction with manufacturers, will reassess the amount of this EHF once a year.

	EHF per feet	250 feet roll	500 feet roll
3/16" Tubing	0.0032	\$0.82	\$1.63
5/16" Tubing	0.0051	\$1.27	\$2.55
1/2" Mainline	0.0103	\$2.58	\$5.16
3/4" Mainline	0.0191	\$4.77	\$9.55
1" Mainline	0.0273	\$6.84	\$13.67
1-1/4" Mainline	0.0481	\$12.03	\$24.06
1-1/2" Mainline	0.0553	\$13.84	\$27.68
2" Mainline	0.0891	\$22.27	\$44.55
3" Mainline	0.1616	\$40.39	\$80.79
4" Mainline	0.246	\$61.50	\$123.00

\* Prices are in Canadian dollars

## L'Association des manufacturiers de l'industrie de l'érable (AMIE)





Branon Systems, LLC

# PRECISION TAPPER

## PROFITABILITY STARTS FROM TREES!

### PREVENT

- ✓ Damaged drill bits
- ✓ Inconsistency
- ✓ Oval holes
- ✓ Holes tapped too deep

### GET RID OF

- ✓ Vacuum loss
- ✓ Production loss
- ✓ High labor cost
- ✓ Unhealthy trees

SCAN TO SEE THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



**PERFECT TAP,  
PERFECTLY  
AIRTIGHT.**



**PERFECT ANGLE AND  
TAP HOLE DEPTH**



Precision Tapper™ kit  
Includes: 1 drill, 2 batteries, 1 carrying bag and 1 precision template. 663970  
\*Tapping bit adaptor not included.



Precision Tapper™ adaptor  
Installation included on your drill. 663971  
\*Drill bit not included.



Drill bits adaptors		(1/2"-20 UNF)	(9/16"-18 UNF)
1/4"	6639714		6639714-1
19/64"	6639964		6639964-1
5/16"	6639716		6639716-1

## TAPPING DRILL AND ACCESSORIES

### THE BEST TAPPING DRILL SPECIFICALLY DESIGNED FOR THE MAPLE SYRUP INDUSTRY.

- > Head at 90°
- > Brushless
- > 2 000 RPM
- > Long lasting 5A lithium battery



20V Dewalt drill	663920
20V Dewalt battery	663925
12V-20V Dewalt charger	663921
Carrying bag	663920K

**Catalog promotion**  
Get a bonus carry bag with the purchase of the complete set!

## BACKPACK CLEANING KIT

COMPACT, LIGHTER, COMFORTABLE AND SPECIFICALLY DESIGNED FOR MAPLE SUGARING.

Specifically developed by CDL for work under vacuum.



6 liter container

Backpack cleaning kit with harness and dozer	661616
--	--------

Backpack cleaning kit with harness, without dozer	661612
---	--------



Dozer gun only, 10 to 20 ml	661698
-----------------------------	--------



Harness only	661691
--------------	--------

Replacement tube kit for CDL dozer	661692
------------------------------------	--------



Three-piece kit for dispenser spout	661693
-------------------------------------	--------



Spring for CDL dozer	661694
----------------------	--------



Screw cap for CDL dozer	661689
-------------------------	--------

## BRUSHES FOR BUCKETS AND SPOUTS

	For 1,5-gallon bucket	72940020
	For 2-gallon bucket	72940031
	For 7/16" interior spout	72940041
	Without eyelet	663562
	For 5/16" - 19/64" spout	663563


## TUBE CLEANING SPONGES

	3/4" - 1"	661432
	1-1/2" - 1-1/4"	661433
	2"	661435
	3"	661436

## SPOUT REMOVERS

<b>A</b>	Steel spout remover	66077
<b>B</b>	Aluminum spout remover   Small   15"	68015
<b>B</b>	Aluminum spout remover   Medium   22,5"	68020
<b>B</b>	Aluminum spout remover   Long   30"	68030
<b>B</b>	Aluminum spout remover   X-Long   40"	68040
<b>B</b>	Aluminum spout remover   48"	68031
<b>C</b>	Aluminum spout remover   60"	68032

### CONNECTORS



INS x INS

3/4"	662034
1"	662035
1 1/4"	662037
1 1/2"	662038
2"	662039
3"	662033

### REDUCERS



INS x INS

1" x 3/4"	665580
1 1/4" x 3/4"	665586
1 1/4" x 1"	665581
1 1/2" x 3/4"	665587
1 1/2" x 1"	665582
1 1/2" x 1 1/4"	665599
2" x 1"	665596
2" x 1 1/4"	710150
2" x 1 1/2"	665583
3" x 2"	6655302

### ADAPTORS



MIPT x INS

1/2" x 5/16"	664555S
1/2" x 5/8"	710563
3/4"	665589
1"	665592
1 1/4"	665591
1 1/2"	665590
2"	665593
3"	660003

### TEES



INS x INS x INS

1/2"	660503
3/4"	7134341
1"	6607527
1 1/4"	6603106
1 1/2"	6603105
2"	6603108
1" x 1" x 3/4"	660505
1 1/4" x 1 1/4" x 3/4"	660317
1 1/4" x 1 1/4" x 1"	6605061
1 1/2" x 1 1/2" x 3/4"	660507
1 1/2" x 1 1/2" x 1"	660506
1 1/2" x 1 1/2" x 1 1/4"	730312
2" x 2" x 3/4"	660508
2" x 2" x 1"	730311
2" x 2" x 1 1/4"	730314
2" x 2" x 1 1/2"	660511
3" x 3" x 1"	660520



INS x INS x MIPT

1"	66075251
1 1/2" x 1 1/2" x 1"	730308



INS x MIPT x INS

3/4"	71343415
1"	660515
1 1/4"	66031066
1 1/2"	66031056

### Y



INS x INS x INS

1/2"	6607531
3/4"	6607507
1"	6607501
1 1/4"	6607510
1 1/2"	6607508
2"	6607509
3"	6607522
1" x 1" x 1 1/2"	6607524
1" x 1" x 3/4"	660751
1" x 3/4" x 3/4"	660752
1 1/4" x 1" x 1"	6607511
1 1/4" x 1 1/4" x 3/4"	6607518
1 1/4" x 1 1/4" x 1"	6607512
1 1/2" x 1" x 1"	66075191
1 1/2" x 1 1/4" x 1 1/4"	6607515
1 1/2" x 1 1/2" x 3/4"	6607520
1 1/2" x 1 1/2" x 1"	6607516
1 1/2" x 1 1/2" x 1 1/4"	6607505
2" x 2" x 3/4"	6607514
2" x 2" x 1"	6607513
2" x 2" x 1 1/4"	6607519
2" x 2" x 1 1/2"	6607503
3" x 3" x 1"	66075130
3" x 3" x 1 1/2"	66075128
3" x 3" x 2"	66075129



MIPT x INS x INS

3/4"	66075121
1"	66075122



INS x MIPT x INS

3/4"	66075124
------	----------

**A QUALITY  
THAT MAKES  
ALL THE  
DIFFERENCE!**



### HOOK PLUGS



INS

3/4"	666834
1"	666801
1 1/4"	666114
1 1/2"	666112
2"	666802
3"	666803
4"	666804

### VACUUM ADAPTOR



MANOMETER  
NOT INCLUDED

INS X MIPT X FIPT VACUUM

1 x 1/2"	6655921
----------	---------



**Sharp edges for solid grip, precise machining,  
no restriction, choose CDL quality!**

### COUPLINGS



¼"	6010FC025
3/8"	6010FC0375
½"	6010FC05
¾"	6010FC075
1"	6010FC1
1¼"	6010FC125
1½"	6010FC15
2"	6010FC2

### TEES



	FIPT	
¼"		712525
3/8"		6010T0375
½"		711212
¾"		713434
1"		711010
1½"		6010T125
1½"		6010T15
2"		6010T2

### THREADED PLUGS



	FIPT	
¼"		SCA025
½"		SCA050
¾"		6010BF34
1"		6010BF1
1½"		SCA125
1½"		SCA150
2"		SCA200


	MIPT	
¼"		6010B25
3/8"		6010B38
½"		6010B12
¾"		6010B34
1"		6010B1
1½"		6010B114
1½"		6010B112
2"		6010B2

### ELBOWS



90° FIPT x FIPT		
¼"		6010914
3/8"		601090038
½"		601095
¾"		6010975
1"		6010901
1¼"		601090125
1½"		60109015
2"		6010902


90° MIPT x FIPT		
¼"		6010913
3/8"		6010900375
½"		60109505
¾"		601090075
1"		601090
1¼"		601097
1½"		601096
2"		601092


45° FIPT		
½"		S4E050
¾"		S4E075
1"		S4E100
1¼"		S4E125
1½"		60109415

### NIPPLES



¼" close		610151
¼" x 3"		601104003
¼" x 6"		SNI256
3/8" close		60150375C
3/8" x 2"		60382
3/8" x 2½"		SNI3725
3/8" x 3"		60150383
3/8" x 4"		601503754
3/8" x 5"		SNI375
3/8" x 6"		SNI376
½" close		60150500C
½" x 1½"		SNI051
½" x 2"		601105002
½" x 2½"		6015150025
½" x 3"		60115003
½" x 4"		601105004
½" x 5"		60111501
½" x 6"		60115006
¾" close		60110750C
¾" x 2"		601107502
¾" x 3"		601107530C
¾" x 4"		711005
¾" x 5"		711015
¾" x 6"		711003
¾" x 8"		SNI758
1" close		60151000C
1" x 2"		601002
1" x 3"		60111003
1" x 4"		711004
1" x 5"		601110500
1" x 6"		601110006
1" x 8"		60118
1¼" close		60111250C
1¼" x 2½"		601112525
1¼" " x 3"		601112503
1¼" " x 4"		711006
1¼" " x 5"		SNI125
1¼" " x 6"		711017
1½" close		60111500C
1½" x 2½"		6011150025
1½" x 3"		60111503
1½" x 4"		711009
1½" x 5"		SNI155
1½" x 6"		601115006
1½" x 8"		SNI158
2" close		60152000C
2" x 3"		SNI203
2" x 6"		601120006

OTHER LENGTHS AVAILABLE:  
12"-24"-48"-72"-96". CONTACT US.

### REDUCERS



FIPT x FIPT		
¼" x 3/8"		SC2537
½" x ¼"		SC5025
½" x 3/8"		SC5037
¾" x ¼"		SC7525
¾" x 3/8"		SC7537
¾" x ½"		SC7550
1" x ¼"		SC1025
1" x 3/8"		SC1037
1" x ½"		SC1050
1" x ¾"		SC1075
1¼" x ½"		SC1250
1¼" x ¾"		SC1275
1¼" x 1"		SC1210
1½" x ½"		SC1550
1½" x ¾"		SC1575
1½" x 1"		SC1510
1½" x 1¼"		SC1512
2" x 1"		SC2010
2" x 1½"		SC2015



MIPT x FIPT

¼" x 3/8"		711014
½" x ¼"		715025
½" x 3/8"		705038
¾" x ¼"		713414
¾" x 3/8"		713438
¾" x ½"		713412
1" x ¼"		714014
1" x 3/8"		SB1037
1" x ½"		711012
1" x 3/4"		711034
1¼" x 3/8"		SB1237
1¼" x ½"		665551
1¼" x ¾"		714075
1¼" x 1"		714100
1½" x ½"		712050
1½" x ¾"		712034
1½" x 1"		711210
1½" x 1¼"		712114
2" x ½"		SB2050
2" x ¾"		711013
2" x 1"		711020
2" x 1¼"		711225
2" x 1½"		712015
3" x 2"		710302

### BUTTERFLY VALVES



1½"	60T150
2"	60P88CC2
2½"	60T212
3"	60T300



BUTTERFLY VALVE EPDM GASKET (BLACK BALL)

1½"	60GASKETVALPAP112EPDM
2"	60GASKETVALPAP2EPDM
2½"	60GASKET212EPDM
3"	60GASKETVALPAP3EPDM
4"	60GASKETVALPAP4EPDM

### CLIPS X FIPT FERRULES



1½" x ¾"	6788991D3
1½" x 1"	6788991D4
2" x 1½"	67THRE2X114ST
2" x 1½"	6598140
2" x 2"	6598142
2½" x 2"	6598141

### QUICK COUPLINGS



COMPLETE SET

¾"	662034SS
1"	66201SS
1¼"	662014SS
1½"	662012SS
2"	66202SS

INSERTION PART ONLY

¾"	736650
1"	736651
1¼"	736652
1½"	736655
2"	736656

### CLIPS X MIPT FERRULES



1½" x ½"	66624
1½" x ¾"	736654
1½" x 1"	6788991D1
1½" x 1¼"	770060
1½" x 1½"	770024
2" x 1½"	60R14SW214
2" x 2"	60R14SW22
2" x 1½"	60R14SW215
2½" x 2"	770049

### CLIPS FERRULES



QUICK

1½"	60R13C112
2"	60R13C2
2½"	60R13C212
3"	60R13C3



HEAVY DUTY

1½"	60R13HC112
2"	60R13HC2
2½"	60R13HC212
3"	60R13HC3
4"	60R13HC

### SILICONE GASKETS FOR FERRULES



1½"	60GASKET112SILI
2"	60GASKET2SILI
2½"	60GASKET212SILI
3"	60GASKET3
4"	60GASKET4



**STAINLESS STEEL PLUMBING IS OUR BUSINESS!**

THE NUMBER 1 CHOICE FOR YOUR STAINLESS STEEL PLUMBING INSTALLATIONS.

OUR TEAM HAS THE EXPERTISE TO INSTALL AND REPAIR DIRECTLY TO YOUR INSTALLATION.

ASK YOUR REPRESENTATIVE!

## STAINLESS STEEL QUICK COUPLINGS

### PART A



1/2"	66209005-A
3/4"	662090075-A
1"	662090100-A
1 1/4"	662090125-A
1 1/2"	662090150-A
2"	662090200-A
3"	662090300-A

### PART B



1/2"	66209005-B
3/4"	662090075-B
1"	662090100-B
1 1/4"	662090125-B
1 1/2"	662090150-B
2"	662090200-B
3"	662090300-B

### PART C



1/2"	66209005-C
3/4"	662090075-C
1"	662090100-C
1 1/4"	662090125-C
1 1/2"	662090150-C
2"	662090200-C
3"	662090300-C

### PART D



1/2"	66209005-D
3/4"	662090075-D
1"	662090100-D
1 1/4"	662090125-D
1 1/2"	662090150-D
2"	662090200-D
3"	662090300-D

**BEST  
PRICE/QUALITY RATIO!**

### PART E



1/2"	66209005-E
3/4"	662090075-E
1"	662090100-E
1 1/4"	662090125-E
1 1/2"	662090150-E
2"	662090200-E
3"	662090300-E

### PART F



1/2"	66209005-F
3/4"	662090075-F
1"	662090100-F
1 1/4"	662090125-F
1 1/2"	662090150-F
2"	662090200-F
3"	662090300-F

### PART DP



3/4"	662090075-DP
1"	662090100-DP
1 1/2"	662090150-DP
2"	662090200-DP
3"	662090300-DP

### PART DC



3/4"	662090075-DC
1"	662090100-DC
1 1/2"	662090150-DC
2"	662090200-DC
3"	662090300-DC

## QUICK COUPLINGS / POLYETHYLENE



REDUCERS   MIPT x FIPT	
3" x 2"	63251



NIPPLES   MIPT x MIPT	
2"	63248
3"	63247



BALL VALVES	
2"   FIPT	63242
2"   MIPT	63243
2"   3-way FIPT	710156
3"   FIPT	63253



GASKETS	
3/4"	6607901
1"	6607902
1 1/4" et 1 1/2"	6607903
2"	6607904
3"	6607905





### A- COUPLINGS WITHOUT RESTRICTION

MIPT x INS	
¾"	630100
1"	630101
1¼"	630102
1½"	630103

### B- ADAPTORS

INS x FIPT	
½"	64091
¾"	64092
1"	64093
1¼"	64094
1½"	64096
2"	63230

MIPT x INS	
½"	66195
¾"	64054
1"	64056
1¼"	66198
1½"	66199
2"	66200

### C- REDUCING ADAPTORS

MIPT x INS	
½" x ¾"	64053
½" x 1"	6605301
¾" x 1"	64058
1" x 1½"	63200
1" x 2"	66089
1" x 1¼"	63205
1" x 1½"	63204
1¼" x ¾"	64060
1¼" x 1"	64062
1½" x 1½"	63206
1½" x 1"	64064
1½" x 1¼"	64066
1½" x 2"	63208
2" x 1½"	63210

### D- TEES

INS x INS x INS	
½"	66022
¾"	66023
1"	66029
1¼"	6602801
1½"	66030
2"	66033
½" x ½" x ¾"	63150
¾" x ¾" x 1"	635002
¾" x ¾" x 1"	63152
1" x 1" x ½"	6602401
1" x 1" x ¾"	66024
1" x 1" x 1¼"	66020
1½" x 1" x ½"	6602001
1½" x 1" x ¾"	6602002
1½" x 1" x 1"	6602003
1½" x 1¼" x ½"	6602004
1½" x 1¼" x ¾"	66025
1½" x 1¼" x 1"	66028
1½" x 1¼" x 1"	66028011
1½" x 1¼" x 1¼"	66028021
1½" x 1½" x ½"	6602803
1½" x 1½" x ¾"	66026
1½" x 1½" x 1"	66027
1½" x 1½" x 1¼"	66021
2" x 1½" x 1½"	6602101
2" x 2" x ½"	6602102
2" x 2" x ¾"	6602103
2" x 2" x 1"	66357
2" x 2" x 1¼"	6602105
2" x 2" x 1½"	6602106

INS x INS x MIPT	
¾" x ¾" x ¾"	678483
1" x 1" x 1"	678484
1¼" x 1¼" x 1¼"	678485
1½" x 1½" x 1½"	6602804
2" x 2" x 2"	660331

INS x INS x FIPT	
¾" x ¾" x ½"	6602901
1" x 1" x ½"	6602701
1¼" x 1¼" x ½"	66025010
1½" x 1½" x ½"	6602601

### E- CONNECTORS

INS x INS	
½"	66012
¾"	66013
1"	66014
1¼"	66015
1½"	66016
2"	63220

### F- REDUCERS

INS x INS	
¾" x ½"	66069
1" x ½"	66066
1" x ¾"	66065
1¼" x ¾"	66092
1¼" x 1"	66073
1½" x ¾"	66093
1½" x 1"	63175
1½" x 1¼"	66078
2" x 1"	63222
2" x 1¼"	63225
2 x 1½"	66067

### G- 90° ELBOWS

INS x INS	
½"	66045
¾"	66046
1"	64068
1¼"	64070
1" x ¾"	64073
1½"	64072
2"	66666
3"	66677

INS x FIPT	
¾" x ½"	63156
1" x ½"	64071

### H- CAPS

INS	
½"	66076
¾"	66043
1"	66059
1¼"	66060
1½"	66061
2"	66062

# COMPLETE SELECTION AVAILABLE IN STORE!

## CROSSES (SLIP)



1"	6608152
1½"	6608153
2"	6608154
2½"	6608156
3"	6608155

## Y (SLIP)



1"	6613149
1½"	6613150
2"	6613152
3"	661330

## TEES



FIPT x FIPT x FIPT	
½"	63177
¾"	63182
1"	63180
1½"	63178
1½"	63179
2"	63181



SLIP x SLIP x SLIP	
1"	63184
1½"	66058150
2"	665545
3"	664565
4"	664599



SLIP x SLIP x FIPT	
1"	631801
1½"	66058151
2"	665637



PVC SUPPORT	
1" x 1" x 1"	6645303
1½" x 1½" x 1½"	6645304
2" x 2" x 2"	6645305
3" x 3" x 2"	6645306

## ELBOWS



90° ELBOWS (SP x SLIP)	
1½"	66147
1½"	66088152
2"	665530
3"	665499
4"	63214



90° ELBOWS (MIPT x SLIP)	
1"	631982
1½"	66088154
2"	665527



90° ELBOWS (FIPT x SLIP)	
1"	631981
1½"	66068161
1½"	66088151
2"	665532
2" x 1½"	66068159
3"	665528
4"	63216



90° ELBOWS (SLIP x SLIP)	
1"	63207
1½"	661471
1½"	66088150
2"	665526
2½"	665543
3"	665534
4"	63203



90° ELBOWS (FIPT x FIPT)	
½"	63190
1"	63192
1½"	63193
1½"	63194



90° ELBOWS (SP x FIPT)	
1½"	66088160



90° ELBOWS (MIPT x FIPT)	
½"	63196
¾"	63197
1"	63198
1½"	63163
1½"	63166
2"	64086
3"	665512



22.5° ELBOWS (SLIP x SLIP)	
1½"	66088156
2"	665540
3"	665529



45° ELBOWS (SLIP x SLIP)	
1"	63130
1½"	63131
1½"	66088153
2"	665531
3"	665536
4"	63215



45° ELBOWS (SP x SLIP)	
3"	66549945

## ADAPTORS



SP x FIPT	
1"	63015
1½"	66068154
2"	665585
3"	6606806



FIPT x SLIP			
1"	63012	2½"	6606804
1½"	64095	3"	6606803
1½"	66068153	4"	664094
2"	665546		



MIPT x SP	
1½"	66068160
2"	66068158



SLIP x INS	
1"	63011
1½"	665557
2"	6655461



MIPT x SLIP	
1" x 1"	63010
1¼" x 1¼"	63014
1½" x 1½"	66068150
2" x 2"	665525
2½" x 2½"	665547
3" x 3"	6606801
4" x 4"	665506

## REDUCERS



MIPT x FIPT	
½" x ¼"	66975
¾" x ¼"	660777
¾" x ½"	63185
1" x ¼"	63051
1" x ½"	66973
1" x ¾"	63050
1¼" x ½"	63171
1¼" x 1"	63170
1½" x ¾"	66976
1½" x 1"	66977
1½" x 1½"	66974
2" x ¾"	669782
2" x 1"	669791
2" x 1¼"	66978
2" x 1½"	66979
2½" x 2"	6697951



SP x FIPT	
1¼" x 1"	660781251
1½" x ¾"	66078151
1½" x 1"	66078150
1½" x 1¼"	66078152
2" x ¾"	66078275
2" x 1"	66078201
2" x 1¼"	66078153
2" x 1½"	66078250
3" x 2½"	660101
4" x 3"	6625475



SLIP x SLIP	
1¼" x 1"	66990
1½" x 1"	669779
2" x 1½"	669797
3" x 2"	669793



MIPT x SLIP	
1¼" x 1½"	66068151
2" x 1½"	66068152
2½" x 3"	6606802



SP x SLIP	
1½" x 1"	669783
1½" x 1¼"	660481
2" x ¾"	669787
2" x 1½"	662545
2½" x 1½"	669795
2½" x 2"	669794
3" x 1½"	669786
3" x 2"	679799
3" x 2½"	669796
4" x 2"	669788
4" x 3"	669778

## CONNECTORS (SLIP)



1"	66452
1½"	66098150
2"	665535
3"	668831
4"	668835

### CAPS



	SLIP	
1"		669734
1½"		630351
2"		668820
3"		66881
4"		66882



	FIPT	
½"		660521
¾"		660801
1"		660802
1¼"		660586
1½"		630352
2"		660583
2½"		660584
3"		660806



	MIPT	
¼"		66053
½"		66052
¾"		6606101
1"		6606102
1¼"		6606103
1½"		63035
2"		66058
2½"		660585
3"		66884
4"		66885

### ADHESIVES AND TEFLON



A	FusionPro tape, 2,5 cm x 3 m (1" x 10')	6613001
B	PVC glue, 118 ml	667055
	PVC glue, 473 ml	667056
C	Teflon, ½" x 40' (10 m)	64100
D	Blue Monster Teflon tape ½" x 1429"	64102
E	Pink Teflon, ½" x 260" Pink Teflon, ½" x 45' (10 m) Pink Teflon is designed for plumbing. More resistant than white Teflon.	64105
F	Grey Teflon, ½" x 260" Grey Teflon is designed for stainless steel fittings.	64106

### QUICK CONNECTORS



	SLIP x SLIP	
1"		66699
1½"		667003
1½"		66700
2"		66701
3"		66702
4"		667044



	FIPT x FIPT	
1"		66698
1¼"		667004
1½"		6670012
2"		667012
3"		66693

### CLAMPS

**ANSWERS  
SUGARMAKER'S NEEDS**



Stainless steel

HS-10 (¾")	660822
HS-16 (1")	6608301
HS-20 (1¼")	6608311
HS-24 (1½")	660841
HS-32 (2")	60HAS32



Heavy duty.  
For HD mainline

1"	660848HD
1¼"	660838HD
1½"	660849HD

### BEST QUALITY/PRICE RATIO!



Heavy duty stainless steel

1"	660848S
1¼"	660838S
1½"	660849S
2"	660843S
3"	660842S



For flexible hose

1½"	660846
2"	660847

## PVC VALVES



### BALL VALVES (FIPT)

½"	63100
¾"	63105
1"	63110
1¼"	63115
1½"	63120
2"	63125
3"	63128



### GATE VALVES (SLIP)

1"	66175031
1½"	6617504
2"	6617506
3"	6617507
4"	6617509



### BALL VALVES HEAVY DUTY (FIPT)

½"	63100R
¾"	63105R
1"	63110R
1¼"	63115R
1½"	63120R
2"	63125R
3"	63128R

## STAINLESS STEEL VALVES



### BALL VALVES (FIPT)

½"	6617053
¾"	601438
1"	601412
1¼"	601475
1½"	6013TBV21
2"	601414
2½"	601415
3"	6013TBV22



### BALL VALVES (INS x INS)

¾"	66177075
1"	66177100



### BALL VALVES (INS x FIPT)

¾"	66178075
1"	66178100



### 3-WAY VALVES (OSMOSIS)

¾"	71017
1"	71014

### 3-WAY VALVES (STANDARD)

¾"	71076W
1"	71077W

## PVC SINGLE UNION VALVES



### FIPT x FIPT

1"	6618100
1½"	6618101
2"	6618102



### SLIP

1"	6618103
1½"	6618104
2"	6618105

## CHECK VALVES



### SLIP x SLIP CLEAR PVC

1½"	6607112
2"	660702
3"	660703

### FIPT x FIPT CLEAR PVC

½"	660712
¾"	660734
1"	660701
1¼"	660714
1½"	660715
2"	660716



### FIPT x FIPT

½"	660731
¾"	660733
1"	660711



Stainless steel

### SWING CHECK VALVES

¾"	71013
1"	71011
1½"	660706
2"	660705

### PVC RIGID PIPES

\*Price by foot



Sold in 10' length

WHITE	
1"	6645100
1½"	6645006
2"	6645020
3"	6645011
4"	664513



Sold in 8' length

CLEAR	
1½"	6625601040
2"	6625801040

### PVC FLEXIBLE PIPES

\*Price per foot



Not approved food grade

1"	6645101
1½"	6645001
2"	6645002
3"	6645003

### PVC STRAPS



1"	667401
1½"	667413
1½"	667415
2"	667420
3"	667430

### HOSES

#### CLEAR FLEXIBLE VACUUM



¾"	66450512
1"	6645051
1½"	664504
1½"	664505
2"	6614922
3"	664503

#### FLEXIBLE HIGH PRESSURE



¾"	66243
1"	6600400
1½"	6600500
1½"	66006099200
2"	661491

100 PSI and more (pressure)  
For pressure pumps



ONLY AVAILABLE  
IN THE USA



For extractors plumbing.

#### GREEN FLEXIBLE

1"	620610
1½"	620612
1½"	620615
2"	620620
3"	62030
4"	620640

\*Price per foot

#### 1/8" CLEAR THIN WALL



¾"	6600300
7/8"	660078*
1"	66004001
1-1/8"	660112*
1½"	664507

Not recommended for vacuum (maximum 30 PSI)  
\* Use on CDL reverse osmosis

#### 1/4" CLEAR THICK WALL



¾"	660030012001
1"	660040012001
1½"	660050992001
1½"	660060992001
2"	66149

Can be used with vacuum (50 to 60 PSI maximum)  
Maximum 24 inches of mercury.

### 1/4" POLYETHYLENE TUBING

\*Price per foot



#### 1/4" POLYETHYLENE

1/4"	661415
------	--------

### HOSES FOR FILTER PRESSES

\*Price per foot



A



B

Clear 5/8" 6600210

A Clear 1" 6600110

B 5/8" High temperature high pressure  
Use between the pump and the plates. 66285

### RUBBER COUPLINGS AND CLAMPS

#### COUPLINGS



1½"	66094
1½"	669050
2"	669051
3"	669058
4"	669060



#### REDUCERS

1½" x 1½"	66099
2" x 1½"	66098
4" x 2"	669054
3" x 4"	669059

# 4.0 Vision in Maple Syrup Production



**1. Sugarbush**

**2. Pumping station**

**3. Tanks**

**4. Concentrator**

**5. Evaporator**

**6. Filtration**

**7. Barreling**

**8. Sugarbush certification**



Automate its sugarbush from the forest to the barrel... This is our ultimate goal here at CDL! This desire, called Vision 4.0, is already changing what the future of the maple industry will look like: a sugarbush that is 100% automated and remotely controlled.

Vision 4.0 wants to create a complete synergy by connecting all the steps for maple syrup production, from the sap collection in the forest to the drop of maple syrup in the barrel. For several years now, we are working to make this vision possible and available for our clients through a complete family of equipment as well as a unique and unequal remote management system.

At CDL, the remote management of your sugarbush is possible via the CDL Intelligence system. CDL Intelligence combines all the key steps of production in a single complete and user-friendly platform. This system is reliable, easy to use and install, and will allow you to make a quick return on investment. With the remote automatic update, our support team can intervene in real-time in case you need assistance. Create for maple producers by maple producers!

Your data are accessible in a couple of clicks but mostly, you can manage all your connected equipment with CDL Intelligence at your fingertips.

Step by step, vision 4.0 is becoming real at CDL by following the maple sap path: from the forest to the pumping station, passing through the tanks to the reverse osmosis, and now the boiling step with the arrival of the Master-E, our new 100% electric and automated evaporator. Labor saving as well as yield gains are present.

What is happening next at CDL? We are currently working on the last step to complete the Vision 4.0 which is the filtration and the automated and autonomous filling of the barrels. These steps are important for the certification of a Sugarbush 4.0. Keep your eyes open as it should come soon... because innovation is in our blood.

# LET CDL INTELLIGENCE DO THE WORK FOR YOU!

The CDL Intelligence system gives you 24/7 real-time access to your sugarbush's key data so you can better understand your performance and ultimately boost your profitability.

Choosing CDL Intelligence means choosing a simple, reliable, and stable system that will help you:

- > Understand your sugarbush's situation in real time
- > Make sure your pumping stations are working properly
- > Get the most out of your equipment
- > Take control remotely as soon as a problem arises
- > Save time and money



SCAN TO SEE THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



MAPLE SUGARING MANAGEMENT SYSTEM

**CDL Intelligence**, a sugarhouse management system that allows the complete automation of systems and processes.

From surveillance to absolute control and automation of the systems of your sugaring operation, **let CDL intelligence do the work for you!**



**Easy to install, easy to use**



**Quick return on investment**

Boost production by at least 1/2 lb per tap while reducing labor costs



**Automatic remote updates**




**CDL maintenance and technical service**

## HERE ARE THE FEATURES YOU'LL HAVE AT YOUR FINGERTIPS WHEN YOU CHOOSE A CDL INTELLIGENCE SYSTEM:

- > Satellite overview of your sugarbush and tubing with a satellite map (KML/GPS/GPX)
- > Detection of leaks and loss of vacuum in the sugarbush
- > Remote vacuum control and start/stop
- > Pumping station monitoring
- > Tank level monitoring
- > Remote valve and pump start/stop
- > Temperature-based vacuum and drive adjustment
- > Continuous flowmeter and Brix readings
- > Integrated communication with Intelligent RO
- > Support for multiple communication gateways (remote and not)
- > Remote cloud-based access from your computer, tablet or smartphone
- > Notifications on your smart phone or tablet
- > Day and night infrared camera surveillance
- > Automation of many repetitive daily tasks
- > Ability to have multiple users with different levels of control
- > Time and employee task management
- > Geolocation of employees in the woods
- > Control and protection module for pressure pumps
- > Control and protection for manual RO






MAPLE SUGARING  
MANAGEMENT SYSTEM

Station	Statut	Dernière concentration (%)	Température (°C)	Pression (kPa)	Pression (kPa)	Pression (kPa)
00000001	OK	10	20.0	101.3	101.3	101.3
00000002	OK	10	20.0	101.3	101.3	101.3
00000003	OK	10	20.0	101.3	101.3	101.3
00000004	OK	10	20.0	101.3	101.3	101.3
00000005	OK	10	20.0	101.3	101.3	101.3
00000006	OK	10	20.0	101.3	101.3	101.3
00000007	OK	10	20.0	101.3	101.3	101.3
00000008	OK	10	20.0	101.3	101.3	101.3
00000009	OK	10	20.0	101.3	101.3	101.3
00000010	OK	10	20.0	101.3	101.3	101.3

Vacuum table



Interface overview

Station	Average Temp	Temperature	Station	Average Temp	Temperature	Station	Average Temp	Temperature	Station	Average Temp	Temperature				
00000001	28.8	27.6	1.1	00000002	28.6	27.5	1.6	00000003	28.7	27.8	2.1	00000004	27.6	26.7	2.2
00000005	28.7	26.7	1.8	00000006	27.8	26.5	1.5								

Station overview

**WITH CDL INTELLIGENCE, YOU ARE GAINING ACCESS TO A RESPONSIVE, USER-FRIENDLY INTERFACE.**

**IT IS GUARANTEED TO MAKE LIFE EASIER, WHETHER OR NOT YOU'RE TECH-SAVVY.**

- > Data accessible anytime, from anywhere
- > Resolution adjusted for your computer, tablet, or smartphone
- > Simplified design for even more intuitive navigation

## CDL INTELLIGENCE STARTER KIT

Possibility to add-on other CDL Intelligence products over the years based on your growing needs

**The CDL Intelligence starter kit includes:**

ITEM NUMBER : 21090-EN



## OUTDOORS



**Our technology has been tried and tested for almost a decade.  
Our sensors are automatically recharged by solar energy, so no battery changing required.**

<p><b>A Vacuum sensor (single)</b> Remotely measure the vacuum in one master line and see the ambient temperature in the woods. Batteries recharged by solar power.</p> <p style="text-align: right;">SE100-V</p>	<p><b>C Communication gateway V2</b> Ensures that information is transmitted between the wireless vacuum sensors and the control hub.</p> <p style="text-align: right;">SG100-V2</p>
<p><b>B Vacuum sensor (double)</b> Remotely measure the vacuum in two master lines and see the ambient temperature in the woods. Batteries recharged by solar power.</p> <p style="text-align: right;">SE100-V-2</p>	<p><b>D Qi wireless charger and AC/DC adaptor PG200 assy</b> Induction charger for the portable gateway.</p> <p style="text-align: right;">22201A</p> <p><b>E V2 antenna deportation kit (20 ft)</b></p> <p style="text-align: right;">21072</p>

## INTERFACE

### CDL Control base

Microcomputer required to run your CDL Intelligence system on your devices (computer, tablet, smartphone).

21082A



# PUMPING STATION

## PUMP SAFETY MODULE

## ESSENTIAL FOR YOUR WATER PUMPS PROTECTION



SCAN TO SEE THE VIDEO  
bit.ly/cdlvideos



**Avoid losses and be notified if a problem arises.**

- Safety box for local booster water pump only\* 521252
- Safety box for local booster water pump + monitoring\* 521256

\* Works at pressures between 0 and 232 psi.

A safety module is also available on request if required to operate at higher pressure. Find out more from our experts.

This device allows you to stop and start a water pump, which can be connected or not to the CDL Intelligence maple sugaring management system.

By adding a tank level sensor, you can start or stop your pump according to predefined level percentages.

Linked with CDL Intelligence, the system will send an alert on your cell phone if a problem occurs.


Operator is also able to consult remotely the status of any pump systems.

- > Waterproof plastic enclosure
- > 110V power supply
- > 1/4" MIPT pressure probe included (to be installed on the discharge line)

### TESTIMONIAL

“Over the years, we’ve had several problems with backflow and mechanical pumps burning out in the spring. The CDL pump safety module quickly lets us know about backup and pressure issues by sending a notification to our phones if the pressure is too high or too low. It lets us diagnose the problem right away and saves us a lot of time and money. It even let me fix a major underground break last year. It paid for itself within a year, and I’ve installed them in each of my 8 pumping stations.”

– **Maxime Poulin,**  
GOLD SUGAR BUSH INC. – Seboomook Lake, Maine – 92,000 taps



- A Tank level sensor**  
See the levels of sap or concentrate remotely, in real time. You can also receive alerts when the water or concentrate reaches a certain level. SA100-HT
- B Tank level sensor holder**  
Allows you to mount your tank level sensor at the correct distance from the tank walls for a better reading. 21120
- C Multifonction controller (in/out)**  
Includes two inputs and two outputs. Allows the modulation of valves and/or dry contact (starter) **New and ultra-compact design. Works with Wisemesh only.** SE200-M2
- D Tank level sensor kit with probes**  
Provides automatic control of pressure pumps. 66551
- E Communication module**  
Can be added to the phase converter for LENZE vacuum pumps to manage RPM based on the outdoor temperature. 21206

## PUMPING STATION (CONTINUED)

### NANO CDL cellular surveillance system

**With the NANO CDL cellular surveillance system, control your vacuum pump remotely through your smart cell phone.**

**Eliminate useless steps and revenue losses with this affordable product!**



**CONTACT US!**

Compatible with every 120 Volts AC vacuum pumps.  
Possibility to add a 24 Volt AC relay for other types of pumps.

#### The NANO CDL system can manage:

- > Start/Stop pump
  - > Manual
  - > Temperature activation
- > Outside temperature readout with calibration at 32°F and 212°F for better accuracy.
- > Real time vacuum readout
- > Tank level warning and automatic turn off
- > Automatic and off-site program updates
- > LTE network
- > Requires cellular coverage by one of these suppliers:
  - > Canada : Rogers, Bell, Telus
  - > USA : AT&T, T-Mobile

#### About the app.:

- > Android or Apple
- > Can manage one or many NANO CDL
- > Operation and configuration easy to manage
- > Notifications on your smart phone
- > Multi-users with 3 different access levels
  - > Visualize: To see information and receive alarms
  - > Control: Visualize + modify and control parameters
  - > Admin: Control + manage users

21090-NANO

**Check on the packages offered by CDL!**

**Remote support and installation services throughout the USA and Canada for **peace of mind.****



**PUMPING STATION (CONTINUED)**

**FLOWMETERS**

**CDL ULTRASONIC FLOWMETER**

- > To measure flow per minute and the total quantity of liquid. Works positively and negatively. Possibility to reset to zero.
- > Important: This type of flowmeter cannot be used on the outlets of vacuum extractors. Ideally, these flowmeters should be used at the outlet of a vacuumless transfer pump.
- > Maximum pressure 150 psi.
- > Easily connects to the CDL Intelligence system (monitoring).

1" RS-485 MESH	210100U
1-1/2" RS-485 MESH	210150U
2" RS-485 MESH	210200U
3" RS-485 MESH	210300U



**CDL ROTARY FLOWMETER**

- > To measure flow per minute and the total quantity of liquid. Works positively only. (installation of a check valve is recommended. Possibility to reset to zero.
- > Recommended for applications under vacuum (ex: coming out of an extractor). Works on 24 volt with a transformer included. Maximum pressure 150 psi.
- > Easily connects to the CDL Intelligence system (monitoring).

1" RS-485 MESH 2.5 - 79 GPM	210100
1-1/2" RS-485 MESH 6.5-225 GPM	210150
2" RS-485 MESH 10.5-357 GPM	210200
3" RS-485 MESH 24-739 GPM	210300



**4.0 MEGAPIXEL PAN & TILT WIRELESS IP CAMERA**

**MONITOR EASILY AND REMOTELY KEY OPERATIONS OF YOUR SUGARBUSH.**



**AFFORDABLE, STYLISH, INTUITIVE, AND EASY SET UP!**

**Unpack, install and configure your camera YOURSELF without any technician in LESS THAN 5 MINUTES. Thanks to the integrated step-by-step voice assistant!**

**Operates using the CDL Intelligence app.**

- > Very good value for money
- > Easy to install
- > Day and night vision covering up to 33 feet
- > Remotely tiltable panoramic field: wide angle over 355 degrees horizontally and 120 degrees vertically
- > Programming of 16 predefined positions
- > 13 infrared LED lights
- > Works with either ethernet or 2.4/5GHz Dual-Band WiFi networks

20210

**MOTORIZED VALVES**

Use the CDL Intelligence system to remotely control tank drainage valves, discharge tubing, and extractors in remote pumping stations.

120 V   ON/OFF 1-1/2" ferrule	668408S
120 V   ON/OFF 2" ferrule	668409S
120 V   ON/OFF 2-1/2" ferrule	668410S
120 V   ON/OFF 3" ferrule	668411S
120 V   ON/OFF 4" ferrule	668412S



## PUMPING STATION (CONTINUED)



### VACUUM REGULATING MODULATING VALVE

CDL MONITORING SYSTEM OPTION FOR REMOTE VACUUM MODULATION

#### ADVANTAGES :

- > Improve vacuum management to prevent premature mainline freezing when temperature are close to 0 °C
- > Energy saving when the system is frozen or during the night when the sap is running very little
- > Better vacuum management. Can allow quicker sap flow at the beginning of the day for systems that are not tight

668409

Vacuum regulator and plumbing not included.

SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



## EMPLOYEE MANAGEMENT MODULE


**MANPOWER MANAGEMENT OF YOUR SUGARING BUSINESS CAN NOW BE DONE WITH THE CDL INTELLIGENCE SYSTEM!**

FROM THE WEB INTERFACE, THE SYSTEM ADMINISTRATOR CAN:

- > **Multi-user management, with different levels of access:**
  - > Visualization of cameras
  - > Equipment control
  - > Access to production reports
  - > Access controlled by employees
- > **Build personalized reports on employee tasks, for example:**
  - > Who did the work
  - > Date the work was done
  - > Time spent on the task
  - > Apply filters on employees, the type of work, the period, etc.
- > **Build timecard reports**
  - > Filter by employee or period
  - > Simplify pay management by getting the time for each employee for a period
- > **Detailed view of timecards**
  - > Day by day time entries detailed by type of task
  - > Filter per period

FROM THE MOBILE APP:

- > **Log employee displacements**
- > **Time card: Start/stop the stopwatch and possibility to specify the task**



**THIS BRAND NEW MODULE CAN MANAGE THE DAILY ROUTINE FOR YOU.  
FOR MORE DETAILS, CALL YOUR CDL SALES REPRESENTATIVE.**

## FIND OUT MORE ABOUT OUR EXPERIENCED TELECOMMUNICATION INSTALLATION PARTNERS FOR:

- > Installation of the CDL intelligence system
- > Sale, installation and configuration of computer systems
- > Sale of fiber optic systems
- > Sale and installation of cameras
- > Telecommunication by antennas
- > Automation
- > Networking

## HORIZONTAL EXTRACTORS WITH SUBMERSIBLE PUMP

### ADVANTAGES

- > No sap-return in the 5/16" tubing;
- > High quality submersible pump;
- > Pump adapted to pump up water;
- > No air in the tubing system while extracting sap;
- > Solves the sap extraction problems caused by pumping at high vacuum;
- > No float, extremely reliable;
- > Straight sap entry;
- > Pump within or outside of the pumping station (2 available options);
- > Now pre-tapped to receive the self-cleaning sprinkler in option - 72000201
- > On request configuration to pump within the pumping station or outside



The electrical box may differ from picture. The specified measurement is the distance between the base of the extractor and the center of water entry.

		INLETS	CAPACITY AT 27" HG	
18" x 48"	1/2 HP	10 x 2"	3 500 taps	204820ES
18" x 48"	1 x 2 HP Low pressure	10 x 2"	12 500 taps	204820ES2LP
18" x 48"	2 x 2 HP Low pressure	10 x 2"	25 000 taps	204820ES2DLP
18" x 60"	3 x 2 HP Low pressure	10 x 2"	37 500 taps	206020ES3LP
18" x 60"	4 x 2 HP Low pressure	10 x 2"	50 000 taps	206020ES4LP

Pressure gauge not included

: ALSO AVAILABLE IN 3 PHASES 208V, 460V AND 575V (CANADA ONLY).

## LOW HORIZONTAL EXTRACTORS

### ADVANTAGES

- > Very low (only 24" from the ground);
- > No sap-return in the 5/16";
- > High quality submersible pump;
- > Pump adapted to pump up water;
- > No air in the tubing system while extracting sap;
- > Solves the sap extraction problems caused by pumping at high vacuum.
- > Highly reliable, floatless design;
- > Angled sap entry;
- > Now pre-tapped to receive the self-cleaning sprinkler in option - 72000201
- > Drains with a check valve so it empties by itself - 662482



The electrical box may differ from picture.

		INLETS	CAPACITY AT 27" HG	
12" x 24"	1/2 HP (120V)	6 x 1"	2 400 taps	1224ES
18" x 36"	1/2 HP (240V)	8 x 1-1/2"	3 500 taps	1836ES
18" x 36"	1-1/2 HP	8 x 1-1/2"	7 500 taps	1836ES15
18" x 48"	1 x 2 HP Low pressure	8 x 2"	12 500 taps	2048ES2LP
18" x 48"	2 x 2 HP Low pressure	8 x 2"	25 000 taps	2048ES2DLP

Pressure gauge not included



Submersible conversion kits available.


: ALSO AVAILABLE IN 3 PHASES 208V, 460V AND 575V (CANADA ONLY).

## HORIZONTAL EXTRACTORS WITH 2-SPEED SUBMERSIBLE PUMP

ALLOWS GREATER FLEXIBILITY AND SPEED OF PUMP OUTS FOLLOWING DIFFERENT SAP FLOWS. THIS AVOIDS LOSSES AND OVERFLOWS LINKED TO UNPREDICTABLE BURSTS OF SAP IN THE EVENT OF FREEZE-THAW CYCLE OR EXCESSIVE SAP RUNS.

### ADVANTAGES


- > Better management of small flows
- > Very low (only 36" from the ground)
- > High quality submersible pump
- > No air supply into the tubing system while extracting sap.
- > Solves the sap extraction problems caused by pumping at high vacuum, avoiding sap-returns in the 5/16".
- > Highly reliable, floatless design.
- > Angled sap entry
- > Now pre-tapped to receive the self-cleaning sprinkler in option - 72000201
- > Drains with a check valve so it empties by itself - 662482



INTERIOR VIEW

		INLETS	Capacity at 27" HG	
18" x 36"	1 x 1,5 HP (240V)	8 x 1-1/2"	7 500 taps	1836ES15-1DW
18" x 36"	2 x 1,5 HP (240V)	8 x 1-1/2"	15 000 taps	1836ES15-2DW

## EXTRACTOR GRID




### ADVANTAGES

- > Made of stainless steel
- > Very strong
- > Can be installed on extractors already in place.

The grids are designed to hold ice, wood shavings or plastic and it prevents them from getting in the pump and damage it.

18" x 36"	18" x 48"	18" x 60"
7200098A	7200099A	7200089A



ALL THE SUBMERSIBLE EXTRACTORS WITH 18" DIAMETER RESERVOIRS ARE NOW PRE-TAPPED TO BE ABLE TO INSTALL THE CDL SELF-CLEANING SPRINKLER KIT!



**360° cleaning efficiency**



**Sprinkler kit for pre-tapped extractors**

72000201

**Sprinkler kit for untapped extractors (old generation) or extractors from other manufacturers.**

72000200

**Contact our specialists for more details!**

**Assembly required.**

\* Requires external pump and plumbing (not included).

## VERTICAL EXTRACTORS WITH SUBMERSIBLE PUMP

### ADVANTAGES


- > Opening on top for easy cleaning;
- > No sap-return in the 5/16" tubing;
- > High quality submersible pump;
- > No float, extremely reliable;
- > No air in the tubing system while extracting sap;
- > Solves the sap extraction problems caused by pumping at high vacuum.



		Without manifold (Not drilled)	With manifold (Not drilled)	With manifold (Pre-drilled)*
18" x 40"	1/2 HP	2036ES	203608ES-NP	203608ES
18" x 40"	1-1/2 HP	2036ES2 <small>With converter</small>	203608ES2-NP	203608ES2
18" x 40"	2 x 1/2 HP	2036ESD	203608ESD-NP	203608ESD
18" x 40"	2 x 1-1/2 HP	2036ES2D <small>With converter</small>	203608ES2D-NP	203608ES2D



Pressure gauge not included

\* Now pre-tapped to receive the self-cleaning sprinkler in option – 72000201



The electrical box may differ from picture. The specified measurement is the distance between the base of the extractor and the center of water entry.

## MECHANICAL EXTRACTORS



INLETS  
12" x 12" 4 x 1-1/2" 750 taps 121208

INLETS  
12" x 18" 4 x 1-1/2" 2 x 1" 3 000 taps 121808

INLETS  
12" x 24" 8 x 1-1/2" 4 000 taps 122408

The specified measurement is the distance between the base of the extractor and the center of water entry.



### ADVANTAGES

- > Quick evacuation of the sap;
- > No-maintenance mechanism;
- > Stainless steel float;
- > Openings at both extremities for easy cleaning;
- > Non bonded, dismantable cylinder.
- > Straight entry into the manifold;
- > Now pre-tapped to receive the self-cleaning sprinkler in option - 72000201

INLETS  
18" x 24" Manifold 12" x 26 low 8 x 1-1/2" 12 000 taps 202612

Pressure gauge not included



**We are proud to design and manufacture our equipment in our own facilities!**

## HIGH VACUUM MOISTURE TRAP



Designed for high vacuum, this moisture trap captures water particulates in the air that are not normally retained by conventional traps. It offers better protection for your pumps than other models on the market.



CDL 3" high vacuum moisture trap  
mechanical/electrical

710607

## VACUUM PROTECTION VALVE



The vacuum protection valve safely prevents sap overflow in your moisture trap or your vacuum pump without shutting vacuum down.

668411

Battery option for autonomy in the event of a power failure

676384

## MOISTURE TRAPS



A	CDL 2" moisture Trap	6610508
B	CDL 3" moisture Trap	710605
	Electric option	667282

## VACUUM BOOSTER TANKS THICK WALL



Pressure gauge included



Pressure gauge included

HORIZONTAL		VERTICAL	
8" x 24"	722408	12" x 18"	721218
12" x 24"	722412	12" x 24"	721224
12" x 36"	723612		
18" x 36"	723618		

## REPAIR PARTS



Snaps D-2000 folded

662641P



Hinge and spring kit for extractors

662481



**Ask our experts to drill additional holes at low cost.**

## SAP LIFTERS



Simple sap filter




300 taps

73015

# CDL HIGH VACUUM SAP LIFTER KIT

## THE NEW OPTION TO SOLVE FREEZING, MECHANICAL AND LEAK PROBLEMS IN A REVERSE SLOPE APPLICATION.

- Different models available depending on the type of power supply and the elevation of the terrain.
- Designed without leaks for high vacuum.
- Electric or propane heating depending on the model.
- 100% insulated gray plastic shelter of superior quality for weather resistant function.
- Small access door for visual inspection and large access door for maintenance or washing.
- Shelter floor with slight slope and bottom drain
- Adjustable ventilation hatches
- Reversible mainline entrance
- Horizontal blue PVC tank with stainless steel legs and transparent covers for better durability and vision of the water level
- Stainless steel hardware and quick connections



### AVAILABLE MODELS:



**12 V solar model**  
200 to 700 taps\*.  
Heating with a safe propane pilot  
(propane tank not included).  
73800012V1P



**230 V Electric models**  
Heating with a ceramic heating element  
(75W 220-240V).

From 300 to 1 000 taps\*

1 pump

7380002301P

From 600 to 2 000 taps\*

2 pumps

7380002302P

From 275 to 875 taps\*

2 pumps  
280 GPH in series

7380002302P-HP



From 1 000 to 2 400 taps\*

1 pump  
0,5 HP 230V

7380002301P-HP



\* Depending on your application, height, vacuum level and model chosen.



## RAISED SUPPORT FOR SAP ELEVATOR

**THINK OF A RAISED SUPPORT TO PREVENT THE SAP ELEVATOR FROM ENDING IN THE SNOW IN SPRING (NOT INCLUDED).**



**SCAN TO SEE THE VIDEO**

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



## NEW HIGH-CAPACITY ELECTRIC MODEL NOW AVAILABLE!



**BENEFIT FROM THE SAME FEATURES AS OTHER MODELS WITH A GREATER CAPACITY AND A HIGHER MAXIMUM ELEVATION LEVEL!**

- Ideal for 1 000 to 2 400 taps\*
- 1x 0.5 HP 230V pump
- Maximum elevation capacity is 50 feet high with a 1/2 hose that is up to 100 feet long.

7380002301P-HP

\* Depending on your application, height, vacuum level and model chosen.

Combine your sap lifter kit with the CDL stand! Its fully bolted aluminum design with stainless steel reinforcements gives you a total of 6 adjustments from 8 to 38 inches high.

This is the simple, robust and economical solution to keep your CDL high vacuum sap elevator out of the snow while saving you a lot of time.

### TESTIMONIAL



I use the sap lifter throughout the entire season for my 400 taps where it's harder to get sap because of the incline. I enjoy working with my elevator. It doesn't freeze, it's easy to use, and it only needs propane for heating. Plus, its submersible pump barely lowers my vacuum compared to my old model, which backed up all my front lines.

I used to have to go check my lifter every morning to make sure it wasn't flooded. Now I don't have to go as often. I just have to go when I have a minute to make sure there's enough propane.

The much more efficient system means I save time and money every spring. For me, this investment was a must-have as soon as it was put on the market and I don't regret it one bit. I've been using it for three springs now.»

– **Annick Godbout**,  
FERME F.A. GODBOUT INC. – Saint-Gervais, Quebec – 5 000 taps

# CHOOSE A HIGH VACUUM PUMP : THE BEST INVESTMENT FOR YOUR BUSINESS!

## WE DID THE MATH!

- > Go from 25 to 29”Hg of vacuum and increase production by 20%
- > Go from 3,5 to 4,2 lb per tap gives:
  - + \$9 625 (\$7 000 USD) of revenue / year for 5,000 taps
  - + \$19 200 (\$14 000 USD) of revenue / year for 10,000 taps
  - + \$57 750 (\$42 000 USD) of revenue / year for 30,000 taps

## A 1 YEAR RETURN ON YOUR INVESTMENT!



## CDL HIGH PERFORMANCE VANE VACUUM PUMP



## DESIGNED FOR UP TO 29,9” HG!

Available from  
0.5HP to 10HP, single or 3 phase motor

Available in 208-460V, 240V and 575V (Canada only)

### ADVANTAGES

- > Compact and quiet
- > Very low maintenance
- > Very reliable
- > High performance
- > Competitive pricing

SCAN TO SEE  
THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



0.5 HP 120/240V	1PH (250 taps)	58006G40.5HP
1 HP 120/240V	1PH (650 taps)	58020G41HP*
* Plug in model includes electric cord and male plug.		
1 HP 208-460V	3PH (650 taps)	58020G11HP
1 HP 575V (Canada only)	3PH (650 taps)	58020G51HP
1.5 HP 575V (Canada only)	3PH (1 200 taps)	58031G51.5HP
1.5 HP 208-460V	3PH (1 200 taps)	58031G11.5HP
2 HP 208-460V	3PH (1 700 taps)	58041G12HP
2 HP 240V	1PH (1 700 taps)	58041G42HP
2 HP 575V (Canada only)	3PH (1 700 taps)	58041G52HP
3 HP 208-460V	3PH (2 300 taps)	58064G13HP
3 HP 240V	1PH (2 300 taps)	58064G43HP
3 HP 575V (Canada only)	3PH (2 300 taps)	58064G53HP
5 HP 208-460V	3PH (4 000 taps)	58101G15HP
5 HP 240V	1PH (4 000 taps)	58101G45HP
5 HP 575V (Canada only)	3PH (4 000 taps)	58101G55HP
7.5 HP 208-460V	3PH (6 300 taps)	58160G17.5HP
7.5 HP 240V	1PH (6 300 taps)	58160G47.5HP
7.5 HP 575V (Canada only)	3PH (6 300 taps)	58160G57.5HP
7.5 HP 208-460V	3PH (8 000 taps)	58200G17.5HP
7.5 HP 575V (Canada only)	3PH (8 000 taps)	58200G57.5HP
10 HP 575V (Canada only)	3PH (10 000 taps)	58250G510HP
10 HP 208-460V	3PH (10 000 taps)	58250G110HP
10 HP 208-460V	3PH (11 700 taps)	58300G110HP*
* Available upon request.		
15 HP 208-460V	3PH (11 700 taps)	58300G115HP

Contact your CDL sales representative to find out which pump is right for you!



**Best quality-price ratio on the market!**

- ✔ High performing and stable
- ✔ Allows you to reach high vacuum: 29.9" Hg.
- ✔ 100% oil-free pump entirely made of aluminum with a design compliant with regulatory hygiene principles, for risk-free food safety.
- ✔ Air cooled without oil or water allowing it to operate at low vacuum without damaging the pump.
- ✔ Installation possible near waterways due to the absence of oil, and therefore possible spills
- ✔ No friction, which minimizes the amperage required for constant efficiency.
- ✔ Robust dry screw principle and very resistant to the ingestion of liquids, even maple sap.
- ✔ High tolerance to water vapor (humidity). Installation of a humidity trap with ON/OFF shutdown strongly suggested to shut down the pump as needed.
- ✔ Simplicity of installation and operation
- ✔ Reduced maintenance requirements
- ✔ Reduced noise level, quiet operation without humming or high-pitched noise
- ✔ Three-phase motor 230/460 Volts.



**DRY SCREW VACUUM PUMPS**

2HP 230V 1PH, 230V 3PH or 460V 3PH      57065G12HP  
 3HP 230V 1PH, 230V 3PH or 460V 3PH      57100G13HP  
 4HP 230V 1PH, 230V 3PH or 460V 3PH      57160G14HP  
 5.5HP 230V 1PH, 230V 3PH or 460V 3PH      57200G15.5HP

PUMP	DRIVE		
	1-phase (230V)	3-phase (230V)	3-phase (460V)
57065G12HP	66112DA		66113DA-460
57100G13HP	66113DA		66113DA-460
57160G14HP	66115DA		66129DA-460
57200G15.5HP	66129DA	66115DA	66129DA-460

**CDL HIGH VACUUM PUMP WITH GAS MOTOR**



**100% CDL ASSEMBLY**

**INCLUDES**

- > High vacuum CDL pump      5 HP assembled (less than 1 800 taps)
  - > Electric starter
  - > Battery      58041GG5HP
  - > Honda gas motor
  - > Steel platform      9 HP assembled (less than 3 000 taps)
- 58064GG9HP

**ADJUSTABLE CART FOR CDL AND AIRTECH (L-SERIES) VACUUM PUMPS**



Image for information only


Adjustable cart for CDL and Airtech vacuum pump 5 HP to 10 HP

Plumbing not included.

**Available options :**

- Board for control panel      6660200PA
- Moisture trap support      6660200SU

## DIAPHRAGM VACUUM PUMPS (IDEAL FOR SMALLER PRODUCERS)



Source : 120 volts

### ADVANTAGES

- > Pumps up to 22" Hg (A-B-C) and 28" Hg (D);
- > Works without a sap extractor;
- > Easy to use and very compact;
- > Liquid won't damage the pump;
- > Can run dry without problem.

Inline filter required to prevent ice from going in the pump. See page 79.

Note: These pumps must be protected from freezing.



Replacement diaphragm

G500SK-13

A	Single diaphragm vacuum pump (electric)	Up to 400 taps	669512
	Double diaphragm vacuum pump (electric)	Up to 800 taps	669514
B	24 VDC double diaphragm pump Minimum of 12 hours of operation when used with 2x 12V DC 60 amp batteries. Batteries not included.	Up to 700 taps	669520
C	24 VDC electric diaphragm pump Minimum 20 hours operation on 2 12VDC 60-amp hour batteries. Battery not included.	Up to 400 taps	669510
D	4 diaphragm pump (electric)	Up to 1 800 taps	669660

## 2 STAGE LIQUID RING CDL PUMPS

### ADVANTAGES

- > Up to 28 Hg
- > No mechanical friction inside the pump.
- > The circulation of water around the rotor creates vacuum
- > Maintenance free
- > Ideal for use in a heated room (cannot freeze)

5 HP 208/460V	3PH	(4 000 taps)	5845008G15HP
5 HP 230V	1PH	(4 000 taps)	5845008G45HP
5 HP 575V (Canada only)	3PH	(4 000 taps)	5845008G55HP
7.5 HP 208/460V	3PH	(6 000 taps)	5845311G17.5HP
7.5 HP 230V	1PH	(6 000 taps)	5845311G47.5HP
7.5 HP 575V (Canada only)	3PH	(6 000 taps)	5845311G57.5HP
10 HP 208/460V	3PH	(8 000 taps)	5845316G110HP
10 HP 230V	1PH	(8 000 taps)	5845316G410HP
10 HP 575V (Canada only)	3PH	(8 000 taps)	5845316G510HP

# PROVEN RELIABILITY FOR OVER 40 YEARS!



## PHASE CONVERTERS

**Factory preprogrammed**  
**Available on 550V. (Canada only)**



	1 > 3 PHASE CONVERTER	3 PHASE DRIVE
1.5 HP	66111DA*	-
2 HP	66112DA*	-
3 HP	66113DA*	-
3 HP	66113DA-460**	-
5 HP	66115DA*	-
7.5 HP	66129DA*	-
10 HP	66118DA*	66115DA*
15 HP	66015DA*	66129DA*
20 HP	66120DA*	66118DA*

\* 230V > 208V CONVERTERS

\*\* 460V CONVERTERS



## OIL FOR RECLAIMERS



High vacuum oil,  
 18,9 L  
 Grade 32 663532

Oil recommended by



## VACUUM OIL FOR VANE PUMPS



Vacuum oil, 10 L  
 Grade 60 663549

Ideal for DeLaval pump  
 Without reclaimers

Oil recommended by



## AUTOMATIC STARTERS



	120V	230V	575V CANADA ONLY
1 & 2 HP	-	66573	-
1.5 HP	66574	-	-
3 HP	-	66571	66590
5 HP	-	66562	66595
7.5 HP	-	66561	66588
10 HP	-	66563	66569

## AUTOMATIC STARTERS



A



B



C

A Temperature controlled automatic starter 669375

B Manual adjustment kit for converter 68100

C Vacuum transmitter probe GRD1632

## VACUUM REGULATOR



721212

## HIGH VACUUM OIL FOR AIRTECH AND CDL VANE PUMPS



Vane pump oil ISO 22 3.78 L 6635378

Vane pump oil 22  
 20 L 663520

Oil recommended by



Screw pump oil  
 Airtech VCX, 1 L 68AT03000



## GAUGES



VACUUM  
A



DIGITAL VACUUM  
B



PRESSURE  
C



GLYCERIN PRESSION  
D

A	Vacuum	2,5" 0-30 HG SS	64011SS	D	Glycerin pressure	2,5" 0-100 PSI SS rear outlet	663331SS
		4" 0-30 HG SS 3 % precision	66120SS			2,5" 0-200 PSI SS rear outlet	663349SS
B	Digital vacuum	0-30 HG	64019			2,5" 0-600 PSI SS rear outlet	663337SS
C	Pressure	2,5" 0-100 PSI SS bottom outlet	64010SS			2,5" 0-1 000 PSI SS bottom outlet	64014SS

## PRESSURE PUMPS (VACUUM)

### GOULD PUMPS NPE SERIES



220V  
OTHER VOLTAGES  
AVAILABLE  
UPON REQUEST


1 st:  
Water inlet 1¼"  
Water outlet 1"  
40 GPM

2 st:  
Water inlet 1½"  
Water outlet 1¼"  
80 GPM

3 st:  
Water inlet 2"  
Water outlet 1½"  
120 GPM

3/4 HP	1 st	669003
1 HP	1 st	669000
1-1/2 HP	1 st	669001
2 HP	1 st	669006
3 HP	1 st	669007
2 HP	2 st	669020
3 HP	2 st	669021
5 HP	2 st	669015
2 HP	3 st	669024
3 HP	3 st	669022
5 HP	3 st	669042

Machined and threaded chambers on all models for easier maintenance or repair



Top bearing support: rubber sleeve reduces wear

Polished stainless-steel resistant wear ring dissipates heat

304 stainless steel head

Ultra-abrasion-resistant wear rings with a separate bearing at each stage will reduce pressure loss



### POMCO PUMPS PXP SERIES - 230V 1 PHASE

6 GPM	1 HP	66PXP06G41HP-1	25 GPM	1 HP	66PXP25G41HP-1
10 GPM	1 HP	66PXP10G41HP-1	25 GPM	2 HP	66PXP25G42HP-1
10 GPM	2 HP	66PXP10G42HP-1	25 GPM	3 HP	66PXP25G43HP-1
10 GPM	3 HP	66PXP10G43HP-1	35 GPM	2 HP	66PXP35G42HP-1
15 GPM	1 HP	66PXP15G41HP-1	35 GPM	3 HP	66PXP35G43HP-1
15 GPM	2 HP	66PXP15G42HP-1	35 GPM	5 HP	66PXP35G45HP-1
15 GPM	3 HP	66PXP15G43HP-1	50 GPM	3 HP	66PXP50G43HP-1
			50 GPM	5 HP	66PXP50G45HP-1

OTHER VOLTAGES AVAILABLE  
PLEASE CONTACT YOUR CDL STORE



Goulds pumps also available.  
Contact us for more details.

**NEW**  
**30 FEET SILO**  
**(24 800 US GAL.)**



# CDL VERTICAL SILOS

## SPECIFICALLY DESIGNED FOR SUGARING NEEDS

- ✓ Superior quality, CDL fabrication in brushed stainless steel
- ✓ Reinforced urethane insulated base with anchor points
- ✓ Sloped bottom for complete drainage
- ✓ Available in several sizes

### INCLUDES:

- > 360° rotating spray ball
- > Manhole at the bottom
- > Water inlets (1 from bottom and 1 from above) and outlet 3"
- > Air vent with screen for venting without bugs or any undesirable debris

### OPTIONAL:

- > Manhole on top
- > Ladder and platform following all the safety standards in Canada and the United States
- > Protection cage for ladder
- > Many pump models available for spray balls (piping and connections extra)
- > Pressure transmitter, temperature transmitter and level indicator through the CDL Intelligence system
- > Connection box from building to silo
- > Stainless steel top feed plumbing
- > Stainless steel supply plumbing for rotating spray ball

DIAMETER	HEIGHT	CAPACITY	
		(US gal.)	(IMP gal.)
8 FEET	7,5 FEET	2 650	2 210
8 FEET	10 FEET	3 570	2 975
8 FEET	12,5 FEET	4 520	3 765
8 FEET	15 FEET	5 465	4 550
8 FEET	20 FEET	7 325	6 100
8 FEET	25 FEET	9 200	7 660
12 FEET	10 FEET	8 050	6 700
12 FEET	15 FEET	12 255	10 200
12 FEET	20 FEET	16 480	13 720
12 FEET	25 FEET	20 730	17 260



12 FEET	30 FEET	24 800	20 650
---------	---------	--------	--------

**SCAN TO SEE THE VIDEO**

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



# CDL TRANSPORT TANKS

**FULLY  
REDESIGNED**

## NEW LINE OF TRANSPORT TANKS

Available in five different sizes to suit all your needs!



## SPECIALLY DESIGNED FOR MAPLE SUGARING NEEDS!

- ✓ Robust construction in grade 304 stainless steel with brushed finish.
- ✓ Domed ends and reinforced structure which increases the overall strength of the tank.

### INCLUDED:

- > 1x 3" inlet    > 1x 3" outlet    > Lifting anchors
- > 8" inspection hole on the 500 gallons
- > 24" inspection hole for the 1100, 2200, 3200 and 4100 gal.
- > Anti-wave separation for the 1100, 2200, 3200 et 4100 gal.

### AVAILABLE OPTIONS:

- > Visual water level    > Single wash ball
- > Ladder    > Double wash ball
- > Graduated ruler    > Triple wash ball

## TRANSPORTING YOUR WATER FROM ONE SITE TO ANOTHER HAS NEVER BEEN EASIER AND SAFER!

		INSPECTION HOLE	ANTI-WAVE SEPARATION	
550 US Gal.	458 IMP Gal.	8"		66TR550
1 100 US Gal.	916 IMP Gal.	24"	✓	66TR1100
2 200 US Gal.	1 832 IMP Gal.	24"	✓	66TR2200
3 200 US Gal.	2 665 IMP Gal.	24"	✓	66TR3200
4 100 US Gal.	3 414 IMP Gal.	24"	✓	66TR4100

## ROUND BOTTOM TANKS SMALL AND LARGE CAPACITY

MORE THAN 125 SIZES AVAILABLE  
FROM 50 to 7 500 gallons.

Complete listing on our website



### ADVANTAGES

- > Food grade and strong high quality welds allow complete sanitizing;
- > Made of bright 304 stainless steel.

Elevated 6" for easier plumbing

**Personalize your tank!**  
Contact us for more information.

## TRANSPORT TANK FOR ATV

CDL transport tank specially designed for ATVs

75 gallons capacity

66TR075

**STRONG  
STAINLESS STEEL  
DESIGN**



SCAN TO SEE THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)




## EXTRACTOR SUPPORTS

### SUPPORT KITS

2' wide	672078
3' wide	672079
4' wide	672080
5' wide	672081
6' wide	6720821
7' wide	672082

All of our extractor supports can be adjusted to the desired depth.

Stainless steel





TANK WASHER WITH REMOTE CONTROL

# Innovative feature!



Labor-saving automated tank washing

Several sizes available.  
Contact your CDL sales representative!



SCAN TO SEE THE VIDEO

bit.ly/cdlvideos



## UNIVERSAL MIXER AND STAINLESS STEEL SUPPORT



Universal mixer for 4', 5', 6' and 7' wide tank

6792034

Adjustable stainless steel support. 1/2 HP motor at 30 RPM, 115 Volts with 10' electric cord.

Note: a cut in length may be required to adjust the height. Prices are available upon request.

## PLUGS



		FOR TANKS	
1-1/2"	5' rod		678112
2"	5' rod		678123
2"	7' rod	 <b>NEW</b>	6781237
3"	7' rod		67BOUCH37

## TANK LEVEL CONTROL



6' level control for CDL tanks 73500-6

### ADVANTAGES

- > The CDL tank level controls are made entirely of stainless steel;
- > In addition, you can very quickly and easily adjust the desired sap level where the pump will start;
- > The solidity of CDL controls prevent breakage caused by ice.

## ADAPTORS



FOR PLASTIC TANKS	
1/2"	RA5012
3/4"	RA5032P
1"	RA5034P
1-1/4"	RA5036P
1-1/2"	RA50309P
2"	RA5042P
3"	RA5454P



FOR STAINLESS STEEL TANKS	
1-1/4"	668673
1-1/4"	66867
2"	668672



**NOT IN STOCK IN THE USA  
UPON REQUEST ONLY**

### HORIZONTAL PLASTIC TANKS

US GALLONS	DIAMETER X HEIGHT	LID SIZE	OUTLET	
35	20" x 23" x 29"	5"	3/4"	HOR035
55	23" x 26" x 34"	5"	3/4"	HOR055
65	23" x 27" x 43"	5"	3/4"	HOR065
125	32" x 35" x 42"	8"	2"	HOR125
225	38" x 41" x 49"	8"	2"	HOR225
325	38" x 43" x 68"	16"	2"	HOR325
425	49" x 54" x 60"	16"	2"	HOR425
525	49" x 54" x 71"	16"	2"	HOR525
725	49" x 54" x 101"	16"	2"	HOR725
1 025	49" x 54" x 139"	16"	2"	HOR102
1 625	63" x 68" x 139"	16"	2"	HO1625



Elliptical tanks also available  
Ask your representative!

Adaptors and level indicator included.  
Galvanized bands not included.



Adaptors and level indicator included.

### VERTICAL PLASTIC TANKS

US GALLONS	DIAMETER X HEIGHT		
<b>LARGER BASE</b>			
100	28" x 43"		VER100
305	46" x 50"		VER305
550	67" x 42"		VER550
1 100	87" x 53"		VE1100
1 550	87" x 67"		VE1550
1 700	87" x 74"		VE1700
2 100	87" x 89"		VE2100
2 500	95" x 91"		VE2500
3 000	95" x 109"		VE3000
<b>SMALLER BASE</b>			
25	18" x 29"		SPS025
50	18" x 53"		SPS050
65	23" x 43"		SPS065
75	23" x 49"		SPS075
105	23" x 63"		SPS105
165	31" x 56"		SPS165
200	30" x 72"		SPS200
250	30" x 89"		SPS250
300	36" x 79"		SPS300
500	48" x 73"		SPS500
750	48" x 103"		SPS750
1 000	64" x 80"		SP1000
1 500	64" x 116"		SP1500

### SPECIAL APPLICATION



Applicator tank  
Available size: 12 US gallons.



PCO tank  
Available sizes: 30 to 300 US gallons.

### TANKS - VARIOUS MODELS



For pickup truck

**A**



SPE300

**B**



SPE400

	US GALLONS	WIDTH X HEIGHT X LENGTH	LID SIZE	OUTLET	
	210	51" x 39" x 28"	8"	2"	PUP210
<b>A</b>	325	62" x 49" x 33"	8"	2"	PUP325
	425	65" x 49" x 39"	8"	2"	PUP425
<b>B</b>	300	29" x 49" x 62"	16"	1-1/4"	SPE300
	400	29" x 71" x 66"	16"	1-1/4"	SPE400

### TANK STRAINER BASKETS



For 5" cover	STBA05
For 8" cover	STBA08
For 12" cover	STBA12
For 16" cover	STBA16

### REPLACEMENT LIDS AND COLLARS


16" solid, non-ventilated cover	LIDP16S
16" ventilated, requires central cover	LIDP16
5" ventilated, for center of 16" cover	LIDPV5
8" solid, non-ventilated cover	LIDP08
5" ventilated 16" cover	LIDP05
8" threaded replacement collar	COL008
12" threaded replacement collar	COL012

# ULTRAFILTRATION

## CDL quality standards and simplified operations

- Designed and made for very fine filtration of maple sap, birch sap and concentrate
- Eliminates bacteria, yeast and other organic particles from liquids
- Improves sap and concentrate preservation time

- Eliminates all bacteria and yeast present in the sap;
- Increases preservation time of sap and concentrate at room temperature;
- Reduces sap waste after long distance transport;
- Produces pure and clear sap;
- Essential for maple syrup producers that want to bottle maple sap;
- Can be used to prevent production of stringy maple syrup when the days are warm during or at the end of the season.



SCAN TO SEE  
THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



# GLASS BEAD FILTRATION SYSTEM



## THE NEW CDL GLASS BEAD FILTRATION SYSTEM IS THE NEW ESSENTIAL EQUIPMENT!

THIS IS THE FILTRATION EQUIPMENT THAT WILL HELP YOU SAVE YOUR CONCENTRATOR PRE-FILTERS.

YOU WILL BENEFIT FROM CLEANER SAP TO ACHIEVE BETTER CONCENTRATION PERFORMANCE AND REDUCE THE NUMBER OF PRE-FILTER CARTRIDGES USED DURING THE SEASON!

### FEATURES

- ✓ Reliable and easy-to-use system that can operate over long periods of time
- ✓ Filtration from 1 to 3 microns
- ✓ Durable food grade stainless steel design
- ✓ Considerable savings on your disposable cartridges for a quick return on investment
- ✓ Easy daily cleaning with backwash function
- ✓ Self-cleaning drainage retaining glass beads inside the equipment
- ✓ Only one type of glass beads (media) needed
- ✓ Little annual maintenance



### 4 MODELS AVAILABLE

to meet all your maple sap pre-filtration needs!

MODEL	DIMENSIONS (L X W X H)	GLASS BEADS (KG)	NUMBER OF BAGS
27 GPM	24' x 24' x 32'	38	2
83 GPM	36' x 36' x 40'	200	8
105 GPM	40' x 40' x 44'	300	12
167 GPM	48' x 48' x 52'	500	20

\*Note that glass bead filters do not replace the 5 micron pre-filters in your concentrator.

## CDL NANO RO AND NANO RO MAX REVERSE OSMOSIS SYSTEMS

**PERFECT FOR SMALLER PRODUCERS AND EASY TO USE**



**REDUCE YOUR BOILING TIME**



- > SIMPLE AND EFFICIENT DESIGN
- > THREE STEP PRE-FILTRATION TO ELIMINATE IMPURITIES
- > EFFICIENT MEMBRANE SYSTEM
- > INCLUDES 600 GPD MEMBRANE, CARTRIDGE PRE-FILTERS AND HOOK-UP TUBING
- > LOW ELECTRIC CONSUMPTION 110 VOLTS

		
<b>Product number</b>	81013R	81015
<b>Number of taps</b>	50 to 150	250 to 750
<b>Capacity</b>	Treats up to 26 GPH of sap Removes up to 13 GPH of filtrate	Treats up to 54 GPH of sap Removes up to 29 GPH of filtrate
<b>Concentration</b>	can go up to 6 Brix	Can go up to 8 Brix
<b>Electricity</b>	110V - 218 Watts - 3 amp	110V - 8 ampères
<b>Weight</b>	17.19 kg	31.75 kg
<b>Recirculation</b>	Yes, pump dedicated to recirculation	Yes, pump dedicated to recirculation
<b>Freezing</b>	Does not tolerate	Does not tolerate
<b>Membranes</b>	3 membranes (3" x 12") (600 GPD)	2 membranes (4" x 20")

**VERTICAL HOBBY REVERSE OSMOSIS SYSTEMS**



- > Ideal up to 2000 taps
- > 125 GPH to 250 GPH (1 or 2 posts)
- > Main unit in stainless steel
- > Frame on wheels for easy moving
- > Easy drainage
- > Pump in stainless steel
- > 4" post in stainless steel
- > Membrane: CDL MRO
- > High and low pressure protection
- > Power :  
120 volts (17 Amps),  
240 volts (10 Amps)



81125V	120 V	125 GPH
81125V-240	240 V	125 GPH
81250V	120 V	250 GPH
81250V-240	240 V	250 GPH



**WASHING TANK OPTION**  
available on both models



- > Ideal for up to 3000 taps
- > 350 GPH
- > Stainless steel main unit
- > Casters included for easy movement
- > Easy drainage
- > 1.5 hp all stainless steel pressure pump
- > Recirculation pump included
- > 8" stainless steel membrane housing
- > 8 " 8040 membrane
- > Low-pressure and high-temperature protection
- > Electricity: 240 volts (15 A)

81350V-240



## CONTROL REMOTELY

YOUR CURRENT RO FOR AN AFFORDABLE COST!

**Add an affordable module to control remotely your current system at your fingertips, no matter which model you have or which company your concentrator is from.**

Here is what it can do:

- > Start/stop the system
- > Operate tank valves (sap and permeate)
- > Direct concentrate and filtrate to tanks or other locations
- > Manage pressure and concentrate flow
- > Read input pressure and turbine high pressure
- > Read permeate or concentrate flow rate
- > Read incoming and outgoing Brix
- > Read temperature

**It is a small investment and simple to use!**

It's even available for mini ROs! Contact our team to upgrade your current equipment and make your life easier!

## LA FENDEUSE CLASSIC AND DELUXE



Equipment appearance may vary

FENDEUSE CLASSIQUE	MAIN FEATURES	FENDEUSE DELUXE
500 À 1500 GPH	GALLON	500 À 3600 GPH
STAINLESS STEEL	MAIN UNIT	STAINLESS STEEL
NO	FINISHING COVERING IN STAINLESS STEEL	YES
PLASTIC	BOOSTER PUMPS	STAINLESS STEEL
1	MAXIMUM NUMBER OF PUMPS PRESSURE (TURBINES)	2
5 HP 7,5 HP	HP FORCES OF PUMPS PRESSURE (TURBINES)	5 HP 7,5 HP
1 X 5 HP 1 X 7,5 HP	POSSIBLE COMBINATIONS FOR PRESSURE PUMPS (TURBINES)	1 X 5 HP 1 X 7,5 HP 2 X 5 HP 1 X 5 HP + 1 X 7,5 HP 2 X 7,5 HP
2	MAXIMUM NUMBER OF 20" PREFILTERS	3
3 VERTICALS	MAXIMUM NUMBER OF MEMBRANES (POSTS)	1 TO 2 VERTICALS 3 TO 8 ON RO POST CART
YES	POSITIVE RECIRCULATION SYSTEM	YES
YES	SUBMERSIBLE MOTOR MAINTENANCE FREE	YES
YES	HIGH PROTECTION TEMPERATURE AND LACK OF WATER	YES
15 BRUX	MAXIMUM CONCENTRATE BRUX IN ONE PASS	30 BRUX


# CDL IS THE ONLY ONE IN THE INDUSTRY THAT ALLOW YOU TO SET UP YOUR CONCENTRATOR. THANKS TO ITS NEW 100% MODULAR FAMILY!

## NOTHING IS EASIER!

## CHOOSE FROM OUR 6 MAIN UNITS AND OUR 37 RO POST CARTS AVAILABLE!

Configuration flexibility will allow you to meet the current and future needs of your sugarbush while respecting your budget! Your concentrator will be scalable even when adding taps.

Let's make a comparison with recreational vehicles. Our competitors offer motorhomes, while at CDL, we now offer you the possibility of choosing your truck (main unit) and your "fifth wheel" (RO post cart)!



By continuing with this comparison, you can:

- Get a new main unit and a new RO post cart;
- Keep your current head unit and change your RO post cart;
- Change your main unit and keep your current RO post cart.





**MAIN UNIT**

Main unit and its components

Standard (manual) or Intelligent (automated) model

Options as needed




**RO POST CART**

Desired maximum gallons

Concentrate max Brix

Combination of membranes

Final number of membranes



**37 RO POST CARTS CONFIGURATIONS AVAILABLE**

S: Singles only | S+D: Singles + Doubles | S+D+B: Singles + Doubles + Boosters (booster pumps)

# HERO

## MODULAR CONCENTRATORS

**100%**  
**MODULAR!**

Available in **STANDARD** (manual) or **INTELLIGENT** (automated) models

Photo: heRO-4T Intelligent Model



Model appearance may vary.

**FROM 720  
TO 7200 GPH**

**CONCENTRATE  
FROM 1.5 BRUX TO  
30 BRUX IN ONE PASS,  
EVEN AT THE END OF  
THE SEASON!**

- > Stainless steel pressure pumps (turbines)
- > Positive recirculation system that allows operation for several hours without loss of performance. This unique system extends the life of the membranes.
- > Posts: Very reliable maintenance-free submersible motors for over 15 years
- > Low pressure protection now controlled by differential pressure, making it easier to manage filtration unit changes.
- > High pressure protection

# NEW OPTIONS

## AUTOMATED

### MANUAL

	MANUAL			AUTOMATED	
	INCLUDED	OPTIONAL	REMOTE CONTROL	INCLUDED	OPTIONAL
<b>VALVE MANAGEMENT</b>	Maple water tank supply control	✓		✓	
	Permeate tank feed control	✓		✓	
	Wash tank valve supply control	✓		✓	
	Wash tank drain control	✓		✓	
	Concentration valve control	✓		✓	
	Pressure valve control	✓		✓	
	Concentrate outlet valve control	✓		✓	
	Permeate outlet valve control	✓		✓	
<b>ACCESSORIES</b>	Brix reading (input and/or output)		✓	✓	✓
	Digital readout of concentrate flow		✓	✓	✓
	Digital readout of permeate flow		✓	✓	✓
	Concentrate reading at the arrival of the tank			✓	✓
	Visualization of the sap tank level		✓	✓	✓
	Visualization of the permeate tank level		✓	✓	✓
	Visualization of concentrate level		✓	✓	✓
	Conductivity reading		✓		✓
	pH reading		✓		✓
	Open drain valve safety on concentrate tank			✓	✓
	Soap pump			✓	✓
	Acid pump			✓	✓
	Brix control		✓	✓	✓
	Rinse after wash				✓
Custom washes configuration				✓	
<b>PROCESSES/ACTIONS</b>	Start of a tank washing cycle while concentrating				✓
	Desugaring after concentration			✓	
	Repetitive hot water loop			✓	
	Preventive management of membrane clogging				✓
	Intelligent management of maple sap if 2 concentrate tanks				✓
	End of concentration at lower flow rate with turbine management				✓
	Shutdown protection depending on the opening of the pressure control				✓
	Washing pH control management				✓
	pH neutralization				✓
	Washing management according to the permeability test (PWP) in regards of the biological standards				✓

# heRO INTELLIGENT VS REMOTE CONTROL

If your model is Intelligent, you will automate and manage 100% remotely all the features of your concentrator according to the defined parameters.

If your model is Manual, you can add control modules that allow you to perform certain functions remotely. However, this does not make it intelligent; you will have to perform the actions one after the other through the interface. This will require supervision.

## MAIN UNIT

### FEED PUMPS

heRO 1T - heRO 2T - heRO 3T	1 x 2 HP 1 x 3 HP 1 x 5 HP
heRO 3T - heRO 4T	1 x 7,5 HP
heRO 4T	2 x 7,5 HP

### PRESSURE PUMPS (TURBINES)

heRO 1T	1 x 5 HP-Eco 1 x 5 HP 1 x 7,5 HP
heRO 2T	2 x 7,5 HP
heRO 3T	3 x 7,5 HP
heRO 4T	4 x 7,5 HP

### FILTRATION

heRO 1T - heRO 2T	2 single 20" pre-filters 4 single 20" pre-filters
heRO 1T - heRO 2T - heRO 3T	1 multi-cartridge (equivalent to 1x5 20" pre-filters) 2 multi-cartridges (equivalent to 2x5 20" pre-filters)
heRO 4T	4 multi-cartridges (equivalent to 4x5 20" pre-filters)

## RO POST CART

### NUMBER OF POSTS AND MEMBRANES


heRO 1T	1 to 7 membranes
heRO 2T	1 to 10 membranes
heRO 3T	1 to 16 membranes
heRO 4T	4 to 21 membranes

### POST AND MEMBRANE CONFIGURATIONS

Single membranes = 15 Brix max
Single membranes + booster pump = 30 Brix max
Single + double membranes = 15 Brix max
Single + double membranes + booster pump = 30 Brix max

# CDL RO POST CART 2.0


**37** RO POST CARTS CONFIGURATIONS AVAILABLE. CONTACT US!




Example above: Intelligent RO post cart with 21 single posts

## ADVANTAGES

- > All stainless steel plumbing
- > High flow rate rinsing
- > Drainage of the whole cart by gravity (optional)
- > Modular, possibility to add membranes over time according to your needs.
- > Simplified addition of membranes
- > Available in manual or automated model
- > Individual flow meter at the end of each membrane for faster diagnosis
- > On casters to facilitate movement and/or installation of the membranes
- > Easy addition of booster pumps
- > High-speed wash



Example above: Manual RO post cart with 4 single posts



Example above: Manual RO post cart with 10 single posts

**Buy a bigger RO post cart to better plan your future expansion.**

**You will only need to add the additional posts and membranes over time.**



Example above: Intelligent RO post cart with 2 single posts and 3 double posts



**We offer the best membrane washing service!  
Details in-store!**

### MULTIPLE CARTRIDGE HOUSING



Stainless steel multiple filtration cartridge housing (holds 5 pre-filters)

665056

Stainless steel base for the multiple cartridge housing

7100101

Interior support only

665068



**Change your RO prefilters in 1 minute!**

### ADVANTAGES

- > Designed and manufactured by CDL;
- > Quick and easy filter changes;
- > High filtration capacity;
- > Creates no restrictions at the entrance of the RO.

### PREFILTERS



Cartouche préfiltre 5 mic. 9-7/8" 6682101



Cartouche préfiltre 5 mic. 20" 66821

Protège-filtre 10" synthétique |12/pqt 66207



Protège-filtre 20" synthétique |12/pqt 66208



Couvercle plexiglass 6-1/2" 66270



Filtre à anneau 10" 6-1/2"x16" EVBAG100



Filtre à anneau 20" 6-1/2"x32" EVBAG200



Filtre à anneau 30" 6-1/2"x30" 66823-30

**NEW** 16" filtration bag with cord 668178

**NEW** 30" filtration bag with cord 668177

### MRO MAX MEMBRANES & STORAGE CANISTERS



	CDL	MRO MAX
4" membrane	66016140	6604040
8" membrane	66016980	6608040
8" membrane (high pressure)	66HP16980	66HP8040
16" membrane	660016	-



A

B

A	4" storage canister	724204
B	8" storage canister	724225
	16" storage canister	724226

### MISCELLANEOUS



Food grade o-ring grease | 6 g 66531



Food grade o-ring grease | 150 g 66535




Wrench for blue filter 662283



10 GPM Bluewhite flowmeter 661042



1/4" NPT valve x Tube 90° 6622312



4" membrane U-cup 66402



8" membrane U-cup 66401

## CLEANING AND STORAGE SOLUTIONS



TRUST THE CDL BRAND  
FOR CLEANING AND  
STORAGE SOLUTIONS.  
**QUALITY. EFFICIENCY.**



<b>A</b>	Citric acid 1 kg (powder)	66994	<b>G</b>	Organic membrane soap "Superflow green" 1 kg (powder)	662403
<b>A</b>	Citric acid 20 L (liquid) For CDL intelligent RO	6699420	<b>H</b>	Organic membrane soap "Superflow green" 2 kg (powder)	662404
<b>B</b>	Superflow soap 1 kg (powder)	6624909	<b>I</b>	Organic soap "Superflow green" 22.7 kg (powder)	662402
<b>C</b>	Superflow soap 4 L (liquid)	66230	<b>J</b>	Peracetic cleaner 4 L	66298
<b>D</b>	Superflow soap 20 L (liquid)	66232	<b>K</b>	Storage solution 1 kg	80000
<b>E</b>	Superflow soap 20 kg (powder)	66239	<b>L</b>	50/50 Glycol 20 L	88020
<b>F</b>	Organic soap "Superflow green" 4L (liquid)	66245			

**FOR ORGANIC  
CERTIFIED PRODUCERS**

## MEASURING INSTRUMENTS

	pH 0-2,5 Papers 50/pkg	668802
	pH 10-13 Papers 50/pkg	668813
	Calibration solution pH 10 500 ml	718866
	Calibration solution pH 4 500 ml	718865
	PH tester	665514
	Portable conductivity tester	718856
	Heating element 3 000 W - 240 V	66493
	Temperature control	669371

## FILTERS

	1-1/2" line filter + 24-micron cartridge	6615024
	1-1/2" 24-micron filter cartridge only	660024
	1-1/2" line filter only	6615024K
	2" line filter + 24-micron cartridge	6620604
	2" 24-micron filter cartridge only	660025
	2" line filter only	6620604K
	20" complete blue filter housing	665050

# THE ONLY 100% ELECTRIC, AUTOMATED AND INTELLIGENT EVAPORATOR ON THE MARKET!

## MASTER-E!

GRANTS MAY  
BE AVAILABLE  
IN YOUR STATE  
OR PROVINCE

### NOW AVAILABLE IN IN 75 OR 100 HP

- ✓ **Produce up to 3 barrels\* of syrup per hour**
- ✓ **The energy production cost per barrel can be as low as \$2.75\*\* depending on the configuration!**

\*with the 100 HP compressor and a 30 Brix concentrate

\*\*calculated at \$0.10/kW CAD

The Master-E evaporator is fully automated. It can operate with very little labor and supervision. Having the Master-E is the equivalent of having the maple syrup expertise of our entire team at your disposal, in addition to having daily peace of mind!

In fact, as long as there is concentrate in your tank, the master-E will .... alone. It can self-regulate and manage all the parameters in order for you to get syrup continuously.

When it reaches the end of your concentrate tank, it will be able to desugar, rinse and wash completely. It will be ready to start again when you have enough concentrate. The operation may seem complex, but it is simply a perfect synergy between a series of steps

**Note :** The evaporator will only hold 15 gallons of concentrate throughout the process.



**PATENT**  
pending  
CDL

Can be connected to



MAPLE SUGARING  
MANAGEMENT SYSTEM

**THE EVAPORATOR IS  
CONNECTED IN REAL TIME  
AND IS ACCESSIBLE  
REMOTELY VIA YOUR SMARTPHONE,  
TABLET AND COMPUTER.**

Front view.  
Evaporator  
appearance  
may vary.

# TRY MASTER-E EFFICIENCY AND ENTER AT FULL SPEED INTO THE 4.0 ERA OF MAPLE SYRUP INDUSTRY

## OPERATION STEPS

- Preheating with product recirculation
- Automatic activation of the steam compressor
- Evaporation with continuous feed of concentrate and output of syrup
- 100% sugar recovery (desugaring)
- Automatic washing and rinsing (no manual washing or brushing)

75 HP Master-E				
	Brix of concentrate			
	15	20	25	30
Ratio kW/gal.	2.41	1.47	1.06	0.79
\$ Cost / imp. gal	\$0.24	\$0.15	\$0.11	\$0.08
\$ Cost / U.S. gal	\$0.20	\$0.13	\$0.09	\$0.07
\$ Cost / Barrel (34 imp. gal, 40 U.S. gal)	\$8.16	\$5.10	\$3.74	\$2.72

Based on a price of \$0.10 CAD / kW/h

100 HP Master-E				
	Brix of concentrate			
	15	20	25	30
Ratio kW/gal.	2.64	1.47	1.10	0.88
\$ Cost / imp. gal	\$0.26	\$0.15	\$0.11	\$0.09
\$ Cost / U.S. gal	\$0.22	\$0.13	\$0.09	\$0.08
\$ Cost / Barrel (34 imp. gal, 40 U.S. gal)	\$8.84	\$5.10	\$3.74	\$3.06

Based on a price of \$0.10 CAD / kW/h

## FEATURES

- Safe and efficient
- Simplified functionality and easy start up
- Works under vacuum
- Fast preheating sequence (45 min) with the steam generator
- Very safe, operates very low steam pressure
- High quality maple syrup production
- Continuously constant Brix syrup production
- Very flexible to allow the operator to boil a sap or concentrate at any Brix. Very effective at High Brix  $\geq 30$  Brix
- Very low volume of liquid in the evaporator (less than 20 US gallons)
- 100% automated for better efficiency over a long period of operation
- Automatic and management of product Brix output
- Very high energy efficiency, low steam loss

### POWER SUPPLY BY MODEL

67EL4603	460V	575V	230V (three-phase)
67EL2401	240V (single phase)		

## TESTIMONIAL

“With the announced performance of the electric evaporator, we aimed to make 50% of the syrup we produce here per year. With the performance we had, we made between 70-75% of our 2023 syrup with the Master-E, or around 350,000 pounds of maple syrup alone.

My longest boiling period was 27 hours in a row running the machine; we did 17 hours, I ran out of concentrate, the osmosis took over, then I boiled for another 10 hours, I stopped it just because I ran out of concentrate, otherwise I would have continued operating on it.

I wasn't halfway through the season when I started letting the Master-E run on its own at night. I was sleeping at home, if there was a problem, I would receive a text alerting me. Often, in the early hours of the morning, I would receive a text that Master-E had run out of concentrate. I checked my cameras and there was really no more concentrate. At that point, I switched to de-sugaring and wash mode. When we came back here in the morning at 7:30-8 a.m., the evaporator was finishing its wash cycle, then we were ready to start our day again while waiting for the maples to start flowing.»

Michaël Ruest - Érablière Côté et Fils inc,  
Roxton Pond, Estrie, Québec - nearly 100,000 taps

# NEW RANGE OF MASTER-E EVAPORATORS

ADAPTED TO THE NEEDS OF PRODUCERS FROM 8,000 TO 15,000 TAPS

COMING TO  
**2024**  
**OPEN HOUSE EVENT!**





Wood model shown

SCAN TO SEE  
THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



**AVAILABLE SIZES:**  
**3' x 11' to 7' x 18'**



**50/50 CONFIGURATION  
AVAILABLE!**



# THE MASTER OF EVAPORATORS

## FOR THE FOLLOWING REASONS:

- > Rugged and quality construction
- > Energy efficient
- > Easy to operate
- > Boiling stability
- > Boiling conditions adjustment and flexibility from 2 to 35 Brix
- > Longer boiling time without pan change
- > Flavor and authenticity of maple syrup
- > Evaporation performance
- > Energy costs / labor per barrel
- > Easy cleaning

## AVAILABLE OPTIONS:

- > Syrup flow reverser
- > Double pass flue pan
- > Syrup drip tray
- > Multi-pass syrup pan
- > Permeate or concentrate preheater
- > Mechanical or electrical level control
- > Control panel with 110 V electric outlet
- > Front/rear Protect-O
- > Front/Rear pan washer
- > Motorized level control (ON-OFF)



**TO GUIDE YOU IN CHOOSING YOUR NEW MASTER EVAPORATOR, HERE ARE SOME THINGS TO CONSIDER DEPENDING ON THE FUEL.**

## WOOD EVAPORATORS

- > Self-sufficiency and fuel availability
- > Independence on energy costs (low and stable)
- > 100% renewable energy
- > Valorization of non-marketable wood from your sugarbush
- > Feeding of the evaporator can be facilitated by mechanical equipment

Master evaporator - wood				
	Brix of concentrate			
	15	20	25	30
<b>Ratio</b> Cord / imp. gal	0.0065	0.0047	0.0032	0.0025
<b>\$ Cost / imp. gal</b>	\$0.65 (CAD)	\$0.47 (CAD)	\$0.32 (CAD)	\$0.25 (CAD)
<b>\$ Cost / U.S. gal</b>	\$0.81 (USD)	\$0.58 (USD)	\$0.40 (USD)	\$0.31 (USD)
<b>\$ Cost / Barrel</b> (34 imp. gal, 40 U.S. gal)	\$21.99 (CAD) \$32.34 (USD)	\$15.82 (CAD) \$23.26 (USD)	\$10.99 (CAD) \$16.17 (USD)	\$8.48 (CAD) \$12.47 (USD)

Based on a price of \$100 CAD (\$150 USD) / wood cord (24" x 4' x 8')





- > Ease of supply from the chip reserve
- > Simplifies feeding
- > Ensures a stable and constant chip supply
- > Separate power supply ensuring autonomous and safe operation

**NEW  
WOOD  
CHIP  
FEEDING  
SCREW!**



## WOOD CHIPS EVAPORATORS

- > Self-sufficiency and fuel availability
- > Independence on energy costs (low and stable)
- > 100% renewable energy
- > 100% automated feeding
- > Valorization of non-marketable wood from your sugarbush
- > Quick start, stability of boiling, rapid shutdown and reduced monitoring of operation
- > Simple, effective and easy boiling modulation

Master evaporator - wood chips				
	Brix of concentrate			
	15	20	25	30
<b>Ratio</b> Ft <sup>3</sup> / imp. gal	0.71	0.51	0.35	0.27
<b>\$ Cost / imp. gal</b>	\$0.35 (CAD)	\$0.26 (CAD)	\$0.18 (CAD)	\$0.14 (CAD)
<b>\$ Cost / U.S. gal</b>	\$0.18 (USD)	\$0.13 (USD)	\$0.09 (USD)	\$0.07 (USD)
<b>\$ Cost / Barrel</b> (34 imp. gal, 40 U.S. gal)	\$12.05 (CAD) \$7.09 (USD)	\$8.67 (CAD) \$5.10 (USD)	\$6.03 (CAD) \$3.55 (USD)	\$4.65 (CAD) \$2.73 (USD)

Based on a price of \$0.50 CAD (\$0.30 USD) / ft<sup>3</sup> of wood chips

## PELLET EVAPORATORS

- > 100% renewable energy
- > Low energy cost
- > 100% automated feeding
- > Quick start, stability of boiling, rapid shutdown and reduced monitoring of operation
- > Simple, effective and easy boiling modulation

Master evaporator - pellet				
	Brix of concentrate			
	15	20	25	30
<b>Ratio</b> Lbs / Gal. US	7.00	5.00	3.50	2.70
<b>\$ Cost / imp. gal</b>	\$1.34 (CAD)	\$0.96 (CAD)	\$0.67 (CAD)	\$0.52 (CAD)
<b>\$ Cost / U.S. gal</b>	\$0.84 (USD)	\$0.60 (USD)	\$0.42 (USD)	\$0.32 (USD)
<b>\$ Cost / Barrel</b> (34 imp. gal, 40 U.S. gal)	\$45.70 (CAD) \$33.60 (USD)	\$32.64 (CAD) \$24.00 (USD)	\$22.85 (CAD) \$16.80 (USD)	\$17.63 (CAD) \$12.96 (USD)

Based on a price of \$0.16 CAD (\$0.12 USD) / lbs of pellets





**Master**

## OIL, NATURAL GAS & PROPANE EVAPORATORS

- > Quick start and stop
- > Boiling stability, reduced operation supervision
- > Boiling modulation available depending on the burner
- > Natural gas: When available, the possibility of being connected to a gas distribution network

### Master evaporator - oil

	Brix of concentrate			
	15	20	25	30
<b>Ratio</b> Litre / U.S. gal	0.43	0.30	0.22	0.17
<b>\$ Cost / imp. gal</b>	\$3.12 (CAD)	\$2.18 (CAD)	\$1.60 (CAD)	\$1.23 (CAD)
<b>\$ Cost / U.S. gal</b>	\$1.72 (USD)	\$1.20 (USD)	\$0.88 (USD)	\$0.68 (USD)
<b>\$ Cost / Barrel</b> (34 imp. gal, 40 U.S. gal)	\$106.20 (CAD) \$68.92 (USD)	\$74.09 (CAD) \$48.08 (USD)	\$54.33 (CAD) \$35.26 (USD)	\$41.99 (CAD) \$27.25 (USD)

Based on a price of \$1.60 CAD (\$1.06 USD) / litre

### Master evaporator - propane

	Brix of concentrate			
	15	20	25	30
<b>Ratio</b> Litre / U.S. gal	0.66	0.45	0.33	0.25
<b>\$ Cost / imp. gal</b>	\$2.10 (CAD)	\$1.43 (CAD)	\$1.05 (CAD)	\$0.79 (CAD)
<b>\$ Cost / U.S. gal</b>	\$1.91 (USD)	\$1.30 (USD)	\$0.96 (USD)	\$0.72 (USD)
<b>\$ Cost / Barrel</b> (34 imp. gal, 40 U.S. gal)	\$71.31 (CAD) \$76.46 (USD)	\$48.62 (CAD) \$52.13 (USD)	\$35.66 (CAD) \$38.23 (USD)	\$27.01 (CAD) \$28.96 (USD)

Based on a price of \$0.70 CAD (\$0.77 USD) / litre

**THE MOST ECONOMICAL ON THE MARKET!**



**STANDARD RIELLO BURNER**

Allows flame modulation between 20% to 100% to perfectly adapt the boil to your need.

Distributes the flame efficiently and more environmentally friendly.



# UNIQUE TECHNOLOGY IN THE MAPLE SUGARING INDUSTRY.



## STEAM EVAPORATOR



### MAIN FEATURES

<b>FUEL</b>	OIL, PROPANE, NATURAL GAS AND GAS COMBINATION
<b>DIMENSIONS</b>	25 HP, 35 HP, 50 HP ET 60 HP without certifications, up to 300 HP
<b>EFFICIENCY</b>	Unmatched evaporation power per square foot
<b>AVAILABLE OPTIONS</b>	Automated washing system, steam pan and flow reverser

### INCLUDES:

- > R7 pan only includes sight glass level, draw off valve and electric valve with levato
- > Single inner coil
- > Hood with glass doors
- > Stack, roof jack & collar
- > Stainless steel stand with two 120V electrical outlets
- > Delivery and start-up by a CDL technician

### OPTIONAL:

- > Steam blower
- > Pan Washer
- > Steam Pan
- > Sequential automated washing system for steam pans
- > LED light
- > Reverse Flow
- > Double coils
- > Thermoregulator



The R7 steam evaporator from CDL allows evaporation of sap, concentrate or maple syrup from **2 to 66 Brix**.

The R7 offers optimal control of the heat and evaporation intensity allowing great flexibility.

This high-tech and high performance steam evaporation system brings unmatched evaporation per square foot power.

Available from 25 HP to 60 HP without any certifications/license card. Power can reach up to 300 HP depending on the regulations in your area.

### STEAM BOILER

- > Very low water level in pan;
- > Ultra-quick start and stop;
- > No need to change coils and cleaning directly in pan;
- > No pan change needed;
- > No risk of burning the pans.

### Useful features of steam generator system:

- > Barrel cleaning;
- > Maple syrup warming;
- > Quick and efficient cooking for processing.



**DELUXE**



CDL's **Deluxe** oil evaporator was designed for small and medium-sized producers.

This evaporator is very efficient and gives its owner an incomparably comfortable and stable boiling experience. This equipment is very reliable and very simple to operate.

**To use it is to adopt it!**

MAIN FEATURES	
FUEL	OIL, NATURAL GAS OR PROPANE
DIMENSIONS	Available in sizes: 2' x 6' to 6' x 18'
CONSUMPTION	Perfect for small and medium producers. Hassle-free boiling stability and easy operation.
AVAILABLE OPTIONS	Automatic draw-off valve. Syrup drip tray. Hood pre-heater. Permeate pre-filter. Steam pan. Protect-O Level controller protection

Interchangeable and reversable sap inlet and outlet

> **100% REVERSIBLE!**

- > Most proven evaporator in its class
- > Timeless classic look
- > Incomparable value for money
- > Simple and reliable mechanics



> **100% REVERSIBLE!**

- > Integrated heat recovery system that:
  - > Preheats combustion air for unparalleled combustion efficiency
  - > Limits energy loss by reducing the chimney temperature
- > Automated combustion air management system that:
  - > Simplifies the operation
  - > Allows you to adjust the evaporation rate according to your needs
  - > Stabilizes power throughout the charging period
- > Manual air adjustment dampers allow fine-tuning combustion adjustments for optimal performance regardless of the type of wood used
- > Luxury aesthetics  
100% stainless steel

The most **EFFICIENT** evaporator in the range of wood evaporators with conventional evaporation pan offered by CDL

MAIN FEATURES	
FUEL	WOOD (soft or hard)
DIMENSIONS	Available sizes: 2½' x 8' to 6' x 18'
CONSUMPTION	0.24 medium quality wood cord (24") per barrel (32 imp. gal - 40 U.S. gal) of syrup (15 Brix)
IDEAL FOR	Get up to 85% energy efficiency while benefiting from automation and ease of use.

Interchangeable and reversable sap inlet and outlet



The most **PERFORMING** evaporator in the range of wood evaporators with conventional evaporation pan offered by CDL.

MAIN FEATURES	
FUEL	WOOD (soft or hard)
DIMENSIONS	Available sizes: 2½' x 8' to 6' x 18'
CONSUMPTION	Wood consumption 40% less than a conventional evaporator
IDEAL FOR	Balance between performance and boiling stability

Interchangeable and reversable sap inlet and outlet

> **100% REVERSIBLE!**

- > Automated combustion air management system that:
  - > Simplifies the operation
  - > Allows you to adjust the evaporation rate according to your needs
  - > Stabilizes power throughout the wood loading periods
- > Manual air adjustment dampers allow fine-tuning combustion adjustments for optimal performance regardless of the type of wood used



> **100% REVERSIBLE!**

- > High evaporation capacity at an affordable price
- > Superior lifespan
- > Even boil: softer in front, aggressive in rear
- > No need to preheat the chimney
- > Full throttle in less than 10 minutes
- > Good operation even in low pressure (bad wind)
- > Fully reversible
- > Small amount of bricks needed
- > Perfect for beginners, easy to operate and very limited risk of error
- > No risk of backdraft and very safe
- > Adjustable boiling intensity

The new **airtight high performance Venturi** evaporators has a unique **artificial draft system** allowing the intake of **primary air at high pressure by suction**. It simply and safely increases the evaporation performance of the evaporator. The Venturi Performance system developed by CDL.

MAIN FEATURES	
FUEL	WOOD
DIMENSIONS	12 models from 2'x4' to 4'x15'
CONSUMPTION	Up to 40% more output
AVAILABLE OPTIONS	Wide choice of options available
Interchangeable and reversable sap inlet and outlet	




# WOOD CHIPS OR PELLETS EVAPORATOR

Our new **BIOMASS** double-pass evaporator!  
 Works with either 100% wood chips or 100% wood pellets, it is your choice!

**IDEAL FOR PRODUCERS OF 1 000 TO 15 000 TAPS!**

MODEL FEATURES	
FUEL	WOOD CHIPS or WOOD PELLETS
DIMENSIONS	Available in sizes: COMING IN 2024
PERFORMANCE	3.5 gallons / ft <sup>2</sup> (With wood chips)
AVAILABLE OPTIONS	<ul style="list-style-type: none"> <li>• Dome</li> <li>• Concentrate preheater</li> <li>• Pan washer</li> <li>• Automatic draw-off valve</li> <li>• Permeate preheater</li> <li>• Stainless steel capping</li> <li>• Protect-O Level controller protection</li> </ul>

Interchangeable and reversible water inlet and outlet



Product appearance may vary.

## THE TRADITIONAL EVAPORATORS AVAILABLE IN SIZES: 2-1/2' X 8' TO 5' X 16'

The Traditional CDL evaporator is designed for owners of medium and large sugarbushes wishing to keep the tradition alive of boiling the syrup with firewood while being effective and efficient. This evaporator will provide an incomparable boiling stability. Its robust construction will allow many generations to experience the pleasure of boiling maple syrup.

### INCLUDES:

- > 32" high furnace with cast iron grates and 2 doors for wood loading.
- > 1 flue pan with 7" argon welded flues.
- > 2 to 3 argon welded syrup pans for finishing (depending on model)
- > Front and rear float boxes.
- > Stainless steel connections, drain valve and draw-off valve.
- > Complete chimney (twice the length of the evaporator) including the stack.
- > 1 rope operated stack cover.
- > Water level on flue pan.

## HOBBY EVAPORATORS



One pan model

One flue pan and one syrup pan model

Product appearance may vary.

The CDL Hobby Evaporator is designed for recreational producers who want to enjoy springtime, while boiling small quantities of maple sap to produce a few gallons of maple syrup per season.

## SYRUP DRAW-OFF NOW FULLY REVERSIBLE!

### 18" X 48" INCLUDES:

- > Stainless steel furnace with steel grids
- > Stainless steel stack
- > 18" x 48" 304 stainless steel argon welded pan
- > Stainless steel draw-off valve

18" X 48" evaporator with 2-way flat pan  
1 to 75 taps  
6700102WD

18" X 48" Evaporator with 18" x 36" flue pan and 18" x 12" syrup pan  
50 to 125 taps  
6700102WP

### AVAILABLE OPTION:

- > Pre-heating pan 67112WPARE

### 18" X 60" INCLUDES:

- > 18" x 42" flue pan
- > 18" x 18" syrup pan
- > Float box with rear control level.
- > Complete smoke stack.

18" x 60" 5" flue pan  
100 to 200 taps  
67001



**Combine your evaporator with a Nano RO.  
It will reduce your boiling time! See page 70.**

## HOBBY PRO EVAPORATOR

The perfect solution for small producers that want an efficient and affordable wood evaporator to turn sap into maple syrup!

Stainless steel evaporator base (16" x 32")

670090200SS

Flat bottom pan 670090215

3-way pan 670090214

### INCLUDES:

- > Stainless steel base
- > Angle iron grates
- > Ceramic wool
- > 6' of 6" smoke stack and 1 elbow 6" x 90°

### OPTIONAL:

- > Reheat pan 670090218
- > Pan cover 67WPC032
- > 2 wheel kit 670090213
- > Water level 670090216
- > Thermometer EITC0306

Requires bricking kit 1-1/4" x 4-1/2" x 9" (not included).

670090217

**CONFIGURABLE TO YOUR NEEDS  
AND EASY TO ASSEMBLE**



**IDEAL FOR  
UP TO  
25 TAPS**

**IDEAL FOR  
UP TO  
75 TAPS**



**NEW**



## 2'X4' HOBBY PRO EVAPORATOR

Benefit from the same advantages as the smaller Hobby Pro with this new format while increasing your boiling capacity up to 3 times!

Stainless steel evaporator base (24" x 48")

67009020024SS

Flat bottom pan 67009021524

3-way pan 67009021424

Deluxe pan 67009022024

### INCLUDES:

- > Stainless steel base
- > Angle iron grates
- > Ceramic wool
- > 2x 6" smoke stack and 1 elbow 6" x 90°

### OPTIONAL:

- > Reheat pan 670096
- > 2 wheel kit 67009021324
- > Water level 670090219
- > Thermometer EITC0306

Requires bricking kit 1-1/4" x 4-1/2" x 9" (not included).

67009021724

## CDL EVAP-O-GRILL

- > Good up to 50 taps
- > Evaporates up to 7 gallons / hour
- > Easy assembly
- > No bricking necessary

### INCLUDES :

- > 2' x 3' stainless steel pan
- > 3/4" stainless steel draw-off ball valve
- > Cast iron grate set (3X)
- > Cast iron evaporator base
- > Cast iron fire grates (3X)

670090

### OPTIONAL:

- > Reheat pan 670096
- > Smoker with chimney key 67009010



  
**GREAT  
GIFT IDEA!**

# Evap-O-Grill



**SCAN TO SEE  
THE VIDEO**  
[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



## BEGINNER BOILING KIT





**EASY TO  
ASSEMBLE**

16" x 16" 15 tap kit

6600801

### INCLUDES:

- > 1 16" x 16" sugar pan cover
- > 1 16" x 16" sugar pan
- > 1 R-65 propane burner
- > 1 Orlon filter #8 thick
- > 1 8" cup
- > 1 18.5" wooden handle thermometer
- > 1 55-70 Brix syrup hydrometer
- > 1 3/4" stainless steel nipple
- > 1 3/4" FIPT stainless steel ball valve



16" x 16" kit

PRFW16

### INCLUDES:

- > 1 R-65 propane burner
- > 1 hose and regulator
- > 1 16" x 16" sugar pan
- > 1 propane burner support
- > 1 3/4" stainless steel nipple
- > 1 3/4" FIPT stainless steel ball valve

16" x 32" kit

PRFW32

### INCLUDES:

- > 2 R-65 propane burners (with fastening kit)
- > 2 hoses and regulators
- > 1 16" x 32" sugar pan
- > 1 16" x 32" propane burner support
- > 1 3/4" stainless steel nipple
- > 1 3/4" FIPT stainless steel ball valve

## STEAM PAN AND PAN WASHER OPTIONS FOR EVAPORATORS

Available with:



# PERFORMANCE AND EFFICIENCY GREATLY IMPROVED!



### STEAM PAN

Sizes available:  
2' x 4' à 7' x 12'

### AUTOMATED FRONT AND REAR PAN WASHER BY CDL

#### STEAM PAN ADVANTAGES

**Improve performance and efficiency by up to 50% without additional fuel consumption.**

- > The use of the steam pan causes a significant reduction in energy consumption by reusing the steam produced by the flue pan. This reduction in energy consumption can be up to 50% depending on the Brix at the input of the pan;
- > This option can be installed on all types of evaporators (wood, pellet, oil).

#### AUTOMATED PAN WASHER ADVANTAGES

**A must for anyone looking to improve and simplify their operation.**

- > Available as an option for Venturi, Intense-O-Fire 2, Chinook, Deluxe, Master and R7 evaporator models, the pan washer by CDL is completely automated and sequential.
- > With its complete non-contact wash and continuous washing circuit, it eliminates stubborn stains and greatly reduces the daily workload.

### SYRUP PAN WASHERS



# CLEANING SIMPLIFIED!

SINGLE, DOUBLE AND TRIPLE PAN WASHERS ARE AVAILABLE IN MANY SIZES. CHECK IT OUT!

### FLUE PAN LIFTER ON WHEELS

Easily move your flue pan for cleaning or access firebox for maintenance.



REAR PAN



FRONT PAN

Flue pan lifter on wheels  
For all evaporators except the Master evaporator.

671910

Front pan lifter (Master)



671920

Pan lifter on wheels (Master)



671900

# CDL INSULATED TANKS

NEW CDL INSULATED TANKS ARE MADE FROM STAINLESS STEEL. THEY ARE FULLY INSULATED TO ELIMINATE ANY HEAT TRANSFER IN THE ROOM WHERE YOU WILL INSTALL THEM.



## Features:

- Stainless steel conception
- 100% insulated tank to avoid any external thermal transfer
- Polished welds both inside and outside
- Conical heated cell-type bottom with pipe
- Double walls
- Adjustable legs

## Included:

- 3x 2" ferrule inlets on the top
- 2 outlets, a 2" ferrule and a 1-1/2" ferrule
- Air vent
- 2 washing balls
- Agitators



\* Heating unit not included

Models	Dimensions L x H	Number of paddles on agitator
220 Imp. Gal. / 290 US Gal.	52" x 85"	2
440 Imp. Gal. / 580 US Gal.	66" x 96"	2
1 000 Imp. Gal. / 1 300 US Gal.	75 x 136"	3
1 500 Imp. Gal. / 2 000 US Gal.	80" x 164"	3
2 000 Imp. Gal. / 2 600 US Gal.	83" X 186"	4

## WATER JACKETED CALIBRATION TANK

Calibrate and bottle your syrup easily with our brand new water jacketed calibration tank with a capacity of 130 imperial gallons.

The two 5 000 W (240 V) electric elements heat water in the double wall, gently warming your syrup to the desired temperature. The height of the tank has been designed to fill all types of syrup barrels or totes. The wheeled frame is made of stainless steel. This water jacketed tank kit includes an electric diaphragm pump, a water thermometer, a water and syrup level gauge, and an air agitation system. The Brix reader (optional) will give you greater precision and consistency in the Brix level of your syrup.

This system, inspired by large operations, is now accessible to everyone!



SS WATER JACKET TANK  
130 IMP Gal./156 US Gal.      46" x 36" x 30"      67424

Brix reader option      668429

## WATER JACKETED TANKS



Electric water jacketed tank  
43 US GAL.  
240 V  
67422

Bottling stand with pedal  
43 US GAL.  
67220-S

STAINLESS STEEL



Electric water jacketed tank  
15 US GAL.  
240 V  
67422-M

Bottling stand with lever  
15 US GAL.  
67220-MS

STAINLESS STEEL



Bottling valve  
3/8"      67215  
5/8"      67216

## DRAW-OFF VALVES



Ideal for evaporator with a flow reverser

- Modulating draw-off valve multiple control 2" 66783
- Modulating draw-off valve multiple control 2-1/2" 66784

Clips, silicone gasket and spout not included.



### ADVANTAGES

- > Continuous maple syrup draw-off;
- > Eliminates the return effect of the syrup into the pans;
- > Eliminates large volume draw-offs;
- > Improves the constancy of Brix;
- > Easier maple syrup filtration.

- Modulating draw-off valve 1-1/2" 66781
- Modulating draw-off valve 2" 66775
- Modulating draw-off valve 2-1/2" 66782

Clips, silicone gasket and spout not included.

## LEVEL CONTROLLER (PROTECTION)

- Protect-O 66876




Please contact your CDL store or CDL online store for more information and prices.

## LEVEL CONTROL

Electric level control with Belimo actuator and butterfly type valve.

Manual height adjustment.



- Control box for 2" evap. level + Levato 668767200
- Control box for 2-1/2" evap. level + Levato 668767250

Connection piping not included.

## 1" AUTOMATIC DRAW-OFF VALVE

The CDL 1" automatic draw-off valve allows you to get precise maple syrup flow from your evaporator, every time!

An innovative solution for syrup lovers and small producers.



66786

Silicone gaskets and clips ferrules are available at page 34.

## DRAW-OFF VALVE ACCESSORIES



ELBOWS	
1-1/2"	69BCD150
2"	69BCD112
2-1/2"	69BCD212



DOUBLE DRAW-OFF FOR EVAPORATOR	
2"	660104200
2-1/2"	660104250



OFF CENTERED FERRULES	
2" x 1-1/2"	60R14215
2-1/2" x 2"	60R142122

## RECTANGULAR SYRUP FILTER TANKS



### NEW RECTANGULAR DRAW-OFF TANKS WITH ALUMINUM STRUCTURE

**CONFIGURABLE ACCORDING TO YOUR NEEDS**

- > PLUMBING
- > COVER
- > SHELF
- > DIAPHRAGM PUMP
- > CORNER BASKET

ALUMINUM STRUCTURE	US GAL	IMP. GAL	
Simple with wheels	35 GAL	29 GAL	6667351FAL
Simple with wheels	55 GAL	46 GAL	6667551FAL
Simple with wheels	75 GAL	62 GAL	6667751FAL
Double with wheels	35 GAL	29 GAL	666735FAL
Double with wheels	55 GAL	46 GAL	666755FAL
Double with wheels	75 GAL	62 GAL	666775FAL

## SYRUP FILTER TANKS



Include the stainless steel cover and drain valve.

All syrup filter tanks are 28" high.

US GAL	IMP. GAL	DIAM.	
5.85 GAL	5 GAL	9" (mini)	67MINFIL
7.6 GAL	6.5 GAL	9"	6740006
14.4 GAL	12 GAL	12"	6740026
18 GAL	15 GAL	15-1/4"	72054015*
*Includes 1 filter support (1 hole)			
24 GAL	20 GAL	21-3/4"	72054020*
*Includes 2 filter support (2 holes)			
24 GAL	20 GAL	16"	6740326
30.4 GAL	26 GAL	18"	6740426
45.65 GAL	39 GAL	22"	6740626
53.8 GAL	46 GAL	24"	6740726

## FILTER SUPPORTS



1 HOLE		3 HOLES	
12"	67412	22"	6742211
16"	674161	24"	674243

## SUGAR PANS




3/8" valve and cover not included




16" x 16" x 12"	67WP1616	24" x 24" x 12"	67WP2424
16" x 32" x 12"	67WP1632	24" x 36" x 12"	67WP2436
16" x 16" Cover	67WPC016	24" x 48" x 12"	67WP2448
16" x 32" Cover	67WPC032	24" x 72" x 12"	67WP2472

## WATER JACKETED PANS




\* Valve not included



> Water jacketed tank for sugar pan that can be used for the beginner bottling kit on page 115.

> Possibility to install an electric heating element (664934a)  
> 5" high

16" x 16"                      67316M



16" x 32"                      MINS32

## BOILING ACCESSORIES STAINLESS STEEL



CUPS

8"	6784782
10"	67847102
12"	67847122



## BOILING ACCESSORIES STAINLESS STEEL (CONTINUED)



DIPPERS AND SKIMMERS

	Round   5" Wooden handle	7205405R
<b>A</b>	Round   6-1/2" Wooden handle	72054065R
	Round   8" Wooden handle	7205408R
<b>B</b>	Flat-sided   5" Wooden handle	7205405P
	Flat-sided   8" Wooden handle	7205408P
<b>C</b>	Without holes	6772922007
	With holes   4"	7205404



SUGAR PAN

	Rectangle   17" X 23" X 11"	72054172311
	Round   10" X 14" X 5"	72054101405R
	Round   12" X 17" X 6"	72054121706
	Rectangle   12" X 17" X 11"	72054121711



D



E

DEFOAMER SUPPORT

<b>D</b>	Small	67ANTIMOU P
	Large	67ANTIMOU G
<b>E</b>	9 oz	6700009
	16 oz	6700016



F



G



H

FUNNELS

<b>F</b>	Small	66811
	Large	6681102
<b>G</b>	1" x 3/8"	FUNMIN
	5-1/2" x 9/16"	FUN SMA
<b>H</b>	Plastic (set of 3)	FUN PLA



I



J



K



Other sizes available

L

FILLING CONTAINERS AND PADDLES

<b>I</b>	2 L stainless steel with handle	MEACSL*
<b>J</b>	2 L stainless steel with handle	666320
<b>K</b>	4 L with handle (measuring)	MEACU4
<b>L</b>	42" paddle	674242

\* Product available in limited quantity.

### GLASS TUBES FOR WATER LEVEL

5/8" x 8	60PEN58X6PLAGL
5/8" x 12	672176
5/8" x 18	60PEN58X18PLAGL
1-1/2" x 8	675157
1-1/2" x 18	60GROSNIVEAU18



### BLUE PLUGS WITH LONG ARM


1-1/2"	678117112
2"	678117
2-1/2"	6781171



### HIGH TEMPERATURE PRODUCTS

	Silicone	60YYCSL503		Fiber glass wool rope	60TXP018
	Small brick 2 500 °F 1-1/4" x 4-1/2" x 9"	66869		Ceramic wool 1" x 4' x 23.65'   8 lb	60BKT18LB100A
	Large brick 3 000 °F 2-1/2" x 4-1/2" x 9"	66868		Ceramic wool 1/2" x 4' x 50'   8 lb	60BKT18LB050A
	Briquetting mortar 1 gallon	66866		Thermofab wool 2" x 1/8"	60GW300100
	Briquetting mortar 4 gallons	668664		Ceramic wool panel 1" x 12" x 36"	EBISOL06
	Dry cement, 25 kg bag	66875		Ceramic wool panel 1" x 24" x 36"	60BK0019
				Ceramic wool panel 1/2" x 24" x 36"	60BK0012

### STACKS AND ACCESSORIES




- A** Chinese hats  
*Available in diameters from 6" to 32" and optional spark guard*
- B** Smoke stacks  
*Available in diameters from 6" to 32"*
- C** Stack covers  
*Available in diameters from 7" to 30" and optional spark guard.*
- D** Custom made roof jacks  
*From 6" to 32" with collar*
- E** Base stacks  
*Available for 2' to 6' width evaporators*

## LIQUID DEFOAMER DOSING DEVICE

It is the most flexible and automatic liquid defoamer dosing device on the market.

Liquid defoamer dosing device 730400



## DEFOAMERS



Kosher | 200 g 66890



Kosher | 2,5 kg 66898



Odorless organic sunflower oil bag in a box 1.5L 6635515



FOR ORGANIC CERTIFIED PRODUCERS



Organic liquid defoamer 1 gallon EVAM1280G



FOR ORGANIC CERTIFIED PRODUCERS



Liquid | 8 oz. EVAN108W

Liquid | 32 oz. EVAM032W

Liquid | 4 L EVAM128W

## CENTRE ACER PRODUCTS AVAILABLE ON REQUEST ONLY



Calibrating solution for refractometers  
Specially design and developed by the Acer Center to calibrate refractometers for Brix maple syrup measurement

66616



## COLORMETERS



Sample bottle only (1,75") 662378



Sample bottle (3,75") 668887

Sample bottle (3,75") + cap 668888

Cap only 668889



Maple syrup digital grader HANNA Brand 662397



10 ml round test tube with plastic insert for HI759 662398



Solution to find the correction factor to apply when reading a hydrotherm or a hydrometer 718867



## REFRACTOMETERS

SAP AND SYRUP




Eau 0-32 Brix EIRE0032C

Sirop 45-82 Brix EIRS4582C



DIGITAL  
0-85 Brix 668412


## HYDROMETERS SAP AND SYRUP



A	Sap	0-6 Brix	EIDE2010
B	Sap	0-15 Brix	668433
C	Sap	10-25 Brix	66849
	Syrup	45-75 Brix (Vermont state approved)	EIDS4575
D	Syrup	55-70 Brix	66845
E	Syrup	Hydrotherm	66841

Limited warranty and non-returnable items.

## DIAL THERMOMETERS



A	3" Dial   9" stem   0-50 °F   1/4" MIPT	72920003
	3" Dial   12" stem   0-50 °F   1/4" MIPT	72920004
B	5" Dial   9" stem   0-50 °F   1/4" MIPT	72920001
	5" Dial   12" stem   0-50 °F   1/4" MIPT	72920002
	3" Dial   12" stem   0-250 °F   1/2" MIPT	668350
	3" Dial   6" stem   0-50 °F   1/4" MIPT	EITC0306
	3" Dial   9" stem   50-300 °F   1/2" MIPT	EITC0309
	3" Dial   6" stem   0-250 °F   1/4" MIPT	EITC0336
C	3" Dial   6" stem   0-250 °F   1/2" MIPT	EITC033612
	3" Dial   9" stem   0-250 °F   1/4" MIPT	EITC0330
D	5" Dial   4" stem   0-250 °F   1/2" MIPT	668356
E	3" Dial   4" stem   200-1000 °F   1/4" MIPT	668354
	3" Dial   6" stem   200-1000 °F   1/2" MIPT For evaporator smoke stack	668210

## OTHER THERMOMETERS



A	8" stem	71750425
B	12"   Stainless steel	71750426
C	Electronic   18" probe	668204
D	6" barometer	72920030
E	3" thermometer preheater (hot water)	6408503SS



**JONATHAN PRESENTS THE DIFFERENT MEASURING INSTRUMENTS AVAILABLE FROM CDL.**

SCAN TO SEE THE VIDEO  
bit.ly/cdlvideos

## BRUSHES FOR PANS AND TANKS



6" x 6" flue brush  663565



2" x 7" without handle 663524



2" x 7" flue brush 663521



1/2" x 7" flue brush 66352



9" handle EVBRE01



20" handle EVBRE03

No handle Round tank brush 66356

## WATERPROOF THERMAL GLOVES

- Breathable
- Waterproof
- Insulated - PU Coated
- High levels of handling precision and grip
- Provides warmth and protection from liquids in cold conditions, with the comfort of a breathable glove.



Medium	669282M
Large	669282L
X-Large	669282XL
XX-Large	669282XXL

Sold in pairs.

## PAN CLEANERS



A

Sani-clean | 3.78 L

6628378



Sani-clean | 20 L

66288



B

99% Glacial acetic acid | 20 L

667474



C

### PAN ACID FOR STAINLESS STEEL

3 lb (powder)

EVNSS300

10 lb (powder)

EVNSS010

25 lb (powder)

EVNSS250

## TUBING AND SPOUT SANITIZERS



B

Pictures shown are for illustration purpose only. Actual product may vary.



D

Isopropyl 70% | 4 L



 66ALC04

Isopropyl 70% | 18,9 L



667470

Isopropyl 70% | 205 L



6674277

Pure denatured | 4 L

667575

Chlorine 12% | 20 L

666000



# CDLWESFAB FILTER PRESSES

**IMPROVES THE  
PERFORMANCE OF  
YOUR PRESS AND  
FACILITATES THE  
FILTRATION**

✓ Made entirely in Canada and the United States

✓ Light and compact construction

SCAN TO SEE  
THE VIDEO

[bit.ly/cdlvideos](https://bit.ly/cdlvideos)




## SEPARATING FILTER PRESS PLATE

Allows you to use only part of your filter press to filter a small quantity. Less cleaning and use less papers.



7" CDLWESFAB press	WFCDL7PLATE
10" CDL press (old CDL model)	6660010PLATE
10" CDLWESFAB press	WFCDL10PLATE
15" CDLWESFAB press	WFCDL15PLATE
20" CDLWESFAB press	WFCDL20PLATE





**CAN BE TILTED  
AT 45° AND 90°  
TO FACILITATE  
ASSEMBLY AND  
DISASSEMBLY**



### ADVANTAGES (7" and 10" presses)

- > Reclinable press (0, 45 and 90 degrees with the cart option) to facilitate the replacement of filter papers;
- > Removable pump kit (to use on another filter press).

	7" presses	10" presses
Short filter press + manual diaphragm. pump 3 hollow / 2 waffles	WFCDL7M	-
3 hollow / 2 waffles	WFCDL732	WFCDL1032
4 hollow / 3 waffles	WFCDL743	WFCDL1043
7 hollow / 6 waffles	WFCDL776	WFCDL1076
8 hollow / 7 waffles	WFCDL787	WFCDL1087
<b>Available options:</b>		
Air dia. pump kit 1/2"	WFCDL7ADP12	WFCDL10ADP12
Dia. pump kit 120v 1/2" 5.3 GPM	WFCDL7EDP1253	WFCDL10EDP1253
Filter press cart	WFCDL7CH	WFCDL10CH
Air distributor option	WFCDL710AIRM	WFCDL710AIRM
Air inlet kit <small>The air supply must be filtered using the 66345657K air filter kit.</small>	WFCDL7AIRI	WFCDL10AIRI
Air outlet kit <small>The air supply must be filtered using the 66345657K air filter kit.</small>	WFCDL7AIRO	WFCDL10AIRO



**ADVANTAGES (15" presses)**

- > Tightening with a 12 ton hydraulic cylinder with food grade oil, pneumatic or manually operated (not necessary to have compressed air);
- > Drip tray connected to the pump (Useful for closed loop de-sugaring or for pumping syrup from the tray);
- > Bypass valve installed on the front plate for greater efficiency;
- > Drainage of the inlet and outlet in the drip tray through the front plate;
- > Air drainage (optional);
- > Reverse air flow in the press outlet to extend filtration (optional).

**AIR INLET KIT:** Allows air to be pushed through the inlet to drain the syrup remaining in the filter press at the end of filtration.

**AIR OUTLET KIT:** When the filter press is partially blocked and the syrup flow slows, this option allows air to be pushed through the outlet to replace the contents of the filter press to extend the operating time before cleaning.

**ADVANTAGES (20" presses)**

- > Easy paper installation
- > Larger filtration capacity
- > Frame on wheels
- > Syrup pan underneath
- > Filtration capacity between 15 to 50 barrels
- > Hollow plates 3" thick

<b>15" presses</b>	
7 hollow / 6 waffles	WFCDL1576
8 hollow / 7 waffles	WFCDL1587
9 hollow / 8 waffles	WFCDL1598
10 hollow / 9 waffles	WFCDL15109
<b>Available options:</b>	
Air dia. pump kit 1/2"	WFCDL15ADP12
Air dia. pump kit 1"	WFCDL15ADP1
Dia. pump kit 120v 1/2" 5.3 GPM	WFCDL15EDP1253
Splash guard	WFCDL15DEF
Air inlet kit <small>The air supply must be filtered using the 66345657K air filter kit.</small>	WFCDL15AIR1
Air outlet kit <small>The air supply must be filtered using the 66345657K air filter kit.</small>	WFCDL15AIR0

<b>20" presses</b>	
8 hollow / 7 waffles	WFCDL2087
9 hollow / 8 waffles	WFCDL2098
10 hollow / 9 waffles	WFCDL20109
<b>Available options:</b>	
Air dia. pump kit 1"	WFCDL20ADP1
Splash guard	WFCDL20DEF

**ALLOWS YOU TO SEE THE QUALITY OF THE SYRUP AT ALL TIMES**  
Offered on all our models



Clamped sight glass ferrule 1-1/2"  
6600150

Clamped sight glass ferrule 2"  
6600200

## CDL VACUUM FILTER PRESSES

**Syrup filter tank and filter press.**  
**Available in 9", 12", 15" and 18" sizes.**

**Includes : 1 filter and 12 prefilters**

9"	3.6 US GAL.	Up to 400 taps	FAU18PV009K
Thermometer included			
12"	9 US GAL.	Up to 800 taps	FAU18PV012
15"	14 US GAL.	800 to 1 800 taps	FAU18PV015
18"	19 US GAL.	1 800 to 3 600 taps	FAU18PV018
Thermometer not included			

Vacuum press cover assembly	9"	FAU18PV009COUV
	12"	FAU18PV012COUV
	15"	FAU18PV015COUV
	18"	FAU18PV018COUV

5-micron vacuum filter press polyester filter	9"	FAU18036
	12"	FAU18038
	15"	FAU18017
	18"	FAU18018
	21"	668171
	24"	668172


Vacuum filter press polyester prefilter (12/pkg)	9"	FAU18035
	12"	FAU18037
	15"	668167
	18"	668168
	21"	668169
	24"	668170



Brushed stainless steel finish

**SCAN TO SEE THE VIDEO**  
[bit.ly/cdlvideos](https://bit.ly/cdlvideos)

### PRODUCT DETAILS (15")



## ELECTRIC DIAPHRAGM PUMP KIT



**Quick and easy installation.**  
For filter press pumping or hot syrup transfer.


Motor 115V  
5.3 GPM | 60 PSI



Electric diaphragm pump with support

669653A

## FILTER PRESS PUMPS




1/2" Diaphragm pump  
(aluminum)

669585

1" Diaphragm pump  
(aluminum)

669601

## ACCESSORIES



A-B



C



D

A	545 Celite filter aid 10 lb		66825
B	545 Celite filter aid 50 lb		66826*
C	Dicalite filter aid 50 lb	* Product available in limited quantity.	66838
D	CDL filter aid 50 lb		6683CDL

	5-1/4" filter papers	pkg 200	66817
	7" filter papers	pkg 400	66828
	7" filter papers with wings	pkg 400	66859
	10" filter papers	pkg 400	66829
	15" filter papers for CDLWESFAB filter presses	pkg 250	WFCDL668015
	15" filter papers	pkg 250	668015
	20" filter papers 2 holes	pkg 250	668221
	10" filter papers with wings	pkg 400	66801
	20" filter papers 3 holes with wings	pkg 250	668224

	Food grade grease		66530
---	-------------------	--	-------



7" press felt filters pkg 12 66827

10" press felt filters pkg 12 66830

15" press felt filters for  
CDLWESFAB filter presses pkg 7 WFCDL668015F

20" press felt filters  
2 holes pkg 7 66820

20" press felt filters  
2 double holes 668206



20" press felt filters  
3 double holes pkg 7 66850

Self-cleaning press  
felt filters 66852



Polyester #8 felt cone  
5 mic. 66814

Polyester #8 felt cone  
1 mic. 668163

#5 cone filter FILC05



Cone pre-filter pkg 12 66206

Flat pre-filter paper  
24" x 24", woven style PREW24

Flat pre-filter paper  
36" x 36", woven style PREW36



Bucket filter FILBAG

Bucket pre-filter PREWFI



24" x 24" flat filter FILF24

36" x 36" flat filter  
5 mic. 66211

36" x 36" flat polyester filter 1 mic. 668164

## STAINLESS STEEL BARRELS

The CDL barrel is designed according to the recommendations of the Federation of Maple Syrup Producers of Quebec.



Capacity: 13 IMP. GAL. (15 US GAL.)  
 Empty weight (Tare): 29 lb  
 1 plastic cap (2" center)

66819R

Capacity: 34 IMP. GAL. (40 US GAL.)  
 Empty weight (Tare): 48 lb  
 2 plastic caps (2" off-center)

66810

Capacity: 34 IMP. GAL. (40 US GAL.)  
 Empty weight (Tare): 48 lb  
 2 plastic caps (2" and 3/4" off-center)

66813

Capacity: 34 IMP. GAL. (40 US GAL.)  
 Empty weight (Tare): 49.6 lb  
 2 plastic caps - 2" (one center and one off-center)

66816



Capacity: 45 IMP. GAL. (55 US GAL.)  
 Empty weight (Tare): 59 lb  
 2 plastic caps (2" and 3/4" off-center)

668161

Models may differ from those shown.

### ADVANTAGES

- > All lower joints completely welded;
- > Designed for the complete drainage of syrup or washing water;
- > Drip hole on top; No hole on the side;
- > Edges with pronounced curves facilitating the handling of the barrels;
- > Same dimensions as conventional galvanized barrels;
- > Stackable.

## PUMP AND BARREL TRANSFER




Pneumatic stainless steel barrel pump

DRUPUM

### ADVANTAGES

- > Allows you to empty a barrel of syrup faster;
- > Quicker than a pump;
- > Empty barrels of syrup without making a mess;
- > Very easy to use.



A 1" Teflon barrel transfer

6150P1

B 5/8" Teflon barrel transfer

6150P58

### BARREL CAPS AND ACCESSORIES



2" stainless steel cap BUNGSS



2" plastic cap (Can be used with bag 663332) 660057



2" plastic cap for barrels (Large thread / hole 3/4 "NPT in center) BUNG06



Stainless steel holder for barrel liner 678952



Stainless steel health barrel key 67ECHBA



Barrel wrench 662285



Barrel wrench 662282

### HANDLING ACCESSORIES FOR BARRELS



3-wheel stainless steel cart 676055S



Stainless steel lever 671092



Barrel lifter with pulley and cord 665045

# WATCH

## OUR VIDEOS

## ANYWHERE... ANYTIME...

[www.cdlinc.ca/en/videos](http://www.cdlinc.ca/en/videos)

[www.cdlnusa.com/videos](http://www.cdlnusa.com/videos)



## MAPLE CREAM MACHINES



Maple cream machine 8 L   110 V	Brass pump	668828
Maple cream machine 16 L   220 V	Brass pump	668827
Maple cream machine 8 L   110 V	Stainless steel pump	668828S
Maple cream machine 16 L   220 V	Stainless steel pump	668827S

## MAPLE SUGAR MACHINES




Single 8" automatic maple sugar machine - 110 V	668855A
Double 8" automatic maple sugar machine - 220 V	668856A

### ADVANTAGES

- > Fully automated;
- > Uniform granulation;
- > Can function without supervision;
- > Available without automation if requested;
- > Made of stainless steel;
- > 3 in 1: mixer, grinder and dryer;
- > Self-cleaning with hot water;
- > 2 possible modes, "small granules" for brown sugar or "large granules" for larger grains.
- > Produces between 17 and 35 pounds of sugar in approximately one hour of operation.

## CANDY MACHINES



A	Candy machine (motor included)	ECB0100A
B	Auger and pan	ECBMW301
C	Extra pan	ECBMP101
	Motor 1/4 HP	660002

## BEGINNER BOTTLING KIT



### INCLUDES:

- > 1 16" x 16" sugar pan cover
- > 1 16" x 16" sugar pan
- > 1 16" x 16" filter holder
- > 1 R-65 propane burner
- > 1 coffee type valve
- > 1 16" x 16" water jacketed tank
- > 1 propane burner support
- > 1 1/2" SS nipple

With adjustable shelf

Assembly required

6600802

## PURCHASE THE ELECTRIC OPTION TO COMPLETE YOUR KIT!

**DESIGNED TO MAINTAIN THE SYRUP AT A PROPER TEMPERATURE TO BOTTLE EFFICIENTLY.**




1 500 W electric element with thermostat. Can be installed on a 16x16 water jacketed tank (67316M)

664934A



Spacer designed to directly bolt on the propane cooker support.

67423



## DRAW-OFF ELBOWS

MIPT	TUBE	
1/2"	3/4"	SDE050
3/4"	1"	SDE075
1"	1"	6788991D2

MIPT	TUBE	
1-1/4"	1-1/2"	SDE125
1-1/2"	2"	SDE150



## OTHER



Propane burner R-65

66803



Electric bottling valve Includes 3 stainless steel tips: 1/4", 3/8", 1/2"

67217



Bottling valve (coffee type) + 3/4" reducer x M16

67212A



Bottling valve 3/8", 90°

ECDVP804



Bottling valve 1/2", 90°

ECDVP805



Bottling nozzle for water jacketed tank 3/8" elbow x 3/4" mipt

67BM12



Bottling nozzle for water jacketed tank 1/2" elbow x 1/2" mipt


6788991B2

## ROUND CANS WITH LIDS

**STAND OUT FROM THE CROWD WITH THESE TYPICAL SUGARING SCENES!**

 FOR ORGANIC CERTIFIED PRODUCERS

 **NEW**



Pure maple syrup | 540 ml, 200/case  
6630250



Organic | 540 ml, 200/case  
6630250B



Pure maple syrup | 540 ml, 200/case  
663000190



## CABIN TIN CAN FRENCH/ENGLISH LITHOGRAPH

SIZE	QTY/CASE	
250 ml	100	EXTC0250C*
500 ml	100	EXTC0500C*

\* First come, first served.



## CARDBOARD BOXES FOR CANS



8 x 540 ml  
Package of 25  
66832



24 x 540 ml  
Package of 25  
66833

## CAN SEALERS



Ives Way manual can sealer  
66774300

Master manual can sealer  
66777



Master automatic can sealer  
66824



8 x 540 ml avec poignée  
Package of 25  
66834



Brown box 8 x 540 ml  
Package of 25  
6683219PL



caps included



# OUR NEW JUG PRODUCTION LINE IS UP AND RUNNING!

WE ARE USING A NEW IML PRINTING PROCESS UNIQUE TO THE MAPLE INDUSTRY FOR A MORE RESISTANT LABEL.

ORDER YOUR STOCK NOW AND GET READY FOR THE NEXT SUGARING SEASON!



SIZE	PRODUCT CODE	QTY/BOX
100 ml	360100	100
250 ml	360250	100
500 ml	360500	100
1 L	360001	100
2 L	360002	50
4 L	360044	25

SIZE	PRODUCT CODE	QTY/BOX
100 ml	3601000	100
250 ml	3602500	100
500 ml	3605000	100
1 L	3600010	100
2 L	3600020	50
4 L	3600440	25

SIZE	PRODUCT CODE	QTY/BOX
3.4 oz	EXCD0101U	100
½ pint	EXCD0261U	100
1 pint	EXCD0501U	100
1 quart	EXCD1001U	100
½ gallon	EXCD2001U	50
1 gallon	EXCD4401U	25

SCAN TO SEE THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



1" Round stickers (500 per roll)

6602IN INDIANA	6602OH OHIO
6602ME MAINE	6602PA PENNSYLVANIA
6602MA MASSACHUSETTS	6602VT VERMONT
6602MI MICHIGAN	6602WV WEST VIRGINIA
6602NH NEW-HAMPSHIRE	6602WI WISCONSIN
6602NY NEW-YORK	

 **Very competitive skid pricing.**  
**Call your local CDL store for details.**

## PLASTIC JUGS



SIZE	PRODUCT CODE	QTY/BOX
40 ml	728140040	100
100 ml	72814100	100
250 ml	72814250	100
500 ml	72814500	100
1 L	72814001	100
2 L	66925	50
4 L	72814004	24

SIZE	PRODUCT CODE	QTY/BOX
40 ml	EXCR00410	100
100 ml	EXCR01010	100
250 ml	EXCR02610	100
500 ml	EXCR05010	100
1 L	EXCR10010	100
2 L	EXCR20010	50
4 L	EXCR40010	24

SIZE	PRODUCT CODE	QTY/BOX
1.36 oz	EXCR0041*	100
3.4 oz	EXCR0101*	100
½ pint	EXCR0261*	100
1 pint	EXCR0501*	100
1 quart	EXCR1001*	100
½ gallon	EXCR2001*	50
1 gallon	EXCR4001*	24

## PLAIN PLASTIC JUGS



**caps included**

 **ONLY AVAILABLE IN THE USA**

SIZE	PRODUCT CODE	QTY/BOX
½ pint	EXCR0260	100
1 pint	EXCR0501PL	100
1 quart	EXCR1001PL	90
½ gallon	EXCR2000	50
1 gallon	EXCR4001PL	22

For specific states, replace the \* by:

U for All States	MI for Michigan
V for Vermont	P for Pennsylvania
N for New York	IN for Indiana
NH for New Hampshire	WV for Virginia Occidentale
ME for Maine	MA for Massachusetts
WI for Wisconsin	OH for Ohio

## BROWN PLASTIC CAPS FOR JUGS



Cap for jugs (40 ml & 100 ml)	Bag of 12	661386
Cap for jugs (250 ml to 4 L) new threads	Bag of 12	6628400

## CDL COLLECTION ROUND JUGS



 **ONLY AVAILABLE IN CANADA**

1 L (90/box)	72814001BE
2 L (50/box)	66925BE
4 L (22/box)	72814004BE

**caps included**

 **Very competitive skid pricing.**  
**Call your local CDL store for details.**

**MODERN AND MAPLE LEAF**

**CAPS NOT INCLUDED**



MODERN

MAPLE LEAF

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
100 ml	EXBV0100M	36	661374 (GOLD)
A 250 ml	EXBV0250M	12	661374 (GOLD)
	EXBV0500M	12	661388 (GOLD)
50 ml	EXBV0050AU	48	661378 (GOLD)
100 ml	EXBV0100AU	12	661374 (GOLD) CAPK25 (BROWN)
	EXBV0250AU	12	661374 (GOLD) CAPK25 (BROWN)
B 250 ml	EXBV0250AU	12	661388 (GOLD) CAP500 (BROWN)
500 ml	EXBV0500AU	12	661388 (GOLD) CAP500 (BROWN)

**GALLONE**

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
40 ml	EXBVRH50	48	661378 (GOLD)
250 ml	EXBVRH250	12	661377 (BLACK) 661390 (BROWN)
	EXBVRH500	12	661377 (BLACK) 661390 (BROWN)
A 1 L	EXBVRH1000	6	661377 (BLACK) 661391 (BROWN)
	½ gal.	EXBVRH2000	6
1 gal.	EXBVRH4000	4	661391 (BROWN) 661381 (WHITE) 72838000N (BLACK)
	250 ml	EXBV0250GL-12	12
B 500 ml	EXBVRH500M	12	661388 (GOLD) CAP500 (BROWN)

**FLAT**

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	EXBV0250L	12	661376 (WHITE)
			661386 (BROWN)
			661384 (BROWN)
A 375 ml	EXBV0375	12	661376 (WHITE)
			661386 (BROWN)
			661384 (BROWN)
500 ml	EXBV0500	12	661376 (WHITE)
			661386 (BROWN)
			661384 (BROWN)
8 oz	EXBV0252	12	661376 (WHITE)
			661384 (BROWN)
B 12 oz	EXBV0377	12	661376 (WHITE) 661384 (BROWN)

**FLASK**

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
200 ml	BOTHF2	12	661384 (BROWN) CAP500 (BROWN)

 **Very competitive skid pricing.**  
**Call your local CDL store for details.**

### BASQUE

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	EXBV0250B	12	661377 (BLACK) 661390 (BROWN)
500 ml	EXBV0500B	12	661377 (BLACK)

### BASQUE SNOWMAN

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	EXBV0250BSM*	12	661377 (BLACK) 661390 (BROWN)

\* First come, first served.

### BASQUE 4 SUGARING SCENES

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	EXBV0250BI*	12	661377 (BLACK) 661390 (BROWN)

\* First come, first served.

### BASQUE 4 CHRISTMAS SCENES

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	EXBV0250BC*	12	661377 (BLACK) 661390 (BROWN)

\* First come, first served.

### BASQUE ANIMALS

**CAPS NOT INCLUDED**



	SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
<b>A</b>	250 ml	EXBV0250BPMOOSE*	12	661377 (BLACK) 661390 (BROWN)
<b>B</b>	250 ml	EXBV0250BPWOLF*	12	661377 (BLACK) 661390 (BROWN)
<b>C</b>	250 ml	EXBV0250BPDEER*	12	661377 (BLACK) 661390 (BROWN)
<b>D</b>	250 ml	EXBV0250BPJAY*	12	661377 (BLACK) 661390 (BROWN)

\* First come, first served.

### CAPS SOLD FOR 250ML DECORATED AND PLAIN BASQUES



#### BASQUE PLASTIC CAPS

Black plastic caps	Bag of 12	661377
Brown plastic caps	Bag of 12	661390

 **Very competitive skid pricing.**  
**Call your local CDL store for details.**

## DECANTER

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
16 oz	EXBV016	12	661381 (WHITE)
			72838000N (BLACK)
32 oz	EXBV032	12	661381 (WHITE)
			72838000N (BLACK)

## GRAND LINE AND SAUCE

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
A 1 L	EXBV1000G	12	661376 (WHITE)
			661386 (BROWN)
			661384 (BROWN)
B 350 ml	EXBV0350S2	12	72838000N (METAL)
			661381 (WHITE)
			661391 (BROWN)
			661396 (BLACK)



Shrink band  
38 mm, 250/bag

60160

## WHISKY

**CAPS NOT INCLUDED**



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
1 L	EXBV1000S	12	661376 (WHITE)
			661386 (BROWN)
			661384 (BROWN)

## CAPS

### WHITE PLASTIC CAPS



28 mm x 400	Bag of 12	661376
38 mm x 400	Bag of 12	661381
38 mm x 400 aluminum liner		661381AL

### BROWN PLASTIC CAPS



24 mm x 400	Bag of 12	CAPK25
28 mm x 400	Bag of 12	661384
31.5 mm x 400	Bag of 12	661390
38 mm x 400	Bag of 12	661391
28 mm x 410	Bag of 12	CAP500

### BLACK PLASTIC CAPS



18 mm x 400	Bag of 12	CAP05B
28 mm x 400	Bag of 12	661379
31,5 mm x 400	Bag of 12	661377
38 mm x 400	Bag of 12	661396

### GOLD PLASTIC CAPS



18 mm x 400	Bag of 12	661378
24 mm x 400	Bag of 12	661374
28 mm x 400	Bag of 12	661388

### METAL CAPS



Lid for CAN250 and CAN500 cans		LID250500*
-----------------------------------	--	------------

\* First come, first served.

### PLASTIC CAPS / TAMPER EVIDENT



28 mm x 400	Bag of 12	661382 (WHITE)
28 mm x 400	Bag of 12	661386 (BROWN)
28 mm x 400	Bag of 12	661385 (GOLD)
28 mm x 400	Bag of 12	CAPKB5 (BLACK)

## GOLD CAPS FOR GLASS BOTTLES

### GOLD CAPS



30,5 x 42 mm, 100/box	EXCAP210
34 x 52 mm, 100/box	EXCAP310

 **Very competitive skid pricing.**  
**Call your local CDL store for details.**

## SHORT ROUND JARS

LIDS NOT INCLUDED



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
40 ml	EXPO40	24	728445
125 ml	EXPO125	12	72843000
250 ml	EXPO250	12	728470
375 ml	BOTS37	12	728470
750 ml	BOTS75	12	CAPG82

## LONG ROUND JARS

LIDS NOT INCLUDED



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	BOTT25	12	CAPG53
375 ml	BOTT37	12	788490
500 ml	BOTT50	12	788470
750 ml	BOTT75	12	728470

## HEXAGONAL AND EMBOSSED HONEY JAR

LIDS NOT INCLUDED

A



B



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
45 ml	EXPOH045-24	24	728445
110 ml	EXPOH110-12	12	72843000
190 ml	EXPOH190-12	12	788490
270 ml	EXPOH270-12	12	788470
380 ml (500 g honey)	BOT380	12	CAPHC7, CAPWF7, CAPPC7, 728470
780 ml (1 kg honey)	BOT780	12	CAPHC8, CAPWF8, CAPPC8, CAPG82

## METAL LIDS



SIZE	QTY/BAG	PRODUCT CODE	
38 mm x 400	Black	12	72838000N
43 mm	Gold	12	728445
48 mm	Gold	12	72843000
53 mm	Gold	12	CAPG53
58 mm	Gold	12	788490
63 mm	Gold	12	788470
63 mm	Black		7884863N
70 mm	Gold	12	728470
70 mm	Black	12	728471
82 mm	Gold	12	CAPG82



A



B



C

SIZE	QTY/BAG	PRODUCT CODE
70 mm	12	CAPHC7
82 mm	12	CAPHC8
70 mm	12	CAPWF7
82 mm	12	CAPWF8
70 mm	12	CAPPC7
82 mm	12	CAPPC8

## SAMPLE JARS



30 ml jars  
 Cap only

EICOL016  
 EXBSCAP16



## PLASTIC BOTTLES

CAPS INCLUDED



	SIZE	QTY/BOX	PRODUCT CODE
OXYGEN BARRIER BOTTLE			
A	500 ml	150	661500
B	1 L	90	661000
C	2 L	50	660020-50
D	4 L	40	660400
FREEZER JUG			
E	4 L	1	EXSH4P
PLASTIC JUG			
F	10 L	1	JUG210
FIVE GALLON BLUE CONTAINER			
G	18.9 L	1  ONLY AVAILABLE IN THE USA	EXBPL005

## EXTRA CAPS FOR OXYGEN BARRIER BOTTLES AND FREEZER JUG

	DESCRIPTION	SIZE	QTY/BAG	PRODUCT CODE
A	Bottle cap 375 ml, 500 ml	-	12	661375
	Bottle cap 1 L, 2 L, 4 L	53 mm x 400	12	661380
B	For EXSH4P and JUG210	38 mm x 400	12	661381

## CARDBOARD BOXES

DESCRIPTION	SIZE	PRODUCT CODE
With handle	8 x 375 ml	668375*
With handle	8 x 500 ml	664350
Without handle	12 x 375 ml	612375



\* First come, first served.

## PLASTIC CONTAINERS



**In-mold label offering exceptional print quality!**



**caps included**

**With security seal**

250 g Lock container, CDL Collection 500/box

66250001 ONLY AVAILABLE IN CANADA

---



**caps included**

Maple cream tub CDL Collection 250 g 500/box

61250001 ONLY AVAILABLE IN CANADA

---



**caps included**

Maple cream tub CDL Collection 500 g 500/box

61500001 ONLY AVAILABLE IN CANADA

---



**caps included**

250 g organic container 500/box

61250001B ONLY AVAILABLE IN CANADA

**FOR ORGANIC CERTIFIED PRODUCERS**

## IDEAL FOR COTTON CANDY



A	Beige plastic container for maple cream 250 g   100/box	ONLY AVAILABLE IN CANADA	TUBB25*
A	Beige plastic container for maple cream 500 g   100/box		TUBB50*
	1/2 lb tub   100/box	ONLY AVAILABLE IN THE USA	EXCUL251U
	1 lb tub   100/box		EXCUL501U
B	4 oz. granulated sugar container		EXPLSUG4
B	8 oz. granulated sugar container		EXPLSUG8
C	Clear Secure Tamper Evident round container 34oz (1L)   250/box (lid not included)		667010
C	Clear Secure Tamper Evident round lid 114mm 34oz (1L)   500/box		667904

\* Product available in limited quantity.

## WOODEN STICKS



A

6" wooden sticks | pkg 12



B

 **NEW** 66893

A 10" wooden sticks | pkg 12 668911

18" wooden sticks 66891

B 6" taffy sticks | pkg 500 72925050

## CANDY BOXES



12 cavities, 4-1/2" x 6" 60115



25 cavities, 4-1/2" x 9" 60128

One bite candy box 60101



1" brown paper cups  
pkg 1 000 EXBB0251



6 cavity box,  
3-1/2" x 4-5/8" 60127



15 cavity box,  
7" x 4" x 1" 60131



1-3/4" white paper cups  
pkg 1 000 EXBB0101

## CONES, BOXES AND SUPPORTS



A

B

C

72/box 66137

A 900/box 66138

1914/box 661914

6 holes 25/box ECBCOR06-25

B 12 holes 25/box ECBCOR12-25

C Plastic cone holder, 64 cavities 666315

## GLUCOSE AND POWDER GENUGEL



2,25 kg  
For the hardness of sweets and lollipops 6680801



25 kg  
For the hardness of sweets and lollipops 66808

200 g  
For the hardness of sweets and lollipops 72926170

## HANG TAGS AND ELASTICS



A



B



C

DESCRIPTION PRODUCT CODE QTY/PKG

A Hang tag  **ONLY AVAILABLE IN CANADA** HANTAG 100

B Hang tag NECBRO 100

C Golden elastic EXECMEL6G 100

## SELF-ADHESIVE LABELS

 ONLY AVAILABLE IN CANADA

Nutrition Facts Valeur nutritive	
Per 1/4 cup (60 ml) pour 1/4 tasse (60 ml)	
<b>Calories 220</b>	% Daily Value*
<b>% valeur quotidienne*</b>	
<b>Fat / Lipides 0 g</b>	0 %
Saturated / saturés 0 g	0 %
+ Trans / trans 0 g	
<b>Carbohydrate / Glucides 55 g</b>	0 %
Fibre / Fibres 0 g	0 %
Sugars / Sucres 48 g	48 %
<b>Protein / Protéines 0 g</b>	
<b>Cholesterol / Cholestérol 0 mg</b>	
Sodium 10 mg	0 %
Potassium 175 mg	4 %
Calcium 50 mg	4 %
Iron / Fer 1 mg	6 %
*5% or less is a little, 15% or more is a lot / 5% ou moins c'est peu, 15% ou plus c'est beaucoup	

A

B




	DESCRIPTION	DIMENSION / DESCRIPTION	QTY/ROLL	PRODUCT CODE
A	Nutrition Facts	MED. NUTRI. LAB. MAPLE SYRUP 250	250	NFME25
	None	2-1/2" H x 2-1/8" L	250	LABNSB
	250 ml	2-1/2" H x 2-1/8" L	250	LABN25
B	None	3-5/8" H x 2-3/4" L	250	LABNLB
	500 ml	3-5/8" H x 2-3/4" L	250	LABN50
	1L	3-5/8" H x 2-3/4" L	250	LABN01

## SIGNS AND FLAGS



A



B



C



D



E

	DESCRIPTION	PRODUCT CODE
A	24" x 36" metal sign	ECMS2436
	10" x 14" plastic sign	ECMP1014
	24" x 36" plastic sign	ECMP2436
B	20" x 30" plastic sign	SIGNGR
C	18" x 24" coroplast sign	SIGNYE
D	20" x 30" coroplast sign	SIGNAM
E	Flag	663660

## SYRUP GRADING SELF-ADHESIVE LABELS





DESCRIPTION	PRODUCT CODE	QTY/PKG
Canada Golden	660260	500
Canada Amber	660262	500
Canada Dark	660258	500
Canada Very dark	660259	500
Ontario Golden	660230	500
Ontario Amber	660231	500
Ontario Dark	660232	500
Ontario Very dark	660233	500
Vermont Quality	EXECVT01	1000
Vermont Golden	EXLAVTG	1000
Vermont Amber	EXLAVTA	1000
Vermont Dark	EXLAVTD	1000
Vermont Very dark	EXLAVTV	1000
US Golden	EXLAUSG	1000
US Amber	EXLAUSA	1000
US Dark	EXLAUSD	1000
US Very Dark	EXLAUSV	1000



**Complete selection available online.**  
Visit our webstore for the complete listing.

## BOOKS



DESCRIPTION	PRODUCT CODE
<b>The Maple Syrup Cookbook - 3<sup>rd</sup> edition</b> (Offers recipes for breakfasts, appetizers, beverages, pastries and desserts.)	ECCBOOK3
<b>Backyard Sugarin'</b> (An excellent guide for people who would like to start producing maple syrup for pleasure or personal enrichment.)	ECBYSMAN4
<b>The Maple Syrup Cookbook</b> (Offers recipes for breakfasts, appetizers, beverages, pastries and desserts.)	ECCBOOK2



**Several other books available.**  
Visit our webstore for the complete listing.

## PLASTIC MOLDS



**A**  
HARD CANDY

**B**  
SUCKER CANDY

**C**  
CHOCOLATE

DESCRIPTION	CAVITY/QTY	PRODUCT CODE
Flowers, fruits, nuts	25	ECMSH479
Small hearts	18	ECMS0204
<b>A</b> Maple leaves	12	ECMS3185
Rectangles	20	ECMS3029
Stars	20	ECMSH227
Barrels	7	ECMS3205*
Baseball	6	ECMS3043
Snowmen	6	ECMSH404
Hearts	6	ECMSH324
Maple leaves	6	ECMS3450
Frogs	5	ECMS3303
<b>B</b> Rabbits (female)	5	ECMSH254
Apples	6	ECMS3190
Rounds	3	ECMS0573
Smiles (big)	4	ECMSH962
Smiles (small)	6	ECMSH961
Santa Claus heads	6	ECMSG214
Tractors	4	ECMS1219
Squares	20	EMCC071
Maple leaves	12	EMCC0121
Assorted designs	12	EMCC055
<b>C</b> Pyramids	12	EMCC129
Rounds	12	EMCC070
Farm animals (for suckers)	4	EMCS11219
Cow (for suckers)	5	ECMS3624

\* First come, first served.

## RUBBER CANDY MOLDS



- > Made of food grade silicone
- > Unique design for added stability when pouring
- > Entirely self supporting
- > Three high sides for quick filling without making a mess, giving a uniform quality products without waste.
- > Uniform cavities giving perfect results every time.



MSEM2420

## STAINLESS MOLDS



Use these molds to shape your maple sugar cakes.

250 g (35 per box)	72054250
500 g (25 per box)	72054500
Adjustable table	72924060

## SUCKER BAGS AND STICKS

DESCRIPTION	DIMENSIONS	QTY/PKG	PRODUCT CODE
Cellophane bags	4-3/4" x 6-3/4"	100	ECMSC406
Cellophane bags	3" x 4"	100	ECMSC304
Plastic bags	3" x 5"	100	ECMSS305
Plastic bags	4" x 5"	100	ECMSS405
Sticks	3-3/4"	1 000	ECMSB375
Sticks	4-1/2"	1 000	ECMSB450

## DISPENSER



**A**



**B**

<b>A</b> Tape dispenser	661150
<b>B</b> White tape for dispenser 9 mm x 66 m	661161

The CDL experience translates into personalized service at each stage of your maple sap processing.

Just like a family, our maple experts make suggestions and guide you so that the quality of your harvest meets your expectations and those of your consumers here and abroad.

## ONTARIO CORPORATE STORES AND SALES REPRESENTATIVES

### CDL CENTRAL ONTARIO

2907, Highway 11 N  
Oro-Medonte  
Ontario L0L 2E0  
P. 705-487-3331  
P. 1-800-959-9192 (Ontario only)  
atkinson@cdlinc.ca

#### Sales Representatives:

#### Peter Sevelka

Kawartha Lakes, Peterborough,  
Toronto, Simcoe County, North  
Cumberland, Haliburton  
C. 705-350-1003  
peter.sevelka@cdlinc.ca

#### Bill Hubbert

East Parry Sound, Manitoulin,  
Nipissing, North Haliburton,  
North Muskoka, Sudbury,  
Timiskaming  
C. 705-788-4582  
bill.hubbert@cdlinc.ca

#### Xaver Kargl

East Parry Sound, Manitoulin,  
Nipissing, North Haliburton,  
North Muskoka, Sudbury,  
Timiskaming  
C. 705-542-9357  
xaver.kargl@cdlinc.ca

### CDL WESTERN

3301, Perth Road 180, RR#2  
Staffa  
Ontario N0K 1Y0  
T. 519-345-0259  
western@cdlinc.ca

#### Sales Representatives:

#### George Roney

Brant, Bruce, Chatam-Kent,  
Elgin, Essex, Haldiman,  
Hamilton, Huron, Lambton  
Middlesex, Niagara, Norfolk,  
Oxford, Perth  
C. 519-949-1954  
george.roney@cdlinc.ca

#### Michaël Murphy

South Western Ontario  
T. 519-345-0259  
michael.murphy@cdlinc.ca

### CDL LANARK COUNTY

38, Dufferin Street  
Perth, Ontario K7H 3A4  
T. 613-259-5554  
lanark@cdlinc.ca

#### Sales Representatives:

#### Neil Cruise

Frontenac, Grenville, Hasting,  
Lanark, Lennox & Addington,  
Leeds, Ottawa, Prince Edward  
County, Renfrew  
C. 450-512-2619  
neil.cruise@cdlinc.ca

#### Shawna Jenkins

C. 613-200-2872  
shawna.jenkins@cdlinc.ca

### CDL GREY COUNTY

245794, Southgate Road 24  
Proton Station  
Ontario N0C 1L0  
T. 519-379-7021  
enos.martin@cdlinc.ca

#### Sales Representatives:

#### Enos Martin

Grey, Wellington County, Dufferin  
County, Waterloo  
C. 519-379-7021  
enos.martin@cdlinc.ca

#### Jonathon Martin

Grey, Wellington County, Dufferin  
County, Waterloo  
C. 519-379-1795  
jonathon.martin@cdlinc.ca

### CDL EASTERN

3464, Station Street  
Monkland  
Ontario K0C 1V0  
T. 613-346-0333  
eastern@cdlinc.ca

#### Sales Representatives:

#### Rob Berkvens

Stormont, Dundas, Glengarry  
C. 613-551-3333  
T. 613-346-0333  
rob.berkvens@cdlinc.ca

## NEW-BRUNSWICK CORPORATE STORES AND SALES REPRESENTATIVES

### CDL ST-QUENTIN

7, rue Canada  
Saint-Quentin NB E8A 1J2  
T. 506-235-9100  
stquentin@cdlinc.ca

#### Sales Representatives:

#### Michaël Boucher

New-Brunswick  
C. 506-740-6675  
michael.boucher@cdlinc.ca

#### Jacques St-Pierre

New-Brunswick (North-West)  
C. 418-860-7447  
jacques.st-pierre@cdlinc.ca

### CDL ACADIE

1873, rue Bellechasse,  
Paquetville NB E8R 1M9  
P. 506-764-3280  
acadie@cdlinc.ca

#### Sales Representatives:

#### Marc Chiasson

Acadie, Moncton,  
New-Brunswick (North-East)  
C. 506-727-8699  
marc.chiasson@cdlinc.ca

#### Eric Haché

New-Brunswick (South),  
Nova Scotia, Prince Edward Island  
C. 506-381-0855  
eric.hache@cdlinc.ca

## EUROPEAN REPRESENTATIVES

### NORDIQUE AND EAST

#### Sales Representatives:

#### Ervins Labanovskis

Europe (Nordique and East)  
P. 371 21075968  
ervins.labanovskis@birchsapcdl.com

### WEST

#### Sales Representatives:

#### David Clément

Europe (West)  
P. 06 86 24 46 31  
david.clement@birchsapcdl.com

## ONTARIO DISTRIBUTORS

### RMG FAMILY SUGAR BUSH

11866 W. Thompson Road  
Rudyard  
Michigan 49780  
T. 906-478-3038  
F. 906-478-7830  
C. 906-322-0765  
mjross@lighthouse.net

### KENTVALE HOME HARDWARE

712, K-line Road  
Richards Landing  
Ontario P0R 1J0  
T. 705-246-2002  
F. 705-246-2361  
kentvale.merchants@gmail.com

### NORTHWAY HOME HARDWARE

4231, Perth Road, Inverary  
Ontario K0H 1X0  
T1. 613-353-7000  
T2. 613-353-2155  
northway@kingston.net

## EUROPEAN DISTRIBUTORS

### FAMILLE MICHAUD (FRANCE)

Domaine Saint-Georges  
9, chemin de Berdoulou  
CS 30027 - 64290 Gan  
France  
T. +33 (0) 5 59 21 92 60  
magasinapicole@famillemichaud.com

## UNITED STATES CORPORATE STORES AND SALES REPRESENTATIVES

### CDL ST. ALBANS (HEAD OFFICE)

3 Lemnah Drive  
St. Albans, VT 05478  
T. 802-527-0000 F. 802-524-3666  
T. F. 800-762-5587  
stalbans@cdlusa.net

#### Sales Representative:

#### **Kory Woods**

Corporate Monitoring Sales  
& Automation  
C. 802-782-6492  
kory.woods@cdlusa.net

#### **Mitchell Charron**

Franklin County, VT  
Used Equipment Specialist  
C. 802-393-9092  
mitchell.charron@cdlusa.net

#### **Nick Atherton**

Franklin County, VT  
C. 802-309-9610  
nick.atherton@cdlusa.net

### CDL MORRISVILLE

559 Harrel Street  
Morrisville, VT 05661  
T. 802-851-8232 F. 802-851-8153  
morrisville@cdlusa.net

#### Sales Representative:

#### **Larrs Hardy**

Lamoille, Chittenden &  
Washington Counties, VT  
C. 802-782-5633  
larrs.hardy@cdlusa.net

### CDL NORTHEAST KINGDOM — THE PICK & SHOVEL

54 Coventry Street  
Newport, VT 05855  
T. 802-334-8370 F. 802-334-1218  
pick.maple@comcast.net

### CDL RUTLAND

#### **NEW LOCATION**

5227 Route 103  
Cuttingsville, VT 05738  
T. 802-725-8040 F. 802-725-8097  
rutland@cdlusa.net

#### Sales Representative:

#### **Zack Maniery**

Rutland County, VT  
C. 802-762-5587  
zack.maniery@cdlusa.net

### CDL OHIO

4508 York Street  
Farmdale, OH 44417  
T. 330-506-3025 ohio@cdlusa.net

#### Sales Representative:

#### **Jerad Sutton**

Ohio  
C. 330-506-3025  
jerad.sutton@cdlusa.net

### CDL ENOSBURG

257 Pearl Street  
Enosburg Falls, VT 05450  
T. 802-933-4279 F. 802-933-6908  
enosburg@cdlusa.net

#### Sales Representative:

#### **Zel Larivee**

Franklin County, VT  
C. 802-782-2824  
zel.larivee@cdlusa.net

### CDL BRISTOL

35 Jackman Drive  
Bristol, VT 05443  
T. 802-453-4335  
bristol@cdlusa.net

#### Sales Representative:

#### **Ben Shepard**

Addison, Orange, S. Caledonia,  
Washington Counties, VT,  
Southern VT, MA  
C. 802-373-2799  
ben.shepard@cdlusa.net

### CDL BARRE — MILES SUPPLY

143 Boynton Street  
Barre, VT 05641  
T. 802-476-3963  
cgalfetti@milessupply.com

### CDL LANCASTER

393 Main Street  
Lancaster, NH 03584  
T. 603-788-2600 F. 603-788-3998  
lancaster@cdlusa.net

#### Sales Representative:

#### **Will Streeter**

New Hampshire  
C. 603-520-5725  
will.streeter@cdlusa.net

### CDL MASSACHUSETTS QSH MAPLE SUPPLIES/ MIKE QUINN

78 Main Street  
Northfield, MA 01360  
T. 413-225-3245  
mike.quinn@cdlusa.net

#### Sales Representative:

#### **Michael Quinn**

Massachusetts, Southern VT, CT, RI  
C. 413-834-5083  
mike.quinn@cdlusa.net

### CDL COLTON, NY

239 Tucker Rd  
Colton, NY 13625  
T. 802-582-0628

#### Sales Representative:

#### **Micah Murray**

T. 802-582-0628  
micah.murray@cdlusa.net

### CDL NORTHEASTERN, NY

1036 Slosson Road  
West Chazy, NY 12992  
T. 518-493-3043 F. 518-493-2153  
neny@cdlusa.net

#### Sales Representative:

#### **Mike Parker**

Northeastern NY  
C. 518-420-4497  
parkerfamilymaple@yahoo.com

### CDL WESTERN NY

5704 State Route 19A  
Castile, NY 14427  
T. 585-493-5102 F. 585-493-5105  
wny@cdlusa.net

#### Sales Representative:

#### **Gordy Putman**

Western NY  
C. 585-322-5507  
whisperingbrookfarms@gmail.com

### CDL JOHNSTOWN, NY

116 Lagrange Road  
Johnstown, NY 12095  
T. 518-705-4002  
johnstown@cdlusa.net

#### Sales Representative:

#### **Stephen Savage**

Southwestern NY  
C. 518-421-6090  
stephen.savage@cdlusa.net

### CDL PENNSYLVANIA

91 Patterson Road  
Westfield, PA 16950  
T. 814-628-2082 F. 814-367-4087  
T. F. 1-855-501-2771  
pa@cdlusa.net

#### Sales Representative:

#### **Tim Eldridge**

Northern Pennsylvania  
C. 814-367-7811  
tim.eldridge@cdlusa.net

### CDL SOUTHERN PENNSYLVANIA

246 Sugar Cake Road  
Somerset, PA 15501  
T. 724-953-5765  
spa@cdlusa.net

#### Sales Representative:

#### **Mike Lynch**

Southern PA, IN, WV, OH, IL  
C. 814-442-3680  
mike.lynch@cdlusa.net

### CDL MAINE

319 US Route 2 East  
Wilton, ME 04294  
T. 207-645-4000 F. 207-645-4003  
maine@cdlusa.net

#### Sales Representative:

#### **Miguel Ibarguen**

Maine  
C. 207-578-0411  
miguel.ibarguen@cdlusa.net

#### **Josh Knipping**

Eastern Maine  
C. 207-944-2575  
josh.knipping@cdlusa.net

### CDL MICHIGAN — RMG FAMILY SUGAR BUSH

11866 West Thompson Road  
Rudyard, MI 49780  
T. 906-478-3038 F. 906-478-7830  
T. F. 1-800-50MAPLE(506-2753)  
mjross@lighthouse.net  
www.rmgmaple.com

#### Sales Representative:

#### **Derek Ross**

Michigan  
C. 906-322-0765  
upmaple@gmail.com

#### **Doug and Debra DeGrave**

Lee Wood & Bark River MI, SW  
Upper Peninsula MI  
C. 906-723-3723

### CDL WISCONSIN — ROTH SUGAR BUSH

Pete & Dawn Roth  
656 Tower Drive  
Cadott, WI 54727  
T. 715-289-3820 F. 715-289-3821  
info@rothsugarbush.com  
www.rothsugarbush.com

#### Sales Representative:

#### **James Adamski**

WI, MN, NW Upper Peninsula MI  
C. 715-216-7855  
cdladamski@gmail.com

## UNITED STATES DISTRIBUTORS

### ALASKA

#### ALASKA WILD HARVEST

5400 E Revolutionary Way  
Wasilla, AK 99654

**Mike and Dulce East**  
**Dbá Kahiltna Birchworks**  
P. 907-373-1309 F. 907-373-1359  
www.alaskabirchsyrup.com  
michael@alaskabirchsyrup.com

### CONNECTICUT

#### LAMOTHE'S SUGAR HOUSE

89 Stone Road  
Burlington, CT 06013

**Robert & Jean Lamothe**  
P. 860-675-5043  
www.lamothesugarhouse.com  
lamothesugarhouse@gmail.com

### INDIANA

#### SWEET SPOT MAPLE

3590 N State Route 5  
Shipshewana, IN 46565

**Marcus Miller**  
P. 574-364-0538  
sweetspotmaple@outlook.com

### MAINE

#### SLATTERY'S FARM & MAPLE SUPPLY CO.

1381 Woodman Hill Road. P.O. Box 94  
West Minot, ME 04288

**Wayne & Joni Slattery**  
P. 207-966-3643  
slatbake2001@yahoo.com

#### LYLE & JO ANN MERRIFIELD

195 North Gorham Road  
Gorham, ME 04038  
P. 207-892-5061 C. 207-415-3001  
merfarm@aol.com

#### GILE'S FAMILY FARM

139 Waterboro Road. P.O. Box 634  
Alfred, ME 04002

**Stephen Gile/Frank Boucher**  
P. 207-324-2944 C. 207-432-4479  
sgile@roadrunner.com

### MASSACHUSETTS

#### DUFRESNE'S SUGAR HOUSE

113 Goshen Road  
Williamsburg, MA 01096

**Keith Dufresne**  
P. 413-268-7509 C. 413-559-7072  
sugarmaker@berkshiresmaple.com

#### IOKA VALLEY FARM

3475 Hancock Road  
Hancock, MA 01237

**Rob & Missy Leab**  
C. 413-441-5147  
missy@iokavalleyfarm.com

### MICHIGAN

#### DEVOUGHT'S GENERAL STORE

9229 US 41 S  
Skandia, MI 49885

**Owen DeVought**  
P. 906-942-7686 C. 906-362-4418

### MINNESOTA

#### DON'S SUGAR SHACK

842 West Street  
Taylors Falls, MN 55084

**Don Hansen**  
P. 612-201-1086  
don@tfmaple.com

#### TIMBER'S SUGAR SHACK LLC

1037 1<sup>st</sup> Street NW  
Aitken, MN 56431

**Tim and Amber Woodrow**  
P. 218-429-5805  
timberssugarshack@gmail.com

### NEW HAMPSHIRE

#### BASCOM MAPLE FARMS, INC.

56 Sugarhouse Road  
Alstead, NH 03602

**Bruce Bascom**  
P. 603-835-6361 F. 603-835-2455  
sales@bascommapple.com

#### D & D MAPLE SUPPLIES

5 Saw Mill Drive, Unit 8  
Jaffrey, NH 03452

**Dave Kemp**  
P. 603-532-8496 C. 603-562-6973  
david.kemp7@myfairpoint.net

**Scott Kemp**  
C. 603-801-4690

#### HICKS HARDWARE

120 Main Street  
Colebrook, NH 03576  
P. 603-237-5531 F. 603-237-4190

#### SUNNYSIDE MAPLES, INC.

1089 Route 106 North  
Loudon, NH 03307

**Mike Moore**  
P. 603-783-9961 C. 603-848-7091  
sugarmaker@aol.com

### OHIO

#### GORTNER'S MAPLE

1244 Township Road 13  
West Salem, OH 44287

P. 419-869-7353 C. 419-651-2425  
rdgortner@frontier.com

#### McINTIRE FARM

7029 Gurneyville Road  
Wilmington, OH 45177

**Gregg McIntire**  
P. 937-302-6740  
campg8440@gmail.com

#### RICHARDS MAPLE PRODUCTS

7955 Euclid Chardon Road  
Kirtland, OH 44094

**Fred Ahrens**  
P. 440-268-4160 C. 330-206-1606  
fred@richardsmapleproducts.com

### NEW YORK

#### DOMINIC'S HARDWARE AND SUPPLIES, INC.

5195 State Route 11  
Ellenburg Depot, NY 12935

**Jim Dominic**  
P. 518-594-3922 F. 518-594-7786  
lynn@dominicshardware.com

#### GROTTOLI'S MAPLE FARM

91 Ritchie Road  
Middle Granville, NY 12849

P. 518-642-2856 C. 518-232-3024  
grottolimapple@yahoo.com

#### CATSKILL MOUNTAIN MAPLE

65 Charlie Wood Road  
DeLancey, NY 13752

**Thomas Kaufman**  
P. 607-746-6215 F. 607-746-8367  
tomshane95@msn.com

#### MOSER'S MAPLE RIDGE FARM

3981 Wilson Road  
Copenhagen, NY 13626

**Lyndon Moser**  
P. 315-688-2518 C. 315-486-3248  
mosersmapleridgefarm@gmail.com

#### MILL CREEK MAPLE SUPPLY

1551 County Highway 20  
Edmeston, NY 13335

#### David Norton

P. 607-965-6920 F. 607-965-6921  
millcreekmaple@yahoo.com

#### MALONE FARM AND HOME CENTER

114 Raymond Street  
Malone, NY 12953

**Ryan LaValley**  
P. 518-483-8072  
mfhc@bbinc.us

#### WOODY'S MAPLE SUPPLIES

418 Underwood Road  
Hermon, NY 13652

**James Woodrow**  
P. 315-347-2395  
Jim 315-783-8148  
Josh 315-528-3080  
jjaw@tds.net

#### MAPLE GLEN SUGARHOUSE

2266 Gowanda Zoar Road  
Gowanda, NY 14070

**Paul Lesefske**  
P. 716-532-5483  
pl2266@yahoo.com

#### HIMROD FARM SUPPLIES

3141 Himrod Road  
Himrod, NY 14842  
P. 315-531-9497 F. 315-531-9498

#### SWEET RIDGE MAPLE FARM

1539 West Danby Road  
Newfield, NY 14876

**Dan Weed**  
P. 607-564-4027 C. 315-567-9900  
daniweed@yahoo.com

### PENNSYLVANIA

#### BRENNEMAN'S MAPLE FARM

572 Oak Dale Road, Salisbury, PA 15558

**Iddo Brenneman**  
P. 814-662-2010

#### LOCH'S MAPLE

143 Cokely Road, Springville, PA 18844

**Randy & Jamie Loch**  
P. 570-965-2679 C. 570-240-1432  
www.lochsmapple.com  
maple4u@epix.net

#### TRIPLE CREEK MAPLE LLC

9225 Fillinger Road, Cranesville, PA 16410

**Gary Bilek**  
P. 814-756-4500  
triplecreekmaple@yahoo.com

#### MINEHART GAP MAPLE

30 Old Goss Lane, Lewistown, PA 17044

**Matthew Fisher**  
P. 717-994-5759  
minehartgap@verizon.net

#### IANSON FARMS, LLC

238 Anson Road, Coudersport, PA 16915

**Bart & Regina Ianson**  
P. 814-331-3585  
iansonfarmsllc@gmail.com

#### ACE HARDWARE BROCKWAY

461 Main Street, Brockway, PA 15824  
P. 814-541-4277  
acehardwareofbrockway@gmail.com

### WEST VIRGINIA

#### DANIELS MAPLE PRODUCTS

1747 Morris Branch Road  
Dawson, WV 25976

**Brandon Daniels**  
C. 304-575-7266  
wvmapler@suddenlink.net

### WISCONSIN

#### ADAMSKI'S SUGAR BUSH

W10923 Winter Road  
Antigo, WI 54409

**James Adamski**  
P. 715-623-6853 C. 715-216-7855  
cdladamski@gmail.com

#### SUGAR GROVE MAPLE SUPPLY

S2030 County Road D  
Westby, WI 54667

**Emmanuel and Owen Hershberger**  
P. 608-625-6745

#### BACKWOODS MAPLE SUPPLIES

N408 4th Avenue  
Eau Galle, WI 54737

**Tony and Roger Bundy**  
P. 715-495-6534  
backwoodsmaplesupplies@gmail.com

#### DRIFTLESS FARMS

16885 County Highway U  
Viola, WI 54664

**Scott and Erica Walter**  
P. 608-606-5049  
driftlessfarmsllc@gmail.com



## QUEBEC CORPORATE STORES

### LES ÉQUIPEMENTS D'ÉRABLIÈRE CDL (HEAD OFFICE)

257, route 279  
Saint-Lazare-de-Bellechasse  
Québec G0R 3J0  
Administration: 418-883-5158  
TF. 1-800-361-5158  
Store: 418-883-7071  
st-lazare@cdlinc.ca

### CDL CABANO

315, boulevard Industriel  
Témiscouata-sur-le-Lac  
Québec G0L 1E0  
P. 418-854-5158  
TF. 1-877-854-5158  
cabano@cdlinc.ca

### CDL HAUT- SAINT-LAURENT

2535, route 209  
Saint-Antoine-Abbé  
Québec J0S 1N0  
P. 1-844-805-1235  
hautst-laurent@cdlinc.ca

### CDL LA GUADELOUPE

295, 14e Avenue  
La Guadeloupe  
Québec G0M 1G0  
P. 418-459-4012  
beauce@cdlinc.ca

### CDL L'ISLET

194, route 204  
Saint-Adalbert  
Québec G0R 2M0  
P. 418-356-5153  
lislet@cdlinc.ca

### CDL LOURDES

282, route 265  
Notre-Dame-de-Lourdes  
Québec G0S 1T0  
P. 819-245-0058  
lourdes@cdlinc.ca

### CDL MÉGANTIC

2294, Rue Laval  
Nantes  
Québec G6B 2V5  
P. 819-554-8443  
megantic@cdlinc.ca

### CDL MONT-LAURIER

1054, boul. Albiny-Paquette  
Mont-Laurier  
Québec J9L 1M1  
P. 873-388-0145  
mont-laurier@cdlinc.ca

### CDL PORTNEUF

1142, avenue St-Louis  
Portneuf  
Québec G0A 2Y0  
P. 418-286-0003  
portneuf@cdlinc.ca

### CDL ROXTON FALLS

286, rue Notre-Dame  
Roxton Falls  
Québec J0H 1E0  
P. 450-366-0711  
roxtonfalls@cdlinc.ca

### CDL SAINTE-AURÉLIE

(Équipements d'érablière  
Guy Maheux inc.)  
8, rang Saint-Jean-Baptiste  
Sainte-Aurélien  
Québec G0M 1M0  
P. 418-593-3804  
P. 418-593-3805  
ste-aurelie@cdlinc.ca

### CDL SAINTE-MARIE

1235, rue 2 du Parc Industriel  
Sainte-Marie  
Québec G6E 1G7  
P. 418-387-2215  
ste-marie@cdlinc.ca

### CDL SAINT-GABRIEL- DE-RIMOUSKI

266, rue Principale  
St-Gabriel-de-Rimouski  
Québec G0K 1M0  
P. 418-798-0130  
stgabrielderimouski@cdlinc.ca

### CDL SAINT-JACQUES

97C, rue Venne  
Saint-Jacques QC J0K 2R0  
P. 450-499-4961  
stjacques@cdlinc.ca

### CDL SAWYERVILLE

143, rue de Cookshire  
Sawyerville  
Québec J0B 3A0  
P1. 819-416-1505  
P2. 819-416-1501  
sawyerville@cdlinc.ca

### CDL SHEFFORD

2981, route 112  
Shefford  
Québec J2M 1C6  
P. 450-539-2225  
shefford@cdlinc.ca

### CDL THETFORD

1892, rue Nadeau  
(Secteur Pontbriand)  
Thetford Mines  
Québec G6H 3K3  
P. 418-335-0853  
thetford@cdlinc.ca

### CDL WARWICK

1, route 116 Est  
Warwick, Québec J0A 1M0  
P. 819-358-3499  
warwick@cdlinc.ca

## QUEBEC DISTRIBUTORS

### AGRI-SERVICE D.M.R. INC. (LANAUDIÈRE)

4011, rue Principale  
Saint-Félix-de-Valois  
Québec J0K 2M0  
P. 450-889-8341  
TF. 1-800-667-7030  
F. 450-889-2305

### MEUNERIES MONDOU (LAURENTIDES)

12429, route Arthur-Sauvé  
Mirabel  
Québec J7N 2C2  
P. 450-258-2817  
TF. 1-888-258-2817  
F. 450-258-4626  
groupemondou  
@meuneriemondou.com

### LES MOULINS B.G.L. INC. (LAURENTIDES)

14, rue Legault  
Saint-André-d'Argenteuil,  
Québec J0V 1X0  
P. 450-537-3774  
F. 450-537-3777



---



# CDL'S COMMITMENT

CDL wishes to remain a leader in the maple syrup industry and offer customers a range of innovative products and comprehensive services, with a focus on quality and compliance with delivery times, and at the right price.

At CDL, our commitment is to offer you the best customer experience in regions all year round, especially when you need it most: during sugaring season.





PORT DE RETOUR GARANTI  
RETURN POSTAGE GUARANTEED

Visit your CDL  
online store today

Home delivery or  
store pick up available

A SHOPPING  
EXPERIENCE:

- ✓ SIMPLE
- ✓ FAST
- ✓ EFFICIENT

[webstore.cdlinc.ca](http://webstore.cdlinc.ca)



CDL SUGARING EQUIPMENT - CANADA HEAD OFFICE  
257 route 279, Saint-Lazare-de-Bellechasse QC G0R 3J0

[cdlinc.ca](http://cdlinc.ca)